

SPECIFICATIONS

FOR

**HIGHWAY 430 - SEGMENT C - REHABILITATION
PARKS CANADA
GROS MORNE NATIONAL PARK, ROCKY HARBOUR, NL**

ISSUED FOR TENDER

**PCA Project No.: 678
Date: January 29, 2016**

Specifications
Issued for Tender

PARKS CANADA
HIGHWAY 430 - Segment C - Rehabilitation, GROS MORNE NATIONAL PARK

Standing Offer Agreement: 5P301-14-0001/004
PCA Project No.: 678



A handwritten signature in blue ink, appearing to read "G. Flanagan", written over a solid horizontal line.

Geoffrey R. Flanagan, P. Eng.
Senior Civil Engineer
Crandall Engineering Inc.

PARKS CANADA
HIGHWAY 430 REHABILITATION, GROS MORNE NATIONAL PARK

Crandall Engineering Ltd.						
Issued for Tender - Technical Specifications						
	Prepared by	Init	Date	Checked by	Init	Date
Civil	Geoff Flanagan	<i>GF</i>	29 Jan 16	Julien Babin	<i>JJB</i>	29 Jan 16
Project Manager	Lisa Grasse	<i>LG</i>	29 Jan 16			

<u>Section</u>	<u>Title</u>	<u>Pages</u>
<u>Division 01 - General Requirements</u>		
01 11 00	General Instructions	9
01 14 10	Scheduling and Management of Work	3
01 29 00	Project Particulars and Measurement	8
01 33 00	Submittal Procedures	6
01 35 29	Health & Safety Requirements	11
01 35 43	Environmental Procedures	10
01 35 45	Environmental Protection Refueling Vehicles	3
01 45 00	Testing & Quality Control	2
01 52 00	Construction Facilities	5
01 55 26	Traffic Regulation	7
01 56 00	Temporary Barriers and Enclosures	2
01 61 00	Common Product Requirements	5
01 71 00	Examination and Preparation	2
01 74 11	Cleaning	2
01 74 21	Construction/Demolition Waste Management & Disposal	5
01 77 00	Closeout Procedures	2
01 78 00	Closeout Submittals	5
<u>Division 03 - Concrete</u>		
03 10 00	Concrete Forming and Accessories	4
03 20 00	Concrete Reinforcing	4
03 30 00	Cast-in-Place Concrete	11
<u>Division 31 - Earthwork</u>		
31 05 17	Aggregates: General	5
31 11 00	Clearing & Grubbing	2
31 23 10	Excavating, Trenching & Backfilling	5
31 23 16.26	Rock Excavation	2
31 24 13	Roadway Embankments	3
31 37 00	Rip Rap	1
<u>Division 32 - Exterior Improvements</u>		
32 01 16	Removal of Existing Asphalt	3
32 11 19	Granular Subbase	4
32 11 23	Granular Base	3
32 12 13.16	Asphalt Tack Coat	3
32 12 16	Hot-Mix Asphalt Concrete Paving	15
32 17 23	Painted Traffic Lines & Markings	7
<u>Division 33 - Utilities</u>		
33 42 13	Pipe Culverts	5
<u>Appendix A</u>		
Basic Impact Analysis (BIA)		12

List of Drawings

Civil / Segment C Rehabilitation

- C01 - Overall Site Plan
- C02 - Highway 430 Plan and Profile STA 26+800 to STA 28+800
- C03 - Highway 430 Plan and Profile STA 28+800 to STA 30+800
- C04 - Highway 430 Plan and Profile STA 30+800 to STA 32+800
- C05 - Highway 430 Plan and Profile STA 32+800 to STA 34+800
- C06 - Highway 430 Plan and Profile STA 34+800 to STA 36+800
- C07 - Highway 430 Plan and Profile STA 36+800 to STA 38+800
- C08 - Highway 430 Plan and Profile STA 38+800 to STA 40+120
- C09 - Highway 430 Intersection Upgrade Pool Access Road
- C10 - Highway 430 Intersection Upgrade Spring Lane
- C11 - Culverts Plan and Section STA 28+859 and STA 29+096
- C12 - Culverts Plan and Section STA 30+900 and STA 30+990
- C13 - Culverts Plan and Section STA 32+790 and STA 32+923
- C14 - Culverts Plan and Section STA 34+731
- C15 - Miscellaneous Details and Cross Sections
- C16 - Miscellaneous Details and Cross Sections
- C17 - Typical Road Cross Sections
- C18 - Typical Intersection Cross Sections
- C19 - Proposed "T" - Intersection Upgrades Pool Access Road
- C20 - Proposed "T" - Intersection Upgrades Spring Lane

PART 1 - GENERAL

- 1.1 Description of Work .1 The work will be carried out on Hwy 430, within the boundaries of Gros Morne National Park.
- .2 The work of this contract includes the provision of all materials, labour, equipment, and ancillaries, all as necessary for the completion of the work as indicated on the drawings and as described in the specifications and notes. Work on this project consists generally of, but is not limited to, the following:
- .1 Supply and install all environmental protection measures required such as site erosion and sediment control measures, check dams, silt fencing, hay/straw bales, vegetative stabilization and other measures, to be maintained for the duration of the project and removed following completion.
 - .2 Supply and operation of traffic control and signage for the duration of the project.
 - .3 Excavation, removal and disposal of existing CSP culverts indicated for replacement.
 - .4 Ditching in locations on Route 430 as directed by Departmental Representative.
 - .5 Clearing in locations on Routes 430 as directed by Departmental Representative.
 - .6 Supply and installation of new CSP and aluminized CSP culverts, complete with backfill, headwalls (if required) and rip rap aprons as indicated.
 - .7 Milling of entire length and width of highway 430 within the limits shown on the drawings.
 - .8 Upgrades to two 'T'-intersections, which includes widening of highway 430 to accommodate acceleration and deceleration lanes.
 - .9 Hauling, placement and compaction of rock borrow aggregates and granular materials for bedding and surround, roadway structure, and shoulder treatment as shown on drawings.
 - .10 Re-use of milled asphalt (RAP) for shoulder granular material.
 - .11 Reconstruction of roadway embankment to match existing.
 - .12 Supply, installation and compaction of new asphalt pavement, including asphalt

gutters, oftakes and keyed joints at existing pavement.

.13 RAP may be used in the lower lift of surface asphalt.

.14 Temporary line striping.

.15 All other labour, materials and work necessary to complete the project to the Departmental Representative's full satisfaction.

.3 All work to be carried out in accordance with applicable federal and provincial regulations for those agencies having jurisdiction for the work. The work is subject to the National Park Act and Regulations, Canadian Environmental Protection Act, Canada Labour Code and the NL Occupational Health and Safety Act and Regulations.

.4 The Contractor is advised that other construction work may be being performed by others at different locations during the time frame of this contract, including work required to replace Bottom Brook bridge. Contractor is to cooperate with other contractor's within the project limits.

1.2 Work Restrictions

.1 A maximum section of highway no longer than 3 km will be permitted to be under construction for the purpose of placing new asphalt pavement at any given time, with traffic control as required.

.2 A maximum of four (4) culvert replacement or construction locations will be permitted to be under construction at any given time, with traffic control as required.

.3 Contractor is advised that all sub-excavation areas and/or transverse cuts along Route 430 must be reinstated (paved) prior to Contractor's crew shift change and/or every two (2) weeks (maximum).

1.3 Familiarization With Site

.1 Before submitting a bid, it is recommended that bidders visit the site to review and verify the form, nature and extent of the

work, materials needed, the means of access and the temporary facilities required to perform the Work.

- .2 The chainage referred to on Route 430 is located along the center of the road with the south Park boundary located near the community of Wiltondale as station 0 + 000.
- .3 Obtain prior permission from the Parks Canada Asset Manager before carrying out such site inspection.
- .4 Contractors, bidders or those they invite to site are to review specification Section 01 35 29 - Health and Safety Requirements before visiting site. Take all appropriate safety measures for any visit to site, both before and after acceptance of bid.

1.4 Interpretation
of Documents

- .1 Supplementary to the Order of Precedence article of the General Conditions of the Contract, the Division 01 sections take precedence over the technical specification sections in other Divisions of the Specification Manual.

1.5 Term Engineer

- .1 Unless specifically stated otherwise, the term Engineer where used in the Specifications and on the Drawings shall mean the Departmental Representative as defined in the General Conditions of the Contract.

1.6 Setting Out Work

- .1 The Departmental Representative will provide layout.

1.7 Measurement For
Payment

- .1 Notify Departmental Representative sufficiently in advance of operations to permit required measurements for payment.

1.8 Maintenance of
Work During
Construction

- .1 Maintain work during construction. Undertake continuous and effective maintenance work day by day, with adequate equipment and forces so that the roadway or structures are continuously kept in a condition satisfactory to Departmental Representative.

1.9 Codes and Standards

- .1 Perform work in accordance with National Parks Act, Code of Practice of the Department of Labour, as it pertains to the Traffic Control Manual (Department of Transportation & Works) and any other code of federal, provincial or local application provided that in any case of conflict or discrepancy, the more stringent requirements shall apply.
- .2 Materials and workmanship must conform to or exceed applicable standards of Canadian General Standards Board (CGSB), Canadian Standards Association (CSA), American Society for Testing and Materials (ASTM) and other standards organizations.
- .3 Conform to latest revision of any referenced standard as re-affirmed or revised to date of specification. Standards or codes not dated shall be deemed editions in force on date of tender advertisement.

1.10 Work Within Park Boundaries

- .1 The project is within a national park and it is essential that lands remain as undisturbed as possible. The Contractor will be expected to use standards and methods beyond those for normal construction in order to protect the environment and ensure the aesthetics of the work. Contract limits shall be strictly adhered to and every precaution shall be taken to minimize environmental damage and disruption to vegetation, wildlife habitat, and structures or existing services, both on construction and storage sites.
 - .1 If any damage occurs during construction, the Contractor is responsible to bear the expense to immediately restore such damaged areas to the satisfaction of the Departmental Representative.
 - .2 If Contractor fails to repair damage to the satisfaction of the Departmental Representative, the Departmental Representative

may have repairs completed by others at the Contractor's expense.

.3 The Contractor shall ensure that contracted work meets the standards outlined in the contract specification and drawings.

.4 The Contractor shall ensure that no damage will be done to any existing underground telephone cables.

.5 All sources of aggregate and asphalt cement must be submitted to the Departmental Representative for approval at least two weeks prior to the start of any work.

.6 The Contractor is responsible to follow the Provincial requirements regarding the following:

- .1 Pit and Quarry Guidelines
- .2 Environmental Construction Practice specifications

.7 The Contractor will make arrangements with authorities or owners of private properties for quarrying and transporting materials and machinery over their properties and be responsible for obtaining and paying of fees.

1.11 Documents
Required

- .1 Maintain at job site, one copy each of following:
 - .1 Contract drawings.
 - .2 Specifications.
 - .3 Addenda.
 - .4 Reviewed drawings.
 - .5 Change orders.
 - .6 Other modifications to Contract.
 - .7 Copy of approved work schedule.
 - .8 Field test reports.
 - .9 Manufacturer's installation and application instructions.
 - .10 Site specific Health and Safety Plan and other safety related documents.
 - .11 Other documents as stipulated elsewhere in the Contract Documents.

1.12 Site
Conditions

- .1 The Contractor will be responsible to visit the roadway and review existing site conditions.

1.13 Departmental

- .1 Departmental Representative will be assigned

Representative

after contract award.

1.14 Work Schedule

- .1 Provide to the Departmental Representative in writing and within 5 working days after Contract award, a detailed construction schedule and traffic control plan. The schedule shall show proposed work to be undertaken and anticipated completion dates for each category of work.

1.15 Sanitary Services

- .1 The Contractor shall provide and maintain sanitary facilities for the use of workers at locations specified by the Departmental Representative. Provision of sanitary facilities shall meet requirements of provincial government and municipal statutes and authorities.

1.16 Contractor's Use of Site

- .1 Use of site: for execution of work within roadway right of way and those areas specified by the Departmental Representative.
- .2 The Departmental Representative will specify the areas for work and storage.

1.17 Project Meetings

- .1 Contractor will arrange project meetings and are to occur every two (2) weeks and assume responsibility for setting times and recording and distributing minutes.
- .2 After receiving the Contractor's schedule, traffic control plan, health and safety hazard assessment, and environmental protection plan, and prior to start of construction, a meeting involving Contractor, Departmental Representative and Parks Canada will be held at a place and time to be determined by the Departmental Representative. This meeting will review implications of the contract, design, schedule of work health and safety, methods of construction, environment protection methods and traffic control.
- .3 Interim reviews of work progress based on

work schedule will be conducted as decided by Departmental Representative and schedule updated by Contractor in conjunction with and to approval of Departmental Representative.

- .4 No work will begin until the pre-construction meeting is held, and all submittals have been approved.
- .5 Following the pre-construction meeting and approval of submittals, the work will be carried out to meet the time restraints and have the project completed on time.

1.18 Cutting & Patching

- .1 Cut and patch as required to make work fit.
- .2 Where new work connects with existing and where existing work is altered, cut, patch and make good to match existing work.

1.19 Existing Services

- .1 Carry out work at times directed by authorities having jurisdiction, with minimum of disturbance to pedestrian and vehicular traffic.
- .2 Before commencing work, establish location and extent of service lines in area of work and notify Departmental Representative of findings.
- .3 Submit schedule to and obtain approval from Departmental Representative for any shut down or closure of active service or facility. Adhere to approved schedule and provide notice to affected parties.
- .4 Where unknown services are encountered, immediately advise Departmental Representative and confirm findings in writing.
- .5 Record locations of maintained, re-routed and abandoned service lines.
- .6 Ensure that at least one (1) lane of alternating two-way traffic is maintained at construction sites at all times.

- .7 Ensure pedestrian and other traffic is not unduly impeded, interrupted or endangered by execution or existence of work or plant.
- .8 Maintain existing signs at all times. When it is necessary to temporarily remove a sign, it shall be dismantled and re-established on a temporary post or stand set back from construction area. The work is considered to be incidental and no separate payment will be made for maintaining or moving signs.
- .9 Verify locations of any underground utilities.

1.20 Additional Drawings

- .1 Departmental Representative may furnish additional drawings for clarification. These additional drawings have same meaning and intent as if they were included with plans referred to in Contract documents.

1.21 Relics, Antiquities and Wildlife Habitat

- .1 Protect relics, antiquities, wildlife habitat, items of historical or scientific interest such as cornerstones and contents, animal nesting sites, commemorative plaques, inscribed tablets, and similar objects found during course of work.
- .2 Give immediate notice to Departmental Representative and await Departmental Representative's written instructions before proceeding with work in this area.
- .3 Relics, antiquities and items of historical or scientific interest remain the property of Canada.

1.22 National Park Act

- .1 For projects within boundaries of National Park, perform work in accordance with Canada National Parks Act and Regulations.

1.23 Measurement of Quantities

- .1 Linear: Items which are measured by metre or kilometre are to be measured along centreline of installation unless otherwise shown on plans.
- .2 Area:

- .1 Longitudinal and transverse measurements for areas to be measured horizontally.
 - .3 Mass:
 - .1 Term "tonne" shall mean 1000 kg.
 - .2 Materials which are specified for measurement by mass shall be weighed on scales approved by and at locations designated by Departmental Representative. Units used to haul material being paid for by mass shall bear legible identification numbers plainly visible to scale person as it approaches and leaves scale-house.
 - .4 Time:
 - .1 Unless otherwise provided for elsewhere or by written authority of Departmental Representative, hourly rental of equipment will be measured in actual working time and necessary travelling time of equipment within limits of project at an all-inclusive rate. Equip each unit of mobile equipment with an approved device to register hours of operation. Devices which only measure hours of running of motor will not be accepted.
 - 1.24 Permits/
Authorities .1 The Contractor shall obtain, and pay for, permits from authorities as required for all operations and construction. He shall also comply with all pertinent regulations of all authorities having jurisdiction over the work. The Contractor shall provide copies of all permits to the Departmental Representative prior to starting the work. The Contractor shall be responsible for obtaining all applicable permits, inspections and approvals required and shall pay all charges in connection therewith.
 - 1.25 Equipment
Rental Rates .1 Upon written request, the Contractor will supply the Departmental Representative with a list of the rental equipment to be used on work beyond the scope of bid items. Equipment rental rates will be in accordance with current rates published by the Newfoundland and Labrador Department of Transportation and Works.
 - 1.26 Existing Survey .1 Topographic survey used in the preparation of
-

these Contract Documents was provided by PCA.

1.27 Protection
incorporated
any means.

.1 Store all materials and equipment to be
into work to prevent damage by

satisfaction
and at no cost

.2 Repair and replace all materials or equipment
damaged in transit or storage to the
of the Departmental Representative
to Canada.

tracked

.3 Contractor will take adequate precautions to
protect existing structures when operating
equipment.

public

.4 Exercise care so as not to obstruct or damage
or private property in the area.

original
will be
construction
etc., and leave site
to Departmental

.5 At completion of work, restore area to its
condition. Damage to ground and property
repaired by Contractor. Remove all
materials, residue, excess,
in a condition acceptable
Representative.

- 1.1 Submittals
- .1 Upon acceptance of bid and prior to commencement of work, submit to Departmental Representative the following work management documents:
 - .1 Work Schedule as specified herein.
 - .2 Health and Safety Plan as specified in Section 01 35 29 - Health and Safety Requirements.
 - .3 Environmental Protection Plan as specified in Section 01 35 43 - Environmental Procedures.
 - .4 Traffic Control Plan as specified in Section 01 55 26 - Traffic Regulation.
- 1.2 Work Schedule
- .1 Upon acceptance of bid submit:
 - .1 Preliminary work schedule within 5 calendar days of contract award.
 - .2 Schedule to indicate all calendar dates from commencement to completion of all work within the time stated in the accepted bid.
 - .3 Provide sufficient details in schedule to clearly illustrate entire implementation plan, depicting efficient coordination of tasks and resources, to achieve completion of work on time and permit effective monitoring of work progress in relation to established milestones.
 - .4 Work schedule content to include as a minimum the following:
 - .1 Bar (GANTT) Charts, indicating all work activities, tasks and other project elements, their anticipated durations, planned dates for achieving key activities and major project milestones supported with;
 - .1 Written narrative on key elements of work illustrated in bar chart, providing sufficient details to demonstrate a reasonable implementation plan for completion of project within designated time.
 - .2 Generally Bar Charts derived from commercially available computerized project management system are preferred but not mandatory.

- .5 Work schedule must take into consideration and reflect the work phasing.
 - .6 Schedule work in cooperation with the Departmental Representative.
 - .7 Completed schedule shall be approved by Departmental Representative. When approved, take necessary measures to complete work within scheduled time. Do not change schedule without Departmental Representative's approval.
 - .8 Ensure that all subtrades and subcontractors are made aware of the work restraints and operational restrictions specified.
 - .9 Schedule Updates:
 - .1 Submit when requested by Departmental Representative.
 - .2 Provide information and pertinent details explaining reasons for necessary changes to implementation plan.
 - .3 Identify problem areas, anticipated delays, impact on schedule and proposed corrective measures to be taken.
 - .10 Departmental Representative will make interim reviews and evaluate progress of work based on approved schedule. Frequency of such reviews will be as decided by Departmental Representative. Address and take corrective measures on items identified by reviews and as directed by Departmental Representative. Update schedule accordingly.
 - .11 In every instance, any change or deviation from the Work Schedule, no matter how minimal the risk or impact on safety or inconvenience to tenant or public might appear, will be subject to prior review and approval by the Departmental Representative.
 - .12 A maximum section of highway no longer than 3 km will be permitted to be under construction for the purpose of placing new asphalt pavement at any given time, with traffic control as required.
-

- .13 A maximum of four (4) culvert replacements will be permitted to be under construction at any given time, with traffic control as required.

1.3 Project Meetings

- .1 Schedule and administer project meetings every two (2) weeks for entire duration of work.
- .2 Prepare agenda for meetings.
- .3 Notify participants by e-mail 4 days in advance of an unscheduled meeting date.
 - .1 Ensure attendance of all subcontractors.
 - .2 Departmental Representative will provide list of other attendees to be notified.
- .4 Hold meetings at project site or where approved by Departmental Representative.
- .5 Preside at meetings and record minutes.
 - .1 Indicate significant proceedings and decisions. Identify action items by parties.
 - .2 Distribute to participants by e-mail or by facsimile within 3 calendar days after each meeting.
 - .3 Make revisions as directed by Departmental Representative.

PART 1 - GENERAL

1.1 General Requirements

- .1 The Form of Tender includes one lump sum priced item and several unit priced items.
- .2 The total tendered price shall be the sum of the lump sum item plus the amounts calculated from the unit priced items based on the approximate quantities identified for each of the unit priced items.
- .3 The Contractor in submitting their Tender for the project understand that they will only be entitled to payment under the unit priced items when prior written authorization has been received from the Departmental Representative for utilization and then only to the extent of the work authorized by the Departmental Representative.
- .4 Additional instructions for measurement and/or payment for items of the work may be contained in specific sections of the Technical Specifications. In the case of a conflict between the instructions for measurement and payment contained in this section with that of any other section, the requirement of this section shall apply.
- .5 The submitted tender prices will be inclusive of all costs for the complete supply and installation of all materials, labour and equipment required to complete the work. No separate payment will be made for any testing, inspections and approvals required by Contractor.
- .6 All measurement shall be along a horizontal plane unless otherwise indicated.

1.2 Lump Sum Item

- .1 No separate measurement for payment shall be made for any work completed under this item.
 - .2 The work of the lump sum item shall include all other works which are required for completion of the project exclusive of those covered by the unit priced items.
-

- .3 All and any items not specifically included in the unit price items are considered incidental to the work and are to be included in the lump sum portion of the work.

1.3 Unit Price Items

- .1 Clearing
.1 Unit of measurement: hectare (ha).
.2 Method of Measurement: horizontal area.
.3 This item includes: clearing and disposal of all roadside vegetation, including trees (standing and felled), shrub vegetation and underbrush, within the limits of Route 430, the intersection upgrades and ditching areas as directed by Departmental Representative. Stripping of topsoil layer on road widening areas is incidental to the work.
- .2 Ditching
.1 Unit of Measurements: Hour(hr) of crew time.
.2 Method of Measurement: From accepted time sheets, signed by Departmental Representative.
.3 This Item Includes a crew consisting of the following; One (1) 25 tonne excavator; Four (4) Tandem Dump Trucks; Five (5) Operators for above equipment, flagpersons, etc. as required; Equipment and personnel as required at the dump site including all costs to rehabilitate dump site to meet standards of those having jurisdiction. Ditching to be completed at locations on Route 430 as directed by Departmental Representative.
- .3 Common Excavation
.1 Unit of Measurement: Cubic meter (m³) in-situ.
.2 Method of Measurement: average end area method between cross sections taken before and after removal to lines and elevations indicated. Departmental Representative and Contractor shall agree on quantity measurements at the end of each day's work.
3. This item includes all labour, materials and equipment required to remove all common excavation/USM materials and loading, hauling and disposing of the removed materials at approved disposal locations. Separate payment to be made for asphalt removed by cold milling under milling existing asphalt.

- .4 Rock Excavation
- .1 Unit of Measurement: cubic meters, in place measurement.
- .2 Method of Measurement: Rock will be measured in its original position, by the cross-section method. Cross sections will be measured at ten (10) metre intervals. Rock excavations in roadway cuts shall be shattered to a depth of 500 mm below the rock subgrade for the full width of the cut section including the grade of the ditch bottom is considered incidental to the work and will not be measured for payment.
- .3 This item includes: The unit price will be full compensation for material, equipment, and work required for rock removal excavation, shattering rock to a depth of 500 mm below top of subgrade elevation indicated on the Drawing, filling the shattered surface by spreading placement of approved rock fill materials in fill areas along the proposed roadway realignment to lines and levels indicated on the Drawings, loading and disposal of rock material off site.
Remove rock 300mm below invert of culverts.
Remove rock as required to construct backslopes and ditches, as indicated on the drawings or as directed by Departmental Representative in the field
- .5 Granular "A" Base, Granular "B" Subbase and Rock Borrow Materials:
- .1 Unit of Measurement: Metric Tonnes (1000 kg).
- .2 Method of Measurement: Scale tickets signed by Departmental Representative, except as provided below.
- .3 These items include: supply, placement, hauling and compaction of granular materials for culvert installations, shoulder reconstruction (where millings are not able to be used), roadway granular base and subbase. This item also includes grading and compaction of existing subgrade below granular materials prior to their installation to provide required subgrades.
- .4 There shall be no payment for extra thickness of rock borrow or subbase and base

materials placed outside of specified limits. Whenever in the opinion of the Departmental Representative there is extra thickness, the appropriate weight will be deducted.

- .6 Rip Rap
 - Unit of Measurement: Metric Tonne (1000 kg)
 - .2 Method of Measurement: Scale tickets signed by Departmental Representative, except as provided below.
 - .3 This item includes: supply, placement, hauling and compaction. There shall be no payment for extra thickness of materials placed outside of limits. Whenever in the opinion of the Departmental Representative there is extra thickness, the appropriate weight will be deducted.

- .7 Asphalt Tack Coat
 - .1 Unit of measurement: square meter (m²).
 - .2 Method of Measurement: horizontal surface area, rounded to one decimal place.
 - .3 This item includes: labour, materials and equipment used to clean the existing surface, and supply and apply tack coat. This item also includes tack coat application on any vertical joints at limits of surface areas.

- .8 Hot-Mix Asphalt Concrete Paving (Surface Course)
 - .1 Unit of Measurement: Metric Tonnes (1000 kg).
 - .2 Method of Measurement: Scale tickets signed by Departmental Representative, except as provided below.
 - .3 This item includes: supply, placement and compaction of surface course asphaltic concrete, and asphalt used for gutter and gutter offtake construction. All key joints are to be included in this unit item.
 - .4 Asphalt gutter includes: placement and compaction of asphaltic concrete for gutters and take-offs.
 - .5 There shall be no payment for extra thickness or extra width of asphalt placed. Wherever in the opinion of the Departmental Representative there is extra thickness, the appropriate weight will be deducted.
 - .6 If the Contractor chooses not to utilize

RAP within the first lifts of asphalt, the Contractor shall be held responsible for the disposal of 20% of all milled asphalt to an approved disposal site at no extra cost to the Department. In addition, the Contractor will incur a price deduction of 5% for the 20% (3400 t) of all base course and first layer of surface asphalt placed (including a liquid reduction). PCA will not accept any claims for the disposal of the milled asphalt.

.9 Asphalt Cement

.1 Unit of measurement: Metric Tonnes (1000 kg)

.2 Method of Measurement: Bills of loading, signed by Departmental Representative, for binder delivered to the plant and incorporated into the work. The Departmental Representative reserves the right to have the asphalt cement weighed at the asphalt plant to verify quantities incorporated and accepted into the work. Adjustments will be made for the initial and final tank measurements corrected to 15 degrees C. See Section 32 12 16 - Hot-Mix Asphalt Concrete Paving.

.10 Milling Existing Asphalt

.1 Unit of measurement: square metre

.2 This item includes: supply and transportation of all labour, material and equipment, pulverization, mixing and blending, removal and disposal of oversized or unsuitable material, shaping, grading, compaction, protection of existing structures, signage, traffic control, dust control, safety, clean-up and all work incidental thereto, all as specified or as shown on the Drawings or as directed by the Departmental Representative.

.3 Stockpile millings in location directed by the Departmental Representative for later use as shoulder granulars and as RAP in the asphalt mix.

.11 Placement of Asphalt Millings and Use of Recycled

Asphalt Pavement (RAP) for shoulders

.1 Unit of Measurement: Metric Tonnes (1000 kg).

.2 Method of Measurement: Scale tickets signed

by Departmental Representative, except as provided below.

Measurement for payment shall be based on the asphalt millings placed on the shoulders of existing highway to raise the shoulder elevations to match the new asphalt grades to a compacted depth of 50 mm and as full depth shoulder granulars for intersection upgrades, full depth reconstruction areas, and culvert installation areas to a compacted depth of 140 mm. Payment at the contract unit price shall be compensation in full for all labour, materials and use of equipment required to supply the milled material to do the work, and place the material within the boundaries as shown. The quantity measured for this will be separated into the 50mm thick shoulders and the 140mm thick shoulders.

.12 Pipe-Culverts

- .1 Unit of Measurement: metre (m).
- .2 Method of Measurement: along centerline of new culvert pipe, from end to end of culvert, as laid and as accepted by the Departmental Representative.
- .3 Supply and installation of culverts will be measured and paid separately.
- .4 Supply item includes: supply of new culvert pipe including couplers, bolts, etc. and delivery to site.
- .5 Payment for Culvert Installation item includes:
 - .1 Dewatering of site and temporary water control works.
 - .2 Removal and disposal of existing asphalt concrete by excavation only. These areas are not to be milled.
 - .3 Excavation and removal of existing CSP culverts, and disposal of any unsuitable material.
 - .4 Installation of new culvert.
 - .5 Providing end treatment/beveling of culverts as indicated.
 - .6 Supply and placement of rip rap to be paid for separately.
 - .7 Supply and placement of concrete headwall to be paid for separately.
 - .7 Supply and placement of backfill material (granulars, rock borrow) around

culverts as detailed on drawings to be paid for separately under those unit items.

.8 All other cost not included with other units in this contract.

.6 For aluminum pipes: All materials shall conform to ASTM Standard B746 except that the bolts can be galvanized steel meeting the CSA Standard CAN3-G401-M81 or latest edition thereof. Special care is to be taken when installing and backfilling aluminum culvert pipe to ensure no damage or deformation occurs.

.13 Cleaning of Existing Culvert

.1 Unit of Measurement: each.

.2 This item includes: complete removal of foreign material and debris from existing pipe culvert as indicated on the drawings as noted to approval of Departmental Representative.

.14 Concrete headwalls:

.1 Unit of measure: cubic meters, in place measurement.

.2 Method of measurement: Based on dimensions indicated on drawings for consolidated concrete in place within the completed structure. No payment will be made for surplus concrete used outside the dimensions indicated.

.3 This item includes excavation, furnishing of all materials, aggregates, cement, supplementary cementing materials, concrete mixes, admixtures, reinforcing steel, tools, equipment, falsework, forms, bracing, chairs, bolsters, ties, labour, curing, surface finishing, and all other items required to complete the work. Supply, installation and securing of Reinforcing Steel is incidental to this work and is included in this item.

.15 Sub Drain Pipes

.1 Unit of Measurement: metre (m).

.2 Method of Measurement: along centerline of new drain pipe invert, as laid and accepted by the Departmental Representative.

.3 Supply and installation of culverts will be measured and paid separately.

.4 Installation of pipes to include:

.1 Dewatering of site.

.2 Installation of drain pipes.

- .3 Supply and placement of geotextile.
 - .4 All other costs not included with other units in the contract.
- .16 Asphalt Gutter and Outfalls:
- .1 Unit of measurement: meter (m).
 - .2 Method of Measurement: along centerline of new gutter and outfalls.
 - .3 This item includes:
Asphalt Gutter: labour and equipment to construct new asphalt gutter, including excavation, shaping of gutter, subbase, gutter off-takes and installation of gutter blocks. Compaction to be done by hand operated roller. Supply of asphalt and granular subbase materials for gutter will be measured separately under 'Hot Mix Asphalt Concrete Paving' and 'Granular 'B' Subbase'.
Asphalt Gutter Outfalls to be incidental to this item and includes excavation, grading and placement of 250 mm minus rock borrow and any other work associated with constructing asphalt gutter outfalls, including the gutter block and rip-rap extending down over the road embankment, as indicated on the drawings. Compaction to be done by hand operated roller.
- .17 Temporary Line Striping and Markings:
- .1 Unit of measurement: kilometer (km).
 - .2 Method of Measurement: along centerline of roadway, rounded to two decimal places.
 - .3 This item includes: temporary line painting, marking tape, and raised pavement markers for the full length of the work area.
 - .4 No additional payment for traffic control (including signage) associated with the application of pavement markings shall be made.
 - .5 All pavement markings to be in accordance with the Manual of Uniform Traffic Devices for Canada (MUTDC), latest edition.
-

PART 1 - GENERAL

1.1 Related
Sections

- .1 Section 01 35 29 - Health and Safety Requirements.
- .2 Section 01 35 43 - Environmental Procedures.
- .3 Section 32 12 16 - Hot-Mix Asphalt Concrete Paving.
- .4 Section 33 42 13 - Pipe Culverts.

1.2 Administrative

- .1 Submit to Departmental Representative submittals listed for review. Submit promptly and in orderly sequence to not cause delay in Work. Failure to submit in ample time is not considered sufficient reason for extension of Contract Time and no claim for extension by reason of such default will be allowed.
 - .2 Do not proceed with Work affected by submittal until review is complete.
 - .3 Present shop drawings, product data, samples and mock-ups in SI Metric units.
 - .4 Where items or information is not produced in SI Metric units converted values are acceptable.
 - .5 Review submittals prior to submission to Departmental Representative. This review represents that necessary requirements have been determined and verified, or will be, and that each submittal has been checked and coordinated with requirements of Work and Contract Documents. Submittals not stamped, signed, dated and identified as to specific project will be returned without being examined and considered rejected.
 - .6 Notify Departmental Representative, in writing at time of submission, identifying deviations from requirements of Contract Documents stating reasons for deviations.
-

- .7 Verify that field measurements and affected adjacent Work are co-ordinated.
- .8 Contractor's responsibility for errors and omissions in submission is not relieved by Departmental Representative's review of submittals.
- .9 Contractor's responsibility for deviations in submission from requirements of Contract Documents is not relieved by Departmental Representative's review.
- .10 Keep one reviewed copy of each submission on site.

1.3 Shop Drawings
And Product Data

- .1 The term "shop drawings" means drawings, diagrams, illustrations, schedules, performance charts, brochures and other data which are to be provided by Contractor to illustrate details of a portion of Work.
- .2 Submit shop drawings bearing stamp and signature of qualified professional engineer registered or licensed in Province of Newfoundland and Labrador, Canada.
- .3 Indicate materials, methods of construction and attachment or anchorage, erection diagrams, connections, explanatory notes and other information necessary for completion of Work. Where articles or equipment attach or connect to other articles or equipment, indicate that such items have been co-ordinated, regardless of Section under which adjacent items will be supplied and installed. Indicate cross references to design drawings and specifications.
- .4 Allow 5 days for Departmental Representative to review each submission.
- .5 Adjustments made on shop drawings by Departmental Representative are not intended to change Contract Price. If adjustments affect value of Work, state such in writing to Departmental Representative prior to proceeding with Work.

- .6 Make changes in shop drawings as Departmental Representative may require, consistent with Contract Documents. When resubmitting, notify Departmental Representative in writing of revisions other than those requested.
 - .7 Accompany submissions with transmittal letter, in duplicate, containing:
 - .1 Date.
 - .2 Project title and number.
 - .3 Contractor's name and address.
 - .4 Identification and quantity of each shop drawing, product data and sample.
 - .5 Other pertinent data.
 - .8 Submissions include:
 - .1 Date and revision dates.
 - .2 Project title and number.
 - .3 Name and address of:
 - .1 Subcontractor.
 - .2 Supplier.
 - .3 Manufacturer.
 - .4 Contractor's stamp, signed by Contractor's authorized representative certifying approval of submissions, verification of field measurements and compliance with Contract Documents.
 - .5 Details of appropriate portions of Work as applicable:
 - .1 Fabrication.
 - .2 Layout, showing dimensions, including identified field dimensions, and clearances.
 - .3 Setting or erection details.
 - .4 Capacities.
 - .5 Performance characteristics.
 - .6 Standards.
 - .7 Operating weight.
 - .8 Wiring diagrams.
 - .9 Single line and schematic diagrams.
 - .10 Relationship to adjacent work.
 - .9 After Departmental Representative's review, distribute copies.
 - .10 Submit one (1) transparency on plastic film, six (6) prints and one (1) electronic copy of shop drawings for each requirement requested
-

in specification Sections and as Departmental Representative may reasonably request.

- .11 Submit electronic copies of product data sheets or brochures for requirements requested in specification Sections and as requested by Departmental Representative where shop drawings will not be prepared due to standardized manufacture of product.
- .12 Submit electronic copies of test reports for requirements requested in specification Sections and as requested by Departmental Representative.
 - .1 Report signed by authorized official of testing laboratory that material, product or system identical to material, product or system to be provided has been tested in accordance with specified requirements.
 - .2 Testing must have been within 3 years of date of contract award for project.
- .13 Submit electronic copies of certificates for requirements requested in specification Sections and as requested by Departmental Representative.
 - .1 Statements printed on manufacturer's letterhead and signed by responsible officials of manufacturer of product, system or material attesting that product, system or material meets specification requirements.
 - .2 Certificates must be dated after award of project contract complete with project name.
- .14 Submit electronic copies of manufacturer's instructions for requirements requested in specification Sections and as requested by Departmental Representative.
 - .1 Pre-printed material describing installation of product, system or material, including special notices and Material Safety Data Sheets concerning impedances, hazards and safety precautions.
- .15 Submit electronic copies of Manufacturer's Field Reports for requirements requested in specification Sections and as requested by Departmental Representative.
 - .1 Documentation of the testing and

verification actions taken by manufacturer's representative to confirm compliance with manufacturer's standards or instructions.

- .16 Submit electronic copies of Operation and Maintenance Data for requirements requested in specification Sections and as requested by Departmental Representative.
- .17 Delete information not applicable to project.
- .18 Supplement standard information to provide details applicable to project.
- .19 If upon review by Departmental Representative, no errors or omissions are discovered or if only minor corrections are made, transparency copies will be returned and fabrication and installation of Work may proceed. If shop drawings are rejected, noted copy will be returned and resubmission of corrected shop drawings, through same procedure indicated above, must be performed before fabrication and installation of Work may proceed.
- .20 The review of shop drawings by the Departmental Representative is for sole purpose of ascertaining conformance with general concept.
 - .1 This review shall not mean that Departmental Representative approves detail design inherent in shop drawings, responsibility for which shall remain with Contractor submitting same, and such review shall not relieve Contractor of responsibility for errors or omissions in shop drawings or of responsibility for meeting requirements of construction and Contract Documents.
 - .2 Without restricting generality of foregoing, Contractor is responsible for dimensions to be confirmed and correlated at job site, for information that pertains solely to fabrication processes or to techniques of construction and installation and for co-ordination of Work of sub-trades.

1.4 Samples

- .1 Submit for review samples in triplicate as requested in respective specification

Sections. Label samples with origin and intended use.

- .2 Deliver samples prepaid to Departmental Representative business address.
- .3 Notify Departmental Representative in writing, at time of submission of deviations in samples from requirements of Contract Documents.
- .4 Where colour, pattern or texture is criterion, submit full range of samples.
- .5 Adjustments made on samples by Departmental Representative are not intended to change Contract Price. If adjustments affect value of Work, state such in writing to Departmental Representative prior to proceeding with Work.
- .6 Make changes in samples which Departmental Representative may require, consistent with Contract Documents.
- .7 Reviewed and accepted samples will become standard of workmanship and material against which installed Work will be verified.

1.5 Certificates
And Transcripts

- .1 Immediately after award of Contract, submit Workplace NL status.
- .2 Submit transcription of insurance immediately after award of Contract.

1.1 Definitions

- .1 COSH: Canada Occupational Health and Safety Regulations made under Part II of the Canada Labour Code.
- .2 Competent Person: means a person who is:
 - .1 Qualified by virtue of personal knowledge, training and experience to perform assigned work in a manner that will ensure the health and safety of persons in the workplace, and;
 - .2 Knowledgeable about the provisions of occupational health and safety statutes and regulations that apply to the Work and;
 - .3 Knowledgeable about potential or actual danger to health or safety associated with the Work.
- .3 Medical Aid Injury: any minor injury for which medical treatment was provided and the cost of which is covered by Workers' Compensation Board of the province in which the injury was incurred.
- .4 PPE: personal protective equipment
- .5 Work Site: where used in this section shall mean areas, located at the premises where Work is undertaken, used by Contractor to perform all of the activities associated with the performance of the Work.

1.2 Submittals

- .1 Make submittals in accordance with Section 01 33 00.
 - .2 Submit site-specific Health and Safety Plan prior to commencement of Work.
 - .1 Submit within 10 work days of notification of Bid Acceptance. Provide 3 copies.
 - .2 Departmental Representative will review Health and Safety Plan and provide comments.
 - .3 Revise the Plan as appropriate and resubmit within 10 work days after receipt of comments.
 - .4 Departmental Representative's review and comments made of the Plan shall not be construed as an endorsement, approval or implied warranty of any kind by Canada and does not reduce Contractor's overall responsibility for Occupational Health and Safety of the Work.
 - .5 Submit revisions and updates made to the
-

Plan during the course of Work.

- .3 Submit name of designated Health & Safety Site Representative and support documentation specified in the Safety Plan.
- .4 Submit building permit, compliance certificates and other permits obtained.
- .5 Submit copy of Letter in Good Standing from Provincial Workers Compensation or other department of labour organization.
 - .1 Submit update of Letter of Good Standing whenever expiration date occurs during the period of Work.
- .6 Submit copies of reports or directions issued by Federal, Provincial and Territorial health and safety inspectors.
- .7 Submit copies of incident reports.
- .8 Submit WHMIS MSDS - Material Safety Data Sheets.

1.3 Compliance Requirements

- .1 Comply with Occupational Health and Safety Act for Province of Newfoundland and Labrador, and Occupational Health & Safety Regulations made pursuant to the Act.
 - .2 Comply with Canada Labour Code - Part II (entitled Occupational Health and Safety) and the Canada Occupational Health and Safety Regulations (COSHS) as well as any other regulations made pursuant to the Act.
 - .1 The Canada Labour Code can be viewed at: [www.http://laws.justice.gc.ca/en/L-2/](http://laws.justice.gc.ca/en/L-2/)
 - .2 COSHS can be viewed at: [www.http://laws.justice.gc.ca/eng/SOR-86-304/n e .html](http://laws.justice.gc.ca/eng/SOR-86-304/n e .html)
 - .3 A copy may be obtained at: Canadian Government Publishing Public Works & Government Services Canada Ottawa, Ontario, K1A 0S9 Tel: (819) 956-4800 (1-800-635-7943) Publication No. L31-85/2000 E or F)
 - .3 Observe construction safety measures of:
 - .1 Part 8 of National Building Code
 - .2 Provincial Worker's Compensation Board.
 - .3 Municipal by-laws and ordinances.
-

- .4 In case of conflict or discrepancy between above specified requirements, the more stringent shall apply.
- .5 Maintain Workers Compensation Coverage in good standing for duration of Contract. Provide proof of clearance through submission of Letter in Good Standing.
- .6 Medical Surveillance: Where prescribed by legislation or regulation, obtain and maintain worker medical surveillance documentation.
- .7 Comply with all works outlined in the Department of Transportation and Works, Traffic Control Manual, Revised April 2104.

1.4 Responsibility

- .1 Be responsible for health and safety of persons on site, safety of property on site and for protection of persons and environment adjacent to the site to extent that they may be affected by conduct of Work.
- .2 Comply with and enforce compliance by all workers, sub-contractors and other persons granted access to Work Site with safety requirements of Contract Documents, applicable federal, provincial, and local by-laws, regulations, and ordinances, and with site-specific Health and Safety Plan.

1.5 Site Control and Access

- .1 Control the Work and entry points to Work Site. Approve and grant access only to workers and authorized persons. Immediately stop and remove non-authorized persons.
 - .1 Departmental Representative will provide names of those persons authorized by Departmental Representative to enter onto Work Site and will ensure that such authorized persons have the required knowledge and training on Health and Safety pertinent to their reason for being at the site, however, Contractor remains responsible for the health and safety of authorized persons while at the Work Site.

- .2 Isolate Work Site from other areas of the premises by use of appropriate means.
 - .1 Erect fences, hoarding, barricades and temporary lighting as required to effectively delineate the Work Site, stop non-authorized entry, and to protect pedestrians and vehicular traffic around and adjacent to the Work and create a safe environment. See Section 01 56 00 - Temporary Barriers and Enclosures for minimum acceptable requirements.
 - .2 Post signage at entry points and other strategic locations indicating restricted access and conditions for access.
 - .3 Use professionally made signs with bilingual message in the 2 official languages or international known graphic symbols.
- .3 Provide safety orientation session to persons granted access to Work Site. Advise of hazards and safety rules to be observed while on site.
- .4 Ensure persons granted site access wear appropriate PPE. Supply PPE to inspection authorities who require access to conduct tests or perform inspections.
- .5 Secure Work Site against entry when inactive or unoccupied and to protect persons against harm. Provide security guard where adequate protection cannot be achieved by other means.

1.6 Protection

- .1 Give precedence to safety and health of persons and protection of environment over cost and schedule considerations for Work.
- .2 Should unforeseen or peculiar safety related hazard or condition become evident during performance of Work, immediately take measures to rectify situation and prevent damage or harm. Advise Departmental Representative verbally and in writing.

1.7 Filing of Notice

- .1 File Notice of Project with pertinent provincial health and safety authorities prior to beginning of Work.
 - .1 Departmental Representative will assist in locating address if needed.

1.8 Permits

- .1 Post permits, licenses and compliance certificates, specified in section 01 11 00 - General Instructions, at Work Site.
-

- .2 Where a particular permit or compliance certificate cannot be obtained, notify Departmental Representative in writing and obtain approval to proceed before carrying out applicable portion of work.

1.9 Hazard Assessments

- .1 Perform site specific health and safety hazard assessment of the Work and its site.
- .2 Carryout initial assessment prior to commencement of Work with further assessments as needed during progress of work, including when new trades and subcontractors arrive on site.
- .3 Record results and address in Health and Safety Plan.
- .4 Keep documentation on site for entire duration of the Work.

1.10 Project/Site Conditions

- .1 Following are potential health, environmental and safety hazards at the site for which Work may involve contact with:
 - .1 Known latent site and environmental conditions:
 - .1 Steep slopes and rock faces.
 - .2 Streams, brooks and other water bodies.
 - .3 Wildlife.
 - .2 Facility on-going operations:
 - .1 Highway traffic.
- .2 Above items shall not be construed as being complete and inclusive of potential health and safety hazards encountered during Work.
- .3 Include above items in the hazard assessment of the Work.

1.11 Meetings

- .1 Attend pre-construction health and safety meeting, convened and chaired by Departmental Representative, prior to commencement of Work, at time, date and location determined by Departmental Representative. Ensure attendance of:
 - .1 Superintendent of Work
 - .2 Designated Health & Safety Site Representative
 - .3 Subcontractors
-

- .2 Conduct regularly scheduled tool box and safety meetings during the Work in conformance with Occupational Health and Safety regulations.
- .3 Keep documents on site.

1.12 Health and Safety Plan

- .1 Prior to commencement of Work, develop written Health and Safety Plan and Safety Control Plan specific to the Work. Implement, maintain, and enforce Plan for entire duration of Work and until final demobilization from site.
 - .2 Health and Safety Plan shall include the following components:
 - .1 List of health risks and safety hazards identified by hazard assessment.
 - .2 Control measures used to mitigate risks and hazards identified.
 - .3 On-site Contingency and Emergency Response Plan as specified below.
 - .4 On-site Communication Plan as specified below.
 - .5 Name of Contractor's designated Health & Safety Site Representative and information showing proof of his/her competence and reporting relationship in Contractor's company.
 - .6 Names, competence and reporting relationship of other supervisory personnel used in the Work for occupational health and safety purposes.
 - .3 On-site Contingency and Emergency Response Plan shall include:
 - .1 Operational procedures, evacuation measures and communication process to be implemented in the event of an emergency.
 - .2 Evacuation Plan: site and floor plan layouts showing escape routes, marshalling areas. Details on alarm notification methods, fire drills, location of fire fighting equipment and other related data.
 - .3 Name, duties and responsibilities of persons designated as Emergency Warden(s) and deputies.
 - .4 Emergency Contacts: name and telephone number of officials from:
 - .1 General Contractor and subcontractors.
-

- .2 Pertinent Federal and Provincial Departments and Authorities having jurisdiction.
 - .3 Local emergency resource organizations.
 - .5 Harmonize Plan with Facility's Emergency Response and Evacuation Plan. Departmental Representative will provide pertinent data including name of PCA and Facility Management contacts.
 - .4 On-site Communication Plan:
 - .1 Procedures for sharing of work related safety information to workers and subcontractors, including emergency and evacuation measures.
 - .2 List of critical work activities to be communicated with Facility Manager which have a risk of endangering health and safety of Facility users.
 - .5 Address all activities of the Work including those of subcontractors.
 - .6 Review Health and Safety Plan regularly during the Work. Update as conditions warrant to address emerging risks and hazards, such as whenever new trade or subcontractor arrive at Work Site.
 - .7 Departmental Representative will respond in writing, where deficiencies or concerns are noted and may request re-submission of the Plan with correction of deficiencies or concerns.
 - .8 Post copy of the Plan, and updates, prominently on Work Site.
- 1.13 Safety Supervision
- .1 Employ Health & Safety Site Representative responsible for daily supervision of health and safety of the Work. Representative to be trained in occupational health and safety procedures and practices.
 - .2 Health & Safety Site Representative may be the Superintendent of the Work or other person designated by Contractor and shall be assigned the responsibility and authority to:
 - .1 Implement, monitor and enforce daily compliance with health and safety requirements of the Work.
-

- .2 Monitor and enforce Contractor's site-specific Health and Safety Plan.
- .3 Conduct site safety orientation session to persons granted access to Work Site.
- .4 Ensure that persons allowed site access are knowledgeable and trained in health and safety pertinent to their activities at the site or are escorted by a competent person while on the Work Site.
- .5 Stop the Work as deemed necessary for reasons of health and safety.

- .3 Health & Safety Site Representative must:
 - .1 Be qualified and competent person in occupational health and safety.
 - .2 Have site-related working experience specific to activities of the Work.
 - .3 Be on Work Site at all times during execution of the Work.

- .4 All supervisory personnel assigned to the Work shall also be competent persons.

- .5 Inspections:
 - .1 Conduct regularly scheduled safety inspections of the Work on a minimum bi-weekly basis. Record deficiencies and remedial action taken.
 - .2 Conduct Formal Inspections on a minimum monthly basis. Use standardized safety inspection forms. Distribute to subcontractors.
 - .3 Follow-up and ensure corrective measures are taken.

- .6 Cooperate with Facility's Occupational Health and Safety representative should one be designated by Departmental Representative.

- .7 Keep inspection reports and supervision related documentation on site.

1.14 Training

- .1 Use only skilled workers on Work Site who are effectively trained in occupational health and safety procedures and practices pertinent to their assigned task.
 - .2 Maintain employee records and evidence of training received. Make data available to Departmental Representative upon request.
-

- .3 When unforeseen or peculiar safety-related hazard, or condition occur during performance of Work, follow procedures in place for Employee's Right to Refuse Work in accordance with Acts and Regulations of Province having jurisdiction and advise Departmental Representative verbally and in writing.

1.15 Minimum Site Safety Rules

- .1 Notwithstanding requirement to abide by federal and provincial health and safety regulations; ensure the following minimum safety rules are obeyed by persons granted access to Work Site:
 - .1 Wear appropriate PPE pertinent to the Work or assigned task; minimum being hard hat, safety footwear, safety glasses, hearing protection and high-visibility workwear.
 - .2 Immediately report unsafe condition at site, near-miss accident, injury and damage.
 - .3 Maintain site and storage areas in a tidy condition free of hazards causing injury.
 - .4 Obey warning signs and safety tags.
- .2 Brief persons of disciplinary protocols to be taken for non compliance. Post rules on site.

1.16 Correction of Non-Compliance

- .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Departmental Representative.
- .2 Provide Departmental Representative with written report of action taken to correct non-compliance of health and safety issues identified.
- .3 Departmental Representative will stop Work if non-compliance of health and safety regulations is not corrected in a timely manner.

1.17 Incident Reporting

- .1 Investigate and report the following incidents to Departmental Representative:
 - .1 Incidents requiring notification to Provincial Department of Occupational Safety and Health, Workers Compensation Board or to other regulatory Agency.
 - .2 Medical aid injuries.
-

- .3 Property damage in excess of \$10,000.00,
- .4 Interruptions to Facility operations resulting in an operational lost to a Federal department in excess of \$5000.00.

.2 Submit report in writing.

1.18 Hazardous Products

- .1 Comply with requirements of Workplace Hazardous Materials Information System (WHMIS).
- .2 Keep MSDS data sheets for all products delivered to site.
 - .1 Post on site.
 - .2 Submit copy to Departmental Representative.
 - .3 For interior work in an occupied Facility, post additional copy in one or more publically accessible locations.

1.19 Blasting

- .1 Blasting or other use of explosives is not permitted on site without prior receipt of written permission and instructions from Departmental Representative.

1.20 Powder Actuated Devices

- .1 Use powder actuated fastening devices only after receipt of written permission from Departmental Representative.

1.21 Confined Spaces

- .1 Abide by occupational health and safety regulations regarding work in confined spaces.
 - .2 Obtain an Entry Permit in accordance with Part XI of the Canada Occupational Health and Safety Regulations for entry into an existing identified confined space located at the Facility or premises of Work.
 - .1 Obtain permit from Facility Manager
 - .2 Keep copy of permit issued.
 - .3 Safety for Inspectors:
 - .1 Provide PPE and training to Departmental Representative and other persons who require entry into confined space to perform inspections.
 - .2 Be responsible for efficacy of equipment and safety of persons during their entry and
-

occupancy in the confined space.

- 1.22 Site Records .1 Maintain on Work Site copy of safety related documentation and reports stipulated to be produced in compliance with Acts and Regulations of authorities having jurisdiction and of those documents specified herein.
- .2 Upon request, make available to Departmental Representative or authorized Safety Officer for inspection.

- 1.23 Posting of Documents .1 Ensure applicable items, articles, notices and orders are posted in conspicuous location on Work Site in accordance with Acts and Regulations of Province having jurisdiction.
- .2 Post other documents as specified herein, including:
 - .1 Site specific Health and Safety Plan
 - .2 WHMIS data sheets
 - .3 Incident reports
 - .4 Tool box and safety meeting minutes

- 1.24 Scalehouse .1 Ensure Scalehouse is a sufficient distance away from scales to prevent roll-over accidents.
- .2 Ensure scalehouse is equipped with washroom facilities and air conditioning/heat.

PART 1 - GENERAL

- 1.1 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.2 Related Sections .1 Section 01 35 45 - Environmental Protection Refueling Vehicles.
.2 Section 01 74 21 - Constructional Demolition Management and Disposal.
- 1.3 Fires .1 Fires and burning of rubbish on site not permitted.
- 1.4 Disposal of Wastes .1 Do not bury rubbish and waste materials on site unless approved by Departmental Representative.
.2 Do not dispose of waste or volatile materials, such as mineral spirits, oil or paint thinner into waterways, storm or sanitary sewers.
.3 Dispose of uncontaminated construction/demolition material which cannot be recycled or reused, at an approved construction and debris disposal site.
- 1.4 Drainage .1 Provide temporary drainage and pumping as necessary to keep excavations and site free from water.
.2 Do not pump water containing suspended materials into waterways, sewer or drainage systems.
.3 Control disposal or runoff of water containing suspended materials or other harmful substances in accordance with local authority requirements.
- 1.5 Site Clearing .1 Protect trees and plants on site and adjacent
-

and Plant
Protection

properties where indicated.

- .2 Wrap in burlap, trees and shrubs adjacent to construction work, storage areas and trucking lanes, and encase with protective wood framework from grade level to height of 2 m.
- .3 Protect roots of designated trees to dripline during excavation and site grading to prevent disturbance or damage. Avoid unnecessary traffic, dumping and storage of materials over root zones.
- .4 Minimize stripping of topsoil and vegetation.
- .5 Restrict vegetation removal to areas indicated or designated by Departmental Representative.
- .6 Vegetation and topsoil should not be removed to obtain fill for road construction purposes.
- .7 Whenever possible, organic debris removed during grading operations should be stored for use during site restoration. Such stockpiles should be located well away from any stream or water body and should be covered with coarse material or tarps to minimize wind and water erosion.

1.6 Work Adjacent
to Waterways

- .1 Do not operate construction equipment in waterways.
- .2 Do not use waterway beds for borrow material without Departmental Representative's approval.
- .3 Do not dump excavated fill, waste material or debris in waterways.
- .4 Design and construct temporary crossings to minimize erosion to waterways.
- .5 Do not skid logs or construction materials across waterways.
- .6 Avoid indicated spawning beds when constructing temporary crossings of waterways.

- .7 Do not blast under water or within 100 m of indicated spawning beds.
- .8 Temporary diversion ditches, approved by the Departmental Representative, are to be plastic lined.
- .9 Temporary storage sites for debris generated from clearing operations should be deposited away from watercourses and should be surrounded by a natural vegetative buffer.
- .10 Do not pump or drain water containing suspended materials into waterways. Water containing suspended materials shall be pumped into vegetation a minimum of 30 m away from watercourses.

1.7 Pollution Control

- .1 Maintain temporary erosion and pollution control features installed under this contract.
- .2 Control emissions from equipment and plant to local authorities' emission requirements.
- .3 Prevent sandblasting and other extraneous materials from contaminating air beyond application area, by providing temporary enclosures.
- .4 Cover or wet down dry materials and rubbish to prevent blowing dust and debris. Provide dust control for temporary roads. Chemicals used in dust control must have prior approval of the Departmental Representative.

1.8 General Requirements

- .1 Work under this contract is to be carried out in a National Park, and environmental protection must be given a high priority by all staff involved with the work. Perform work in accordance with Canada National Parks Act and Regulations.
- .2 An Environmental Briefing will be held prior to work commencing at the site, which will outline environmental factors to be considered

during the work. It is mandatory that all current staff of the Contractor attend this meeting with the Departmental Representative and Environmental Protection Officer (EPO).

- .3 The Contractor shall meet all requirements as detailed in Appendix A - Basic Impact Analysis (BIA) Segment C Mattie Mitchell's to Rocky Harbour Highway 430 Rehabilitation, Gros Morne National Park. This document is not all-inclusive, and site adjustment of the mitigation methods for the work may be required. The Departmental Representative will advise the Contractor of any additional requirements as they arise.

1.9 Site Set-up and Use .1

All site activities related to construction are to be confined within the defined project boundaries.

- .2 Work sites will be equipped with appropriate and properly maintained sanitary facilities.

- .3 Garbage must be collected and removed daily from the work site. All material must be removed, transported and disposed of in accordance with existing provincial - municipal and Park solid waste disposal guidelines and/or regulations.

- .4 Littering is prohibited.

- .5 Temporary storage, parking areas, and turn-around facilities for contractor-related equipment and vehicles will be limited to those areas agreed to and designated by the Departmental Representative.

1.10 Environmental Protection Plan .1

The Contractor is required to submit a plan showing all pollution control measures that will be used to fulfill the requirements of the Environmental Protection Section. This plan will be reviewed by the Departmental Representative and the Environmental Protection Officer prior to commencement of any work. Any deviation from this plan will require further approval by the Departmental

Representative. The protection plan shall be submitted prior to the pre-construction meeting.

- .2 The Environmental Plan will outline how the Contractor will address the environmental protection requirements, including removal and installation of culverts, and ensure pollution created by the construction is controlled. It will show sufficient detail on products to be used and physical placement on site to determine effectiveness of these items.
- .3 The plan must cover all activities within the limits of all construction, laydown and traffic diversion areas.

1.11 Environmental Performance

- .1 The Contractor is required to follow the Canadian Environmental Protection Act and Canadian National Parks Act.
- .2 The Contractor is held responsible to ensure that all necessary permits related to Environmental Protection have been obtained and that necessary documentation is available on-site.

1.12 Vehicular Movements

- .1 Restrict movement of vehicles and equipment to existing disturbed areas (access roads, borrow pits, disposal areas and right-of-ways).

1.13 Storage and Handling of Fuels and Dangerous Fluids

- .1 Locate fuel storage facility a minimum of 100 m from any water body in an area approved by Departmental Representative and construct impermeable dykes so that any spillage is contained. Fueling of vehicles or equipment will not be permitted within 100 m of any water body. Maintenance of vehicles and equipment will be permitted only in designated areas as directed by the Departmental Representative.
- .2 Exercise care in handling of fuels or dangerous materials to minimize potential for spills. Report immediately any spills to Departmental Representative. Contractor is

- responsible for responding immediately to any spill to minimize environmental damage and for clean-up, repair or rehabilitation resulting from any spills to the satisfaction of the Departmental Representative.
- .3 Supply and maintain on site emergency response material to contain spills and minimize environmental damage, i.e. absorbent material, to the approval of Departmental Representative. Disposal of all contaminated material shall be off-site at an approved facility.
 - .4 Dangerous goods, whose release into the environment could cause adverse effect, should be stored and handled in a manner which gives due regard for workers and public safety, and for the protection of the environment.
 - .5 No material toxic to fish or any aquatic life shall be permitted to enter any stream, river, or lake. This shall include, but not be limited to lubricants, fuels, testing fluids, insecticides, detergents, herbicides, cement, lime or concrete.
 - .6 The management of fuels, lubricants and chemicals must meet with the requirements of the Newfoundland & Labrador Department of Environment & Conservation and all other appropriate provincial and federal regulations.
 - .7 Fuel storage containers must be accompanied by impermeable structures that would provide containment of 125% of the container capacity in the event of a leak or spill.
 - .8 All refueling and lubricating operations should employ protection measures such as drip pans, to reduce the potential for escape of petroleum products to the environment.
 - .9 The Departmental Representative and the Park's Environmental Protection Officer (EPO) must be immediately contacted after a spill of fuel or lubricant, and after any amount of other chemical products has escaped.
-

- .10 Storage of any fuel has to occur only in previously approved locations, and with Park consent. The Contractor must submit plans for fuel management and a Spill Contingency Plan seven days prior to the start of the Work. The Contractor is expected to be prepared to effect the containment and cleanup of all spills related to the Work.
- .11 Storage of hazardous material, including explosives, shall not be permitted, except for quantities which shall normally be expected to be utilized in a day of Work, and which are not permitted to stockpile.
- .12 Emulsion storage tanker and transfer of emulsion from tanker to spray vehicle are not permitted.

1.14 Erosion and Sediment Control

- .1 Appropriate preventative controls should be in place at all times during construction to prevent undue erosion and sedimentation. The Contractor is required to provide to the Departmental Representative for approval ten (10) working days before start-up an erosion and sedimentation control plan, as part of the Environmental Protection Plan. The plan shall incorporate all necessary silt fences, silt traps, plastic lined trenches and ditches as approved by the Departmental Representative.
- .2 The Contractor shall install and maintain all sedimentation and erosion control features for the duration of the project, in accordance with the approved plan. The Contractor shall remove all sedimentation and erosion control upon completion of the work and when requested by the Departmental Representative.
- .3 Sediment fences and erosion control structures shall be constructed in roadside ditches or at culvert inlets prior to any excavation as directed by Departmental Representative.
- .4 To minimize run-off, work on slopes which may affect water body will be curtailed during periods of heavy rainfall, as directed by the

Departmental Representative.

- .5 Prior to carrying out work, check long range weather forecast to ensure that there is adequate time before forecast of heavy rain storms to stabilize the work. Provide details of stabilization plan to Departmental Representative for review.
- .6 Maintain a stockpile of appropriate erosion and environmental protection materials (e.g. silt fences, straw bales, wood chips, clean rock fill and aggregate base course) on site at all times.
- .7 Install additional erosion control measures as required by site conditions to prevent sediment from entering drainage courses.
- .8 Inspect erosion and sediment control measures on a daily basis and maintain as necessary.

1.15 Fisheries
Regulations

- .1 Obtain proper permits or authorization from Federal Department of Fisheries and Oceans and maintain a copy of said permit on site. Regulations stipulated in the Permit will be strictly enforced.

1.16 Relics and
Antiquities

- .1 Relics and antiquities and items of historical or scientific interest such as cornerstones and contents, commemorative plaques, inscribed tablets, and similar objects found on site or in structures to be demolished, shall remain property of Canada. Protect such articles and request direction from Departmental Representative.
- .2 Give immediate notice to Departmental Representative if evidence of archaeological finds are encountered during construction and await his written instructions before proceeding with work in this area.

1.17 Treated Wood

- .1 Workers shall be made aware of the possible health risks associated with exposure to CCA or creosote treated timber as well as the recommended safe practices for handling such materials.

- .2 Disposal of treated wood wastes including saw-dust must be outside of the site, and in accordance with all applicable Provincial and Municipal regulations. Similar attention must be given to disposal of any replaced guiderail posts which have been treated with creosote, which must also be removed from the park for disposal.

1.18 Environmental Incident or Emergency

- .1 In the event of an environmental incident or emergency such as:
 - .1 Chemical spill or petroleum spill;
 - .2 Poisonous or caustic gas emission;
 - .3 Hazardous material spill;
 - .4 Sewage spill;
 - .5 Contaminated water into waterways.
 - .6 The Contractor or his employees shall immediately:
 - .1 Notify the Contractor's job superintendent.
 - .2 Call the local emergency services and give type of emergency.
 - .3 Notify the Departmental Representative and the Park's Environmental Protection Officer (EPO).
- .2 The Contractor is to submit to Departmental Representative a copy of its Environmental/Spill Response Plan for approval.

1.19 Site Decommissioning

- .1 Unless prior permission from the Departmental Representative is obtained, all contractor equipment, facilities and materials must be removed from the Park at the finish of each work phase, or if work is suspended due to weather or other circumstances, upon the suspension of work activities.
- .2 All work sites must be returned to a neat and tidy condition upon site abandonment.

1.20 Site Clearing

- .1 Timber and vegetation shall not be cleared unless approved by Departmental Representative.
- .2 Vegetation and topsoil shall not be removed to obtain fill for road construction purposes.

- .3 All cleared trees and timber shall become the property of the Contractor, and are to be disposed of outside the park boundaries.
- .4 All cut shrub vegetation and underbrush shall be chipped and evenly dispersed on-site or dragged from sight into the adjacent forest edge. No burning of any vegetation or debris will be permitted in the park boundaries.
- .5 No roadside vegetation clearing will be permitted during the annual songbird nesting period of June and July.

END

PART 1 - GENERAL

1.1 Refueling

- .1 Refueling of equipment to be performed in locations as directed by Departmental Representative.
- .2 Do not refuel equipment within 100 metres of any watercourse or storm water catch basin unless protection against spills is in place and location is approved by Departmental Representative.
- .3 Use petroleum containers approved for products with no spill fill spouts for dispensing fuels. The sure pour nozzle to have self closing valve, prevent any flow of fuel until the nozzle is inserted into the receiving container. On removal from the receiving container the slide valve closes to eliminate any fuel spill. Nozzle to be equipped with its own automatic vent eliminating the need for the user to open or close air inlets on the pouring container.
- .4 Nozzle to support the weight of the pouring container. Nozzles to automatically stop the flow when the receiving container becomes full. The nozzle to be such that it reduces evaporative losses of volatile organic compounds during the fuel transfer.
- .5 All spills of hydrocarbon based products such as gasoline, kerosene, naphtha, lubricating oils, engine oils, greases and de-icing fluids or antifreeze **no** matter how large or small to be reported to Departmental Representative and the Park's Environmental Protection Officer (EPO).
- .6 Oil changes or equipment repairs in the field or on Parks Canada land are not permitted.
- .7 Refueling to be performed on level surfaces, PCC Portland cement concrete or HMA surfaces when approved by the Departmental Representative unless otherwise directed.
- .8 Contractor to have drip pans sized for amounts

of product to be recovered and customized to fit under pieces of equipment to perform routine maintenance to equipment while maintaining equipment on property. Drip Pans to be used whenever leaving equipment on site or parking overnight when not in use.

- .9 Parking of equipment on site to be on level ground in locations away from watercourses and as approved by Departmental Representative. Equipment with leaks or poor mechanical repair to be removed from site when so ordered by Departmental Representative.

1.2 Spill Control
Kit

- .1 Contractor to have at the work site a spill control kit consisting of the following minimum types of equipment:
 - .1 a spaded shovel;
 - .2 a stable broom;
 - .3 a broad nosed shovel;
 - .4 a container(s) suitable, compatible to and of sufficient size to contain petroleum products being used with equipment;
 - .5 Absorbents;
 - .6 rags;
 - .7 metal container for soiled rags;
 - .8 Booms when working next to a watercourse that will traverse the width of the watercourse by two times; and
 - .9 Spill control kit to be inspected and approved by both the Newfoundland and Labrador Department of Environment & Conservation and the Departmental Representative prior to Work commencing. Spill control kits to be available to Contractor employees at all areas where Work of the Contract is being performed and at all times during the course of the Contract.
 - .10 Contractor employees to be trained in the use of the spill control kit and the equipment they contain.

1.3 Spills

- .1 Disposal of spilled materials to be off Parks Canada property and at approved locations for materials to be disposed of.
- .2 When parking of equipment on site, the equipment is to be secured from entry, inspected for leaks and the ground protected

from leaks.

- .3 Contractor to protect all wells, catch basins, drywells, drains and watercourses from contamination in event of a spill.
 - .4 All equipment to be used for the Work of the Contract to be inspected by the Departmental Representative for leaks. Equipment not in good repair to be removed/repaired when directed by Departmental Representative.
 - .5 Spills to be reported immediately to Departmental Representative, the Park's Environmental Protection Officer (EPO) and the Newfoundland and Labrador Department of Environment and Conservation.
 - .6 Contractor to immediately remove as much or all of the contaminated soils as possible, from any spills created from Work of the Contractor.
 - .7 Contaminated soils/materials to be placed in containers compatible to the contaminants.
 - .8 Any remaining clean-up to be performed at no extra cost to Parks Canada. Clean-up to be to the Departmental Representative's satisfaction.
-

under the supervision of Departmental Representative.
.5 Additional tests specified in Clause 1.3.2.

1.5 Access to Work

- .1 Facilitate Departmental Representative's access to Work. If part of Work is being fabricated at locations other than construction site, make preparations to allow access to such Work whenever it is in progress.
- .2 Furnish labour and facility to provide access to the work being inspected and tested.
- .3 Co-operate to facilitate such inspections and tests.

1.6 Rejected Work

- .1 Remove and replace defective Work, whether result of poor workmanship, use of defective or damaged products and whether incorporated in Work or not, which has been identified by Departmental Representative as failing to conform to Contract Documents.
 - .2 Make good damages to new construction and finishes resulting from removal or replacement of defective work.
-

PART 1 - GENERAL

- 1.1 Section Includes
- .1 Construction aids.
 - .2 Office and sheds.
 - .3 Parking.
 - .4 Project identification.
- 1.2 Precedence
- .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.3 Related Sections
- .1 Section 01 56 00 - Temporary Barriers and Enclosures.
- 1.4 References
- .1 Canadian General Standards Board (CGSB)
 - .1 CGSB 1-GP-189M-84, Primer, Alkyd, Wood, Exterior.
 - .2 CGSB 1.59-97, Alkyd Exterior Gloss Enamel.
 - .2 Canadian Standards Association (CSA International)
 - .1 CAN3-A23.1-/A23.2-94, Concrete Materials and Methods for Concrete Construction/Method of Test for Concrete.
 - .2 CSA-0121-M1978, Douglas Fir Plywood.
 - .3 CAN/CSA-Z321-96, Signs and Symbols for the Occupational Environment.
- 1.5 Installation and Removal
- .1 Provide construction facilities in order to execute work expeditiously.
 - .2 Remove from site all such work after use.
- 1.6 Scaffolding
- .1 Provide and maintain scaffolding, ladders and temporary stairs.
-

-
- 1.7 Hoisting .1 Provide, operate and maintain hoists cranes required for moving of workers, materials and equipment. Make financial arrangements with Subcontractors for use thereof.
- .2 Hoists cranes shall be operated by qualified operator.
- 1.8 Site Storage/Loading .1 Confine work and operations of employees by Contract Documents. Do not unreasonably encumber premises with products.
- .2 Do not load or permit to load any part of Work with a weight or force that will endanger the Work.
- 1.9 Construction Parking .1 Parking will be limited to Contractor vehicles and equipment required to carry out work only, provided it does not disrupt performance of Work.
- .2 Provide and maintain adequate access to project site.
- .3 Build and maintain temporary roads where indicated or directed by Departmental Representative and provide snow removal during period of Work.
- .4 If authorized to use existing roads for access to project site, maintain such roads for duration of Contract and make good damage resulting from Contractors' use of roads.
- 1.10 Security .1 Contractor shall provide and pay for responsible security personnel to guard site and contents of site after working hours and during holidays (24 hours per day, 7 days per week).
- 1.11 Departmental Representative's Site .1 Contractor to provide Departmental Representative's office trailer/space. Minimum
-

Offices

office trailer/space size is 40 m².

- .2 Contractor to arrange and pay for phone, fax machine, internet connection and photocopier in Departmental Representative's office for its exclusive use. Long distance calls placed on this phone and fax to be paid for by Departmental Representative. Replacement cartridges for printer and photocopier to be supplied by contractor.
- .3 Contractor to equip office with washroom, kitchen and one separate office, two 1 m x 2 m tables, one 1 m x 2 m drafting table, 4 chairs, 6 m of shelving 300 mm wide, one 3 drawer filing cabinet, one plan rack and one coat rack and shelf.
- .4 Upon completion of the Contract; all equipment and furniture provided by the Contractor shall be returned to contractor.
- .5 Supply of the Departmental Representative's office, supplies and services will be incidental to the work. Payment to be included in the lump sum portion of the work.
- .6 Contractor to ensure site office is supplied and operational within 14 days after contract award.
- .7 Provide garbage and cleaning services bi-weekly.
- .8 Maintain inside air temperature at 20 degrees.

1.12 Testing Laboratory

- .1 Provide testing laboratory at aggregate production site and at asphalt concrete plant for exclusive use of Departmental Representative.
 - .1 Provide water, electrical power and propane to testing laboratory at aggregate production site, and at asphalt concrete plant.
 - .2 Notify Departmental Representative sufficiently in advance of operations to allow for assignment of Laboratory personnel and scheduling of tests.
 - .3 No separate payment to be made for Testing

Laboratory. Cost shall be deemed incidental to Contract, and deemed to be included in the lump sum portion of the work.

.4 If testing laboratory at aggregate production site is required at the same time as testing laboratory at asphalt concrete production site, provide additional laboratory as required.

.5 Maintain inside air temperature at 20 degrees.

.6 Refer to the DTW Specifications Book, standard drawing 1203, for minimum size and equipment requirements.

1.13 Equipment,
Tool and Materials
Storage

- .1 Provide and maintain, in a clean and orderly condition, lockable weatherproof sheds for storage of tools, equipment and materials.
- .2 Locate materials not required to be stored in weatherproof sheds on site in a manner to cause least interference with work activities.

1.14 Sanitary
Facilities

- .1 Provide sanitary facilities for work force in accordance with governing regulations and ordinances.
- .2 Post notices and take such precautions as required by local health authorities. Keep area and premises in sanitary condition.

1.15 Construction
Signage

- .1 No other signs or advertisements, other than warning signs, are permitted on site.
- .2 Signs and notices for safety and instruction shall be in both official languages Graphic symbols shall conform to CAN3-Z321.
- .3 Maintain approved signs and notices in good condition for duration of project, and dispose of off site on completion of project or earlier if directed by Departmental Representative.

1.16 Weigh Scale and
Scale House

- .1 The scales shall be of such capacity to accurately weigh any single loaded truck arriving on the site. The contractor is advised that split weighing will not be permitted under any circumstances. The vehicle being weighed must be fully supported by the scale platform. Split or axle weighing is a method to be used only for highway weight restriction control.
- .2 The scale shall be equipped with a portable scale house complete with furniture and adequate provision for heat, air conditioning and light.
- .3 The Contractor shall periodically clean the scale house and maintain all lights, air conditioning, and heating in good working condition at all times when the scales are in use.
- .4 The scale platform and mechanism shall at all times be maintained clean and free from encumbrances such as gravel, asphalt, snow, and ice.
- .5 Scale houses must be equipped with suitable washroom facilities that meet the OHS Act and Regulations under Sections 13 and 14 of the Regulations. These facilities must be located within 100m of the scale house.
- .6 These facilities must be provided for use of the Department of Transportation and Works employees only for the duration of the project while scales are being used. These facilities must be cleaned twice weekly and in the case of a portable toilet, emptied of sewage as well. Contractor must also supply toiletries for the facility.
- .7 Ensure scale house is sufficient distance away from scales to prevent roll-over accidents.

PART 1 - GENERAL

- 1.1 Description
- .1 This section is to provide traffic control as stipulated in the Department of Transportation and Works Traffic Control Manual (TCM).
 - .2 Given the nature of the highway, its critical transportation link, effect on motorists, etc. it is imperative that Park personnel be kept notified as to the number of construction areas, their locations, duration of work, etc. This information must be provided by the contractor to the Park Communications staff on an ongoing basis.
 - .3 A Traffic Control Plan must be approved by the Departmental Representative prior to commencing any work. Traffic Control Plan to be submitted prior to the pre-construction meeting.
 - .4 The Departmental Representative reserves the right to direct the contractor to reduce either the number or length of traffic control work areas during peak traffic volumes or when cumulative delays exceed the specified maximum.
- 1.2 Related Work
- .1 Section 01 11 10 - General Instructions.
 - .2 Section 01 35 29 - Health and Safety Requirements.
 - .3 Section 01 56 00 - Temporary Barriers and Enclosures.
- 1.3 Reference Standard
- .1 Government of Newfoundland and Labrador Department of Transportation and works, Highway Design Division.
 - .1 Traffic Control Manual (TCM), latest edition.
- 1.4 Protection of Public Traffic
- .1 Comply with requirements of Acts, Regulations and By-Laws in force for regulation of traffic or
-

use

of roadways upon or over which it is necessary to carry out work or haul materials or equipment.

.2 When working on travelled way:

.1 Place equipment in position to present minimum of interference and hazard to travelling public.

.2 Keep equipment units as close together as working conditions will permit and preferably on

same side of travelled way.

.3 Do not leave equipment on travelled way overnight.

.3 Do not close any lanes of roadway without approval

of Departmental Representative. Before re routing traffic, erect suitable signs and devices in accordance with instructions contained in the TCM. Provide sufficient crushed gravel to

ensure

a smooth riding surface during work.

.4 Keep travelled way well graded, free of pot holes

and of sufficient width that required number of lanes of traffic may pass.

.5 Ensure at least one (1) lane of alternating two-way traffic at all times.

.6 When directed by Departmental Representative, provide well graded, detours or temporary roads to facilitate passage of traffic around restricted construction area. Provide and maintain signs and lights and maintain roadway.

.7 Provide and maintain reasonable road access and egress to property fronting along or in vicinity

of work under Contract unless approved otherwise by Departmental Representative.

.8 All flag persons and traffic control personnel

shall have successfully completed a traffic control training course approved by the Workplace Health, Safety and Compensation Commission of Newfoundland and Labrador. Proof of training for all persons shall be available on site at all times.

1.5 Informational and
Warning Devices

- .1 Provide and maintain signs and other devices required to indicate construction activities or other temporary and unusual conditions resulting from project work which may require road user response.
- .2 All traffic signs are to be bilingual or symbolic and shall be Level 1 reflectivity.
- .3 Supply and erect signs, declinators, barricades and miscellaneous warning devices as specified in TCM.
- .4 Place signs and other devices in locations recommended in the TCM.
- .5 The contractor shall provide an Accredited Sign Supervisor to be on site at all times when active construction is taking place. The Accredited Traffic Control Sign Supervisor will be responsible to supervise the placement and dismantling of all temporary condition signs and devices that indicate to the road user that highway construction activity exist and also to ensure that proper traffic control procedures are carried out in accordance with the TCM. The Accredited Sign Supervisor is considered part of the contractor's supervision and administration staff and compensation for the provision this individual is considered incidental to the work.
- .6 A Traffic Control Plan must be approved by the Departmental Representative prior to commencing any work.

- .7 Continually maintain traffic control devices in use by:
 - .1 Checking signs daily for legibility, damage, suitability and location. Clean, repair or replace to ensure clarity and reflectance.
 - .2 Removing or covering signs which do not apply to conditions existing from day to day.

1.6 Portable Variable
Message Signs

- .1 General
 - .1 It is a requirement that electronic signage (trailer mounted) be employed at both ends of the work area, notifying the general public that construction will be occurring over the next 14 kms, along with anticipated delay times, etc. Notification signage is critical for this project, given the traffic volumes and potential for accidents to occur.
- .2 Operating Characteristics
 - .1 The Portable Variable Message Signs (PVMS) shall exhibit the following operating characteristics while in use:
 - .1 Light emitting diode (LED) technology or hybrid LED/Flip Disk Technology.
 - .2 Antiglare polycarbonate sheeting.
 - .3 Solar powered.
 - .4 Capable of operating for 7 consecutive days on battery power supply with solar panels disconnected.
 - .5 Shall include all hardware and software necessary to facilitate reliable local and remote sign control.
 - .6 Programmable (25 message sequence for one week duration).
 - .7 Capable of displaying a multiphase message with variable dwell times for each phase.
 - .8 Text of message shall not scroll or travel horizontally or vertically across the face of the sign.
 - .9 Capable of displaying 3 lines of 8 characters, each character being approximately 457 mm high.

- .10 Each character matrix comprised of 35 pixels, 5 wide by 7 high.
- .11 Message visible from 500 metres away in all ambient light conditions.
- .12 Message legible from 50 m to 300 m away in all ambient light conditions.
- .13 Ability to raise the bottom of the display board a minimum of 1.5 metres above ground level.
- .14 Flat black background on the display area when the pixels are in the off position.
- .15 Trailer painted orange or yellow.
- .16 Capability to accurately level the sign and aim it towards oncoming traffic.
- .17 Photo sensor array to enable the luminance of the sign to be controlled both automatically and manually in relation to ambient light levels.
- .18 Locking device to prevent rotation of the sign in winds up to 10-km/hour, while the sign is in display mode.

.3 Trailer Mounting

- .1 The maximum dimensions of the Portable Variable Message Sign and trailer assembly while in display mode shall be as follows:
 - .1 Maximum overall height = 4.5 metres.
 - .2 Maximum overall width = 3.75 metres.
 - .3 Maximum overall length = 5.5 metres.
 - .4 Maximum gross unit weight = 2500 kilograms.

.4 Conspicuity Markings

- .1 PVMS trailer assemblies shall require high reflectivity micro-prismatic fluorescent sheeting tape (or equivalent) (e.g. diamond grade or Type VII) (meeting ATSM standard E991 and ASTM E1247 for fluorescent materials). The reflectorized tape shall be of alternating, uniform white and orange or white and yellow sections. Sections of reflectorized tape shall be placed around the trailer frame, tongue or other outermost dimension, at uniform height and

width such to reflect the light from the headlights of a vehicle approaching from any direction.

.2 PVSM sign assemblies shall require high reflectivity micro-prismatic fluorescent sheeting tape (or equivalent) (e.g. diamond grade or Type VII) ((meeting ATSM standard E991 and ASTM E1247 for fluorescent materials). The reflectorized tape shall be construction orange in colour, and 13 mm in width. The tape shall surround the outside of the sign assembly on all sides and be uniform distance from the outmost pixels.

1.7 Control of Public Traffic

- .1 Provide traffic control personnel who have valid provincial certification and are trained in accordance with and properly equipped as specified in the TCM, in following situations:
- .1 When public traffic is required to pass working vehicles or equipment which may block all or part of travelled roadway.
 - .2 When it is necessary to institute one way traffic system through construction area or other blockage where traffic volumes are heavy, approach speeds are high and traffic signal is not in use.
 - .3 When workers or equipment are employed on travelled way over brow of hills, around sharp or at other locations where oncoming not otherwise have adequate
 - .4 Where temporary protection is required while other traffic control devices are being erected or taken down.
 - .5 For emergency protection when other traffic control devices are not readily available.
 - .6 In situations where complete protection for workers, working equipment and public traffic is not provided by other traffic control devices.

system

curves
traffic would
warning.

ensure

continuous communication within the traffic

control zone.

- control
- .3 All construction vehicles shall operate in accordance with and are subject to traffic restrictions and operations in place on the project.
- monitor
- .4 In addition to traffic control during the normal hours of work, the contractor shall have a responsible person on site at all times to that the traffic signage is working properly (including nights, weekends and holidays).
- .5 Flagpersons are to be equipped with portable radios only, not cellular devices. Any flagperson using cellular devices, except for emergency use only, shall be deemed incompetent and shall be removed from site immediately. PCA shall not be held responsible for lost time incurred due to the removal of such an individual.

1.8 Traffic Management .1 Contractor to provide a Traffic Control plan, prior to construction, for approval by the Departmental Representative.
Plan Requirement

1.9 Operational .1 Maintain existing conditions for traffic throughout period of contract except that, when required for construction under contract and when measures have been taken as specified herein and approved by Departmental Representative to protect and control public traffic, existing conditions for traffic may be restricted as follows:
Requirements

.1 In accordance with TCM.
.2 Individual traffic control zone delay shall not exceed **10 minutes**.

.2 Maintain existing conditions for traffic crossing right-of-way containing work except that, when required for construction under this Contract and when measures have been taken as specified herein and approved by Departmental Representative, to protect and control public traffic.

- .3 A maximum section of highway no longer than 8 km will be permitted to be under construction for the purpose of milling of old asphalt at any given time, with traffic control as required.
- .4 A maximum section of highway no longer than 2 km will be permitted to be under construction for the purpose of placing new asphalt pavement at any given time, with traffic control as required.
- .5 A maximum of four (4) culvert replacements will be permitted to be under construction at any given time, with traffic control as required.

END

- 1.6 Access to Site .1 Provide and maintain access roads, as may be required for access to Work.
- 1.7 Public Traffic Flow .1 Provide Traffic Control in accordance with Section 01 55 26 - Traffic Regulation.
- 1.8 Fire Routes .1 Maintain access to properties for use by emergency response vehicles.
- 1.9 Protection for Off-Site and Public Property .1 Protect surrounding private and public property from damage during performance of Work.
- .2 Be responsible for damage incurred.

PART 1 - GENERAL

- 1.1 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.2 Reference Standards .1 Within text of each specifications section, reference may be made to reference standards.
- .2 Conform to these reference standards, in whole or in part as specifically requested in specifications.
- .3 If there is question as to whether any product or system is in conformance with applicable standards, Departmental Representative reserves right to have such products or systems tested to prove or disprove conformance.
- .4 Cost for such testing will be born by Departmental Representative in event of conformance with Contract Documents or by Contractor in event of non-conformance.
- .5 Conform to latest date of issue of referenced standards in effect on date of submission of Tenders, except where specific date or issue is specifically noted.
- 1.3 Quality .1 Products, materials, equipment and articles (referred to as products throughout specifications) incorporated in Work shall be new, not damaged or defective, and of best quality (compatible with specifications) for purpose intended. If requested, furnish evidence as to type, source and quality of products provided.
- .2 Defective products, whenever identified prior to completion of Work, will be rejected, regardless of previous inspections. Inspection does not relieve responsibility, but is precaution against oversight or error. Remove and replace defective products at own expense
-

and be responsible for delays and expenses caused by rejection.

- .3 Should any dispute arise as to quality or fitness of products, decision rests strictly with Departmental Representative based upon requirements of Contract Documents.
- .4 Unless otherwise indicated in specifications, maintain uniformity of manufacture for any particular or like item throughout building.
- .5 Permanent labels, trademarks and nameplates on products are not acceptable in prominent locations, except where required for operating instructions, or when located in mechanical or electrical rooms.

1.4 Availability

- .1 Immediately upon signing Contract, review product delivery requirements and anticipate foreseeable supply delays for any items. If delays in supply of products are foreseeable, notify Departmental Representative of such, in order that substitutions or other remedial action may be authorized in ample time to prevent delay in performance of Work.
- .2 In event of failure to notify Departmental Representative at commencement of Work and should it subsequently appear that Work may be delayed for such reason, Departmental Representative reserves right to substitute more readily available products of similar character, at no increase in Contract Price or Contract Time.

1.5 Storage, Handling and Protection

- .1 Handle and store products in manner to prevent damage, adulteration, deterioration and soiling and in accordance with manufacturer's instructions when applicable.
- .2 Store packaged or bundled products in original and undamaged condition with manufacturer's seal and labels intact. Do not remove from packaging or bundling until required in Work.
- .3 Store products subject to damage from weather

in weatherproof enclosures.

- .4 Store cementitious products clear of earth or concrete floors, and away from walls.
- .5 Keep sand, when used for grout or mortar materials, clean and dry. Store sand on wooden platforms and cover with waterproof tarpaulins during inclement weather.
- .6 Store sheet materials, lumber, fencing on flat, solid supports and keep clear of ground. Slope to shed moisture.
- .7 Store and mix paints in heated and ventilated room. Remove oily rags and other combustible debris from site daily. Take every precaution necessary to prevent spontaneous combustion.
- .8 Remove and replace damaged products at own expense and to satisfaction of Departmental Representative.
- .9 Touch-up damaged factory finished surfaces to Departmental Representative's satisfaction. Use touch-up materials to match original. Do not paint over name plates.

1.6 Transportation

- .1 Pay costs of transportation of products required in performance of Work.

1.7 Manufacturer's Instructions

- .1 Unless otherwise indicated in specifications, install or erect products in accordance with manufacturer's instructions. Do not rely on labels or enclosures provided with products. Obtain written instructions directly from manufacturers.
- .2 Notify Departmental Representative in writing, of conflicts between specifications and manufacturer's instructions, so that Departmental Representative may establish course of action.
- .3 Improper installation or erection of products, due to failure in complying with these

requirements, authorizes Departmental Representative to require removal and re-installation at no increase in Contract Price or Contract Time.

1.8 Quality of Work

- .1 Ensure Quality of Work is of highest standard, executed by workers experienced and skilled in respective duties for which they are employed. Immediately notify Departmental Representative if required Work is such as to make it impractical to produce required results.
- .2 Do not employ anyone unskilled in their required duties. Departmental Representative reserves right to require dismissal from site, workers deemed incompetent or careless.
- .3 Decisions as to standard or fitness of Quality of Work in cases of dispute rest solely with Departmental Representative, whose decision is final.

1.9 Co-Ordination

- .1 Ensure cooperation of workers in laying out Work. Maintain efficient and continuous supervision.
- .2 Be responsible for coordination and placement of openings, sleeves and accessories.

1.10 Remedial Work

- .1 Perform remedial work required to repair or replace parts or portions of Work identified as defective or unacceptable. Coordinate adjacent affected Work as required.
- .2 Perform remedial work by specialists familiar with materials affected. Perform in a manner to neither damage nor put at risk any portion of Work.

1.11 Existing Utilities

- .1 When breaking into or connecting to existing services or utilities, execute Work at times directed by local governing authorities, with minimum of disturbance to Work, and/or building occupants and pedestrian and vehicular traffic.
- .2 Protect, relocate or maintain existing active services. When services are encountered, cap

off in manner approved by authority having jurisdiction. Stake and record location of capped service.

END

- .3 Stake for grading, fill and topsoil placement.
- .4 Stake slopes.
- .5 Establish pipe invert elevations and location of any exposed pipe not being removed under this contract.
- .6 Record elevation and location of all existing and installed end caps of abandoned underground services.
- .7 Provide coordinates, elevations and dimensions in the field, as required by the Departmental Representative.

1.6 Existing Services

- .1 Before commencing work, establish location and extent of service lines in area of Work and notify Departmental Representative of findings.

1.7 Records

Departmental Representative will:

- .1 Maintain a complete, accurate log of control and survey work as it progresses.
 - .2 On completion of site works, prepare a certified survey showing dimensions, locations, angles and elevations of Work.
 - .3 Record locations of maintained, re-routed and abandoned service lines.
-

PART 1 - GENERAL

- 1.1 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.2 Related Section .1 Section 01 77 00 - Closeout Procedures.
- 1.3 Project Cleanliness
- .1 Maintain Work in tidy condition, free from accumulation of waste products and debris, including that caused by Owner or other Contractors.
- .2 Remove waste materials from site at regularly scheduled times or dispose of as directed by Departmental Representative. Do not burn waste materials on site.
- .3 Make arrangements with and obtain permits from authorities having jurisdiction for disposal of waste and debris.
- .4 Provide on-site containers for collection of waste materials and debris.
- .5 Provide and use clearly marked separate bins for recycling.
- .6 Remove waste material and debris from site and deposit in waste container at end of each working day.
- .7 Store volatile waste in covered metal containers, and remove from premises at end of each working day.
- .8 Dispose of waste materials, and debris off site at approved facilities.
- 1.4 Final Cleaning .1 When Work is Substantially Performed, remove surplus products, tools, construction machinery and equipment not required for performance of remaining Work.
-

- .2 Remove waste products and debris other than that caused by others, and leave Work clean and suitable for occupancy.
- .3 Prior to final review, remove surplus products, tools, construction machinery and equipment.
- .4 Remove waste materials from site at regularly scheduled times or dispose of as directed by Departmental Representative. Do not burn waste materials on site.
- .5 Make arrangements with and obtain permits from authorities having jurisdiction for disposal of waste and debris.
- .6 Broom clean and wash exterior walks, steps and surfaces; rake clean other surfaces of grounds.
- .7 Remove dirt and other disfiguration from exterior surfaces.
- .8 Sweep and wash clean paved areas.

PART 1 - GENERAL

- 1.1 Related Sections .1 Section 01 33 00 - Submittal Procedures.
- 1.2 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.3 Definitions .1 Materials Source Separation Program (MSSP): Consists of series of ongoing activities to separate reusable and recyclable waste material into material categories from other types of waste at point of generation.
- .2 Recyclable: Ability of product or material to be recovered at end of its life cycle and re-manufactured into new product for reuse by others.
- .3 Recycle: Process by which waste and recyclable materials are transformed or collected for purpose of being transferred into new products.
- .4 Recycling: Process of sorting, cleansing, treating and reconstituting solid waste and other discarded materials for purpose of using in altered form. Recycling does not include burning, incinerating, or thermally destroying waste.
- .5 Reuse: Repeated use of product in same form but not necessarily for same purpose. Reuse includes:
- .1 Salvaging reusable materials from re-modelling projects, before demolition stage, for resale, reuse on current project or for storage for use on future projects.
- .2 Returning reusable items including pallets or unused products to vendors.
- .6 Salvage: Removal of structural and non-structural materials from deconstruction/disassembly projects for
-

purpose of reuse or recycling.

- .7 Separate Condition: Refers to waste sorted into individual types.
- .8 Source Separation: Acts of keeping different types of waste materials separate beginning from first time they became waste.

1.4 Documents

- .1 Maintain at job site, one copy of following documents:
 - .1 Material Source Separation Plan.

1.5 Submittals

- .1 Submittals in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Prepare and submit following prior to project start-up:
 - .1 Submit 2 copies of Materials Source Separation Program (MSSP) description.

1.6 Waste Reduction Workplan (WRW)

- .1 Prepare, Waste Reduction Workplan.
- .2 Structure WRW to prioritize actions and follow as first priority Reuse, then followed by Recycle.
- .3 Describe management of waste.
- .4 Post workplan or summary where workers at site are able to review its content.

1.7 Materials Source Separation Program (MSSP)

- .1 Prepare MSSP and have ready for use prior to project start-up. The Demolition Waste Audit (DWA), with related weight bills and/or receipt must be submitted on a monthly basis with the Contractor's monthly Progress claim.
- .2 Implement MSSP for waste generated on project in compliance with approved methods and as reviewed by Departmental Representative.
- .3 Provide on-site facilities for collection, handling, and storage of anticipated quantities of reusable and recyclable

materials.

- .4 Provide containers to deposit reusable and recyclable materials.
- .5 Locate containers in locations, to facilitate deposit of materials without hindering daily operations.
- .6 Locate separated materials in areas which minimize material damage.
- .7 Collect, handle, store on-site, and transport off-site, salvaged materials in separated condition.
 - .1 Transport to approved and authorized recycling facility.
- .1 Store, materials to be reused, recycled and salvaged in locations as specified in MSSP.
- .2 Unless specified otherwise, materials for removal become Contractor's property.
- .3 Protect, stockpile, store and catalogue salvaged items.
- .4 Separate non-salvageable materials from salvaged items. Transport and deliver non-salvageable items to licensed disposal facility.
- .5 Protect structural components not removed for demolition from movement or damage.
- .6 Support affected structures. If safety of building is endangered, cease operations and immediately notify Departmental Representative.
- .7 Protect surface drainage, mechanical and electrical from damage and blockage.
- .8 Separate and store materials produced during dismantling of structures in designated areas.
- .9 Prevent contamination of materials to be salvaged and recycled and handle materials in accordance with requirements for acceptance by

1.8 Storage,
Handling and
Protection

designated facilities.

- .1 On-site source separation is recommended.
- .2 Remove co-mingled materials to off-site processing facility for separation.
- .3 Provide waybills for separated materials.

1.9 Disposal of Wastes

- .1 Do not bury rubbish or waste materials.
- .2 Do not dispose of waste, volatile materials, mineral spirits, oil or paint thinner into waterways, storm, or sanitary sewers.
- .3 Keep records of construction waste including:
 - .1 Number and size of bins.
 - .2 Waste type of each bin.
 - .3 Total tonnage generated.
 - .4 Tonnage reused or recycled.
 - .5 Reused or recycled waste destination.
- .4 Remove materials from deconstruction as deconstruction/disassembly Work progresses.
- .5 Prepare project summary to verify destination and quantities on a material-by-material basis as identified in pre-demolition material audit.

1.10 Use of Site and Facilities

- .1 Execute work with least possible interference or disturbance to normal use of premises.
- .2 Maintain security measures established by PCA.

1.11 Scheduling

- .1 Coordinate Work with other activities at site to ensure timely and orderly progress of Work.

PART 2 - PRODUCTS

- .1 Not Applicable

PART 3 - EXECUTION

3.1 Application

- .1 Do Work in compliance with WRW.
- .2 Handle waste materials not reused, salvaged,

or recycled in accordance with appropriate regulations and codes.

3.2 Cleaning

- .1 Remove tools and waste materials on completion of Work, and leave work area in clean and orderly condition.
- .2 Clean-up work area as work progresses.
- .3 Source separate materials to be reused/recycled into specified sort areas.

PART 1 - GENERAL

- 1.1 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.2 Related Sections .1 Section 01 78 00 - Closeout Submittals.
.2 Section 01 74 11 - Cleaning.
- 1.3 Inspection and Declaration .1 Contractor's Inspection: Contractor and all Subcontractors shall conduct an inspection of Work, identify deficiencies and defects, and repair as required to conform to Contract Documents.
.1 Notify Departmental Representative in writing of satisfactory completion of Contractor's Inspection and that corrections have been made.
.2 Request Departmental Representative's Inspection.
.2 Departmental Representative's Inspection: Departmental Representative and Contractor will perform inspection of Work to identify obvious defects or deficiencies. Contractor shall correct Work accordingly.
.3 Completion: submit written certificate that following have been performed:
.1 Work has been completed and inspected for compliance with Contract Documents.
.2 Defects have been corrected and deficiencies have been completed.
.3 Work has been completed and in compliance with Workplace Health, Safety and Compliance Commission of Newfoundland and Labrador (WHSCC).
.4 Operation of systems have been demonstrated to Departmental Representative's personnel.
.5 Work is complete and ready for Final Inspection.
-

- .4 Final Inspection: when items noted above are completed, request final inspection of Work by Departmental Representative, in conjunction with Contractor. If Work is deemed incomplete by Departmental Representative, complete outstanding items and request reinspection.

PART 1 - GENERAL

- 1.1 Precedence .1 For Federal Government projects, Division 1 Sections take precedence over technical specification sections in other Divisions of this Project Manual.
- 1.2 Related Sections .1 Section 01 33 00 - Submittal Procedures.
 .2 Section 01 45 00 - Testing and Quality Control.
 .3 Section 01 71 00 - Examination and Preparation.
 .4 Section 01 77 00 - Closeout Procedures.
- 1.3 Submission .1 Prepare instructions and data using personnel experienced in maintenance and operation of described products.
 .2 Copy will be returned after final inspection, with Departmental Representative's comments.
 .3 Revise content of documents as required prior to final submittal.
 .4 Two weeks prior to Substantial Performance of the Work, submit to the Departmental Representative, four final copies of operating and maintenance manuals in English.
 .5 Ensure spare parts, maintenance materials and special tools provided are new, undamaged, free of defects, and of same quality and manufacture as products provided in Work.
 .6 If requested, furnish evidence as to type, source and quality of products provided.
 .7 Defective products will be rejected, regardless of previous inspections. Replace products at own expense.
 .8 Pay costs of transportation.
-

1.4 Format

- .1 Organize data in the form of an instructional manual.
- .2 Binders: vinyl, hard covered, 3 'D' ring, loose leaf 219 x 279 mm with spine and face pockets.
- .3 When multiple binders are used, correlate data into related consistent groupings. Identify contents of each binder on spine.
- .4 Cover: Identify each binder with type or printed title 'Project Record Documents'; list title of project and identify subject matter of contents.
- .5 Arrange content by systems, under Section numbers and sequence of Table of Contents.
- .6 Provide tabbed fly leaf for each separate product and system, with typed description of product and major component parts of equipment.
- .7 Text: Manufacturer's printed data, or typewritten data.
- .8 Drawings: provide with reinforced punched binder tab. Bind in with text; fold larger drawings to size of text pages.
- .9 Provide 1:1 scaled CAD files in dxf or dwg format on diskettes or CD.

1.5 Contents - Each Volume

- .1 Table of Contents: provide title of project;
 - .1 date of submission; names,
 - .2 addresses, and telephone numbers of Consultant and Contractor with name of responsible parties;
 - .3 schedule of products and systems, indexed to content of volume.
- .2 For each product or system:
 - .1 list names, addresses and telephone numbers of subcontractors and suppliers, including local source of supplies and

replacement parts.

- .3 Product Data: mark each sheet to clearly identify specific products and component parts, and data applicable to installation; delete inapplicable information.
- .4 Drawings: supplement product data to illustrate relations of component parts of equipment and systems, to show control and flow diagrams.
- .5 Typewritten Text: as required to supplement product data. Provide logical sequence of instructions for each procedure, incorporating manufacturer's instructions specified in Section 01 45 00 - Testing and Quality Control.

1.6 As-Builts and
Samples

- .1 Maintain at the site for Departmental Representative one record copy of:
 - .1 Contract Drawings.
 - .2 Specifications.
 - .3 Addenda.
 - .4 Change Orders and other modifications to the Contract.
 - .5 Reviewed shop drawings, product data, and samples.
 - .6 Field test records.
 - .7 Inspection certificates.
 - .8 Manufacturer's certificates.
- .2 Store record documents and samples in field office apart from documents used for construction. Provide files, racks, and secure storage.
- .3 Label record documents and file in accordance with Section number listings in List of Contents of this Project Manual. Label each document "PROJECT RECORD" in neat, large, printed letters.
- .4 Maintain record documents in clean, dry and legible condition. Do not use record documents for construction purposes.
- .5 Keep record documents and samples available

for inspection by Departmental Representative.

1.7 Recording
Actual Site
Conditions

- .1 Record information on set of opaque drawings, provided by Departmental Representative.
- .2 Provide felt tip marking pens, maintaining separate colours for each major system, for recording information.
- .3 Record information concurrently with construction progress. Do not conceal Work until required information is recorded.
- .4 Contract Drawings and shop drawings: legibly mark each item to record actual construction, including:
 - .1 Measured horizontal and vertical locations of underground utilities and appurtenances, referenced to permanent surface improvements.
 - .2 Measured locations of internal utilities and appurtenances, referenced to visible and accessible features of construction.
 - .3 Field changes of dimension and detail.
 - .4 Changes made by change orders.
 - .5 Details not on original Contract Drawings.
 - .6 References to related shop drawings and modifications.
- .5 Specifications: legibly mark each item to record actual construction, including:
 - .1 Manufacturer, trade name, and catalogue number of each product actually installed, particularly optional items and substitute items.
 - .2 Changes made by Addenda and change orders.
- .6 Other Documents: maintain manufacturer's certifications, inspection certifications, field test records, required by individual specifications sections.

1.8 Final Survey

- .1 Contractor is to submit final site survey certificate, certifying that elevations and locations of completed Work are in

conformance, or non-conformance with Contract Documents.

1.9 Warranties and Bonds

- .1 Separate each warranty or bond with index tab sheets keyed to Table of Contents listing.
- .2 List subcontractor, supplier, and manufacturer, with name, address, and telephone number of responsible principal.
- .3 Obtain warranties and bonds, executed in duplicate by subcontractors, suppliers, and manufacturers, within ten days after completion of the applicable item of work.
- .4 Except for items put into use with Departmental Representative's permission, leave date of beginning of time of warranty until the Date of Substantial Performance is determined.
- .5 Verify that documents are in proper form, contain full information, and are notarized.
- .6 Co-execute submittals when required.
- .7 Retain warranties and bonds until time specified for submittal.

1.10 Materials and Finishes

- .1 Building Products, Applied Materials, and Finishes: include produce data, with catalogue number, size, composition, and colour and texture designations. Provide information for re-ordering custom manufactured products.

PART 1 - GENERAL

1.1 RELATED
SECTIONS

- .1 Section 03 20 00 - Concrete Reinforcing.
- .2 Section 03 30 00 - Cast-in-Place Concrete.

1.2 REFERENCES

- .1 Canadian Standards Association (CSA)
 - .1 CAN/CSA-A23.1-04, Concrete Materials and Methods of Concrete Construction.
 - .2 CAN/CSA-O86-01 (R2006), Engineering Design in Wood (Limit States Design).
 - .3 CSA O121-M1978 (R2003), Douglas Fir Plywood.
 - .4 CSA O151-04, Canadian Softwood Plywood.
 - .5 CSA O153-M1980 (R2003), Poplar Plywood.
 - .6 CAN3-O188.0-M78, Standard Test Methods for Mat-Formed Wood Particleboards and Waferboard.
 - .7 CSA O437 Series-93 (R2001), Standards for OSB and Waferboard.
 - .8 CSA S269.1-1975 (R2003), Falsework for Construction Purposes.
 - .9 CAN/CSA-S269.3-M92 (R2003), Concrete Formwork.

1.3 SHOP DRAWINGS

- .1 Submit shop drawings for formwork and falsework in accordance with Section 01 33 00 - Submittal Procedures.
 - .2 Indicate method and schedule of construction, shoring, stripping and re-shoring procedures, materials, arrangement of joints, special architectural exposed finishes, ties, liners, and locations of temporary embedded parts. Comply with CSA S269.1, for falsework drawings Comply with CAN/CSA-S269.3 for formwork drawings.
 - .3 Indicate formwork design data, such as permissible rate of concrete placement, and temperature of concrete, in forms.
 - .4 Indicate sequence of erection and removal of formwork/falsework as directed by Departmental Representative.
-

1.4 WASTE
MANAGEMENT AND
DISPOSAL

- .1 Separate and recycle waste materials in accordance with Section 01 74 21 - Construction/Demolition Waste Management and Disposal and the Waste Reduction Workplan.
- .2 Place materials defined as hazardous or toxic waste in designated containers.
- .3 Ensure emptied containers are sealed and stored safely for disposal away from children.
- .4 Use sealers, form release and stripping agents that are non-toxic, biodegradable and have zero or low VOC's.

PART 2 - PRODUCTS

2.1 MATERIALS

- .1 Formwork materials:
 - .1 Use formwork materials to CAN/CSA-A23.1.
- .2 Form ties:
 - .1 Removable or snap-off metal ties, fixed or adjustable length, free of devices leaving holes larger than 25 mm diameter in concrete surface.
- .3 Form release agent: non-toxic, chemically active release agents containing compounds that react with free lime present in concrete to provide water insoluble soaps, preventing set of film of concrete in contact with form.
- .4 Falsework materials: to CSA-S269.1.
 - .1 Materials required to bear grade marks, or be accompanied with certificates, test reports or other proof of conformity.
- .5 Premoulded joint fillers:
 - .1 Bituminous impregnated fibreboard to ASTM D1751.
- .6 Bond Breaker:
 - .1 Impermeable tube formed of polyvinylchloride, rubber or similar material to the approval of the Departmental Representative. Internal diameter equal to

dowels.

- .7 Sealant: to Section 07 92 10 - Joint Sealing.

PART 3 - EXECUTION

3.1 FABRICATION AND
ERECTION

- .1 Verify lines, levels and centres before proceeding with formwork/falsework and ensure dimensions agree with drawings.
- .2 Obtain Departmental Representative's approval for use of earth forms framing openings not indicated on drawings.
- .3 Hand trim sides and bottoms and remove loose earth from earth forms before placing concrete.
- .4 Fabricate and erect falsework in accordance with CSA S269.1.
- .5 Fabricate and erect formwork in accordance with CAN/CSA-S269.3 to produce finished concrete conforming to shape, dimensions, locations and levels indicated within tolerances required by CAN/CSA-A23.1.
- .6 Align form joints and make watertight. Keep form joints to minimum.
- .7 Use 25 mm chamfer strips on external corners and/or 25 mm fillets at interior corners, joints, unless specified otherwise.
- .8 Form chases, slots, openings, drips, recesses, expansion and control joints as indicated.
- .9 Build in anchors, sleeves, and other inserts required to accommodate Work specified in other sections. Assure that all anchors and inserts will not protrude beyond surfaces designated to receive applied finishes, including painting.
- .10 Clean formwork in accordance with CAN/CSA-A23.1, before placing concrete.

3.2 REMOVAL AND
RESHORING

- .1 Leave formwork in place for following minimum periods of time after placing concrete.
 - .1 [7] days for walls and sides of beams.
 - .2 [7] days for columns.
 - .3 [5] days for beam soffits, slabs, decks and other structural members, or [3] days when replaced immediately with adequate shoring to standard specified for falsework.
 - .4 [5] days for footings and abutments.
- .2 Remove formwork when concrete has reached [75]% of its design strength or minimum period noted above, whichever comes later, and replace immediately with adequate reshoring.
- .3 Provide all necessary reshoring of members where early removal of forms may be required or where members may be subjected to additional loads during construction as required.
- .4 Space reshoring in each principal direction at not more than 3000 mm apart.
- .5 Re-use formwork and falsework subject to requirements of CAN/CSA-A23.1.

PART 1 - GENERAL

1.1 RELATED
SECTIONS

- .1 Section 03 10 00 - Concrete Forming and Accessories.
- .2 Section 03 30 00 - Cast-in-Place Concrete.

1.2 REFERENCES

- .1 American Concrete Institute (ACI)
 - .1 ACI 315R-80, Manual of Engineering and Placing Drawings for Reinforced Concrete Structure.
- .2 American National Standards Institute/American Concrete Institute (ANSI/ACI)
 - .1 ANSI/ACI 315-80, Details and Detailing of Concrete Reinforcement.
- .3 Canadian Standards Association (CSA)
 - .1 CAN/CSA-A23.1-04, Concrete Materials and Methods of Concrete Construction.
 - .2 CSA-A23.3-04, Design of Concrete Structures for Buildings.
 - .3 CSA G30.3-M1983(R1998), Cold Drawn Steel Wire for Concrete Reinforcement.
 - .4 CSA G30.5-M1983(R1998), Welded Steel Wire Fabric for Concrete Reinforcement.
 - .5 CSA G30.14-M1983(R1998), Deformed Steel Wire for Concrete Reinforcement.
 - .6 CSA G30.15-M1983(R1991), Welded Deformed Steel Wire Fabric for Concrete Reinforcement.
 - .7 CAN/CSA-G30.18-M92(R2007), Billet-Steel Bars for Concrete Reinforcement.
 - .8 CAN/CSA-G40.21-04, Structural Quality Steels.
 - .9 CAN/CSA-G164-M92 (R2003), Hot Dip Galvanizing of Irregularly Shaped Articles.
 - .10 CSA W186-M1990 (R2007), Welding of Reinforcing Bars in Reinforced Concrete Construction.

1.3 SHOP DRAWINGS

- .1 Submit shop drawings including placing of reinforcement in accordance with Section 01 33 00 - Submittal Procedures.
 - .2 Indicate on shop drawings, bar bending details, lists, quantities of reinforcement,
-

sizes, spacings, locations of reinforcement and mechanical splices if approved by Departmental Representative, with identifying code marks to permit correct placement without reference to structural drawings. Indicate sizes, spacings and locations of chairs, spacers and hangers. Prepare reinforcement drawings in accordance with Reinforcing Steel Manual of Standard Practice - by Reinforcing Steel Institute of Canada. ANSI/ACI 315 and ACI 315R, Manual of Engineering and Placing Drawings for Reinforced Concrete Structure.

1.4 WASTE
MANAGEMENT AND
DISPOSAL

- .1 Separate and recycle waste materials in accordance with Section 01 74 21 - Construction/Demolition Waste Management and Disposal and the Waste Reduction Workplan.

PART 2 - PRODUCTS

2.1 MATERIALS

- .1 Substitute different size bars only if permitted in writing by Departmental Representative.
- .2 Reinforcing steel: billet steel, grade 400, deformed bars to CAN/CSA-G30.18, unless indicated otherwise.
- .3 Reinforcing steel: weldable low alloy steel deformed bars to CAN/CSA-30.18.
- .4 Cold-drawn annealed steel wire ties: to CSA G30.3.
- .5 Welded steel wire fabric: to CSA G30.5. Provide in flat sheets only.
- .6 Chairs, bolsters, bar supports, spacers: to CAN/CSA-A23.1.
- .7 Mechanical splices: subject to approval of Departmental Representative.

2.2 FABRICATION

- .1 Fabricate reinforcing steel in accordance with CAN/CSA-A23.1, ANSI/ACI 315, and Reinforcing

Steel Manual of Standard Practice by the Reinforcing Steel Institute of Canada. ACI 315R, Manual of Engineering and Placing Drawings for Reinforced Concrete Structures unless indicated otherwise.

- .2 Obtain Departmental Representative's approval for locations of reinforcement splices other than those shown on placing drawings.
- .3 Upon approval of Departmental Representative, weld reinforcement in accordance with CSA W186.
- .4 Ship bundles of bar reinforcement, clearly identified in accordance with bar bending details and lists.

2.3 SOURCE QUALITY CONTROL

- .1 Provide Departmental Representative with certified copy of mill test report of reinforcing steel, showing physical and chemical analysis, minimum 2 weeks prior to commencing reinforcing work.
- .2 Upon request inform Departmental Representative of proposed source of material to be supplied.

PART 3 - EXECUTION

3.1 FIELD BENDING

- .1 Do not field bend or field weld reinforcement except where indicated or authorized by Departmental Representative.
- .2 When field bending is authorized, bend without heat, applying a slow and steady pressure.
- .3 Replace bars which develop cracks or splits.

3.2 PLACING REINFORCEMENT

- .1 Place reinforcing steel as indicated on reviewed placing drawings and in accordance with CAN/CSA-A23.1.

- .2 Use approved type chairs to locate the reinforcing steel at the proper grade.
- .3 Tie reinforcement where spacing in each direction is:
 - .1 Less than 300 mm: tie at alternate intersections.
 - .2 300 mm or more: tie at each intersection.
- .4 Prior to placing concrete, obtain Departmental Representative's approval of reinforcing material and placement.
- .5 Ensure cover to reinforcement is maintained during concrete pour.

3.3 CLEANING

- .1 Clean reinforcing before placing concrete to CAN/CSA-A23.1.

-
- 1.4 CERTIFICATES .1 Submit certificates in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Minimum 2 weeks prior to starting concrete work submit to Departmental Representative manufacturer's test data and certification by qualified independent inspection and testing laboratory that following materials will meet specified requirements:
- .1 Portland cement.
 - .2 Blended hydraulic cement.
 - .3 Supplementary cementing materials.
 - .4 Grout.
 - .5 Admixtures.
 - .6 Aggregates.
 - .7 Water.
- .3 Provide certification that mix proportions selected will produce concrete of quality, yield and strength as specified in concrete mixes, and will comply with CAN/CSA-A23.1.
- .4 Provide certification that plant, equipment, and materials to be used in concrete comply with requirements of CAN/CSA-A23.1.
- 1.5 STORAGE OF MATERIALS .1 Store materials to prevent contamination or deterioration.
- .2 Provide adequate storage facilities for materials to ensure a continuous supply of these materials during batching operations.
- .3 Store cement in weathertight facility.
-

1.6 QUALITY
ASSURANCE

- .1 Minimum 2 weeks prior to starting concrete work, submit proposed quality control procedures to Departmental Representative for the following items:
 - .1 Cold weather concrete.
 - .2 Curing.
 - .3 Finishes.
 - .4 Formwork removal.

1.7 WASTE
MANAGEMENT AND
DISPOSAL

- .1 Use trigger operated spray nozzles for water hoses.
- .2 Designate a cleaning area for tools to limit water use and runoff.
- .3 Carefully coordinate the specified concrete work with weather conditions.
- .4 Ensure emptied containers are sealed and stored safely for disposal away from children.
- .5 Prevent plasticizers, water-reducing agents and air-entraining agents from entering drinking water supplies or streams. Using appropriate safety precautions, collect liquid or solidify liquid with an inert, noncombustible material and remove for disposal. Dispose of all waste in accordance with applicable local, provincial and national regulations.
- .6 Choose least harmful, appropriate cleaning method which will perform adequately.

PART 2 - PRODUCTS

2.1 MATERIALS

- .1 Cement to CAN/CSA-A3001, Type GU.
- .2 Supplementary cementing materials: to CAN/CSA-A3001.
- .3 Cementitious hydraulic slag: to CAN/CSA-

A3001.

- .4 Water: to CAN/CSA-A23.1.
- .5 Aggregates: to CAN/CSA-A23.1. Coarse aggregates to be normal density.
- .6 Air entraining admixture: to ASTM C260.
- .7 Chemical admixtures: to ASTM C494/C494M. Departmental Representative to approve accelerating or set retarding admixtures during cold and hot weather placing.
- .8 Concrete retarders: to ASTM C494/C494M. Do not allow moisture of any kind to come in contact with the retarder film.
- .9 Curing compound: curing compounds are not to be used.

2.2 MIXES

- .1 Proportion concrete in accordance with CAN/CSA-A23.1, Clause 4.3.
- .2 Proportion concrete to comply with Alternate 1, Table 2 in CAN/CSA-A23.1 and following requirements:
 - .1 Cement:
 - .1 Type GU Portland cement.
 - .2 Minimum compressive strength: 35 MPa at 28 days.
 - .3 Class of exposure: C1.
 - .4 Minimum cement content: 385 kg/m³ of concrete.
 - .5 20 mm nominal size coarse aggregate.
 - .6 Air content 5% to 8%.
 - .7 Density of air-dry concrete in range of 2240 kg/m³ to 2400 kg/m³.
 - .8 Slump at time and point of discharge 50 mm to 100 mm, except as otherwise approved by Departmental Representative.
- .3 When the Contractor wishes to purchase concrete from a ready mix concrete supplier, submit a letter from the

supplier certifying the following:

.1 That plant and equipment is certified and all materials to be used in the concrete comply with the requirements of CAN/CSA-A23.1.

.2 That the mix proportions selected will produce concrete of the specified quality and yield. Indicate mix proportions and sources of all materials.

.3 That the strengths will comply with the strengths specified herein.

.4 When the Contractor wishes to mix concrete on site, identify the source of aggregates and submit samples of fine and coarse aggregates to a testing laboratory for testing and trial mixes in order to determine a suitable mix design. The testing laboratory, at Contractor's cost, will test the trial mix for slump, air content, density and strength. The results of these tests will be submitted to the Departmental Representative to be reviewed for compliance with the specification. This review must be completed before permission to place concrete is given.

.1 The sand, gravel, water and air entraining agent should be mixed prior to the addition of cement and water reducer.

.5 Weigh aggregates, cement, water and admixture when batching. No alternative methods of measuring will be permitted.

.6 Do not use calcium chloride.

PART 3 - EXECUTION

3.1 PREPARATION

.1 Obtain Departmental Representative's approval before placing concrete. Provide 24 hours notice prior to placing of concrete.

.2 Pumping of concrete is permitted only after approval of equipment and mix.

- .3 Ensure reinforcement and inserts are not disturbed during concrete placement.
- .4 Prior to placing of concrete obtain Departmental Representative's approval of proposed method for protection of concrete during placing and curing in adverse weather.
- .5 Maintain accurate records of poured concrete items to indicate date, location of pour, quality, air temperature and test samples taken.
- .6 Do not place load upon new concrete until authorized by Departmental Representative.

3.2 CONSTRUCTION

- .1 Comply with additional requirements of CAN/CSA-A23.1, Clause 4.1.1.5, for concrete exposed to seawater environments.
- .2 Minimum concrete cover over reinforcing steel bars to be 75 mm.
- .3 Place concrete in hot weather to CAN/CSA-A23.1.
- .4 Place concrete in cold weather to CAN/CSA-A23.1.
- .5 Keep concrete surfaces moist continually during protection stage.
- .6 Place, consolidate, finish, cure and protect concrete to CAN/CSA-A23.1.
- .7 Do not commence placing concrete until Departmental Representative has inspected and approved forms, foundations, reinforcing steel, joints, conveying, spreading, consolidation and finishing equipment and curing and protective methods.

-
- 3.3 FORMWORK .1 Install and strip formwork to CAN/CSA-A23.1 and Section 03 10 00 - Concrete Forming and Accessories.
- 3.4 INSERTS .1 Position and secure anchor bolts in formwork to maintain line and grades.
- 3.5 CONTROL JOINTS .1 Construct control joints in locations shown on drawings or directed by Departmental Representative.
- .2 All joints will be centred over a support. Joints will be made in a perfectly straight line.
- .3 Cut control joint when concrete has hardened.
- .4 Fill saw cut with joint sealer as specified.
- 3.6 PLACING CONCRETE .1 Place and consolidate concrete to CAN/CSA-A23.1.
- .2 Do not place concrete on or against frozen material.
- .3 Place concrete continuously from joint to joint.
- .4 Place concrete in a uniform heading, normal to the centreline. Limit rate of placing to that which can be finished before beginning of initial set.
- 3.7 STRIKE OFF AND CONSOLIDATION .1 High speed internal poker vibrators shall be used to consolidate the concrete during placing. Final compaction of the surfaces shall be done by beam-type vibratory air
-

screed as approved by Departmental Representative. A surcharge of approximately 65 mm of concrete will be maintained at the screed face during consolidation.

- .2 Strikeoff and consolidation must be completed before excess water bleeds to the surface.
- .3 Ensure that the concrete deck conforms to the elevations and slopes as shown on the drawings so that satisfactory drainage will result.

3.8 FINISHING

- .1 Only ACI certified or other pre-approved concrete finishers are to be utilized in finishing all concrete works. All work is to be finished to CAN/CSA-A23.1, and as specified below.
- .2 The surface will be brought to the specified level by means of darbying or bull floating which will be carried out immediately following screeding and must be completed before any bleed water is present on the surface. Surface tolerance to be 8 mm under a 3 metre straight edge.
- .3 Finish slabs to elevations indicated on drawings.
- .4 Strike off the surface with a straight edge.
- .5 Hand tamp low slump concrete with jitterbug.
- .6 Darby or bull float the surface to smooth and level the concrete.
- .7 Allow bleed water or sheen to disappear.
- .8 Float the surface by means of power and/or hand float where the concrete has hardened

enough for a man to leave only slight footprints on the surface.

- .9 Do not bring water and fines to the surface by over floating. Where extra floating is required the floating operation shall be repeated after the time interval necessary for any sheen to disappear and for concrete to set further.
- .10 Steel trowel the concrete surfaces by means of power and/or hand trowel. Do not leave any hard, smooth, polished or burnished surface area.
- .11 Do not bring water and fines to the surface by over trowelling.
- .12 Lightly broom surface with a soft bristle broom obtaining a fine and even textured finish with a non-slip finish. All brush strokes to be parallel across paving.
- .13 The surface shall be true and accurate to a maximum tolerance of 1 mm in 500 mm.

3.9 PROTECTION
AND CURING

- .1 Cure to CAN/CSA-A23.1.
- .2 Cure concrete by protecting it against loss of moisture, rapid temperature change and mechanical injury for at least 7 days after placement. After finishing operations have been completed, the entire surface of the newly placed concrete shall be covered by whatever curing medium is applicable to local conditions and approved by the Departmental Representative. The edges of concrete slabs exposed by removal of forms shall be protected with continuous curing treatment equal to the method selected for curing the slab and curb surfaces. Cure to CAN/CSA-A23.1. Have the equipment needed for adequate curing at hand and ready to

install before actual concrete placement begins.

- .3 When air temperature is at or below 5°C or when there is a probability of its falling to that limit within 24 hours of placing (as forecast by the nearest official meteorological office) cold weather protection as per CAN/CSA-A23.1 will be provided and the following:
 - .1 Housing - Protect concrete by a windproof shelter of canvas or other material to allow free circulation of inside air around fresh touch formwork and provide sufficient space for removal of formwork for finishing. Supply approved heating equipment capable of keeping inside air at a constant temperature sufficiently high to maintain concrete at following curing temperatures.
 - .1 For initial 3 days at a temperature of not less than 15°C nor more than 27°C at surface.
 - .2 Maintain concrete at 10°C for an extra 4 days plus the initial 3 days.
 - .3 In addition to the protective housing, the concrete must be cured as outlined in Clause 3.9.2 above.

3.10 TESTING

- .1 Departmental Representative will appoint a concrete testing company to test all work under this section of specification as per CAN/CSA-A23.1.
- .2 Cost of compressive strength tests shall be paid for by the Departmental Representative.
- .3 Testing company shall issue reports to Departmental Representative on quality of test cylinders.
- .4 Notify Departmental Representative at least 7 days prior to start of placing concrete. Provide for testing purposes an

adequate quantity of approved test cylinders.

- .5 At least 1 set of 3 cylinders each shall be taken from 25 m³ or fraction thereof of each day's pour, whichever is less. 1 cylinder shall be tested at 7 days and other 2 tested at 28 days.
 - .6 Crate cylinders and deliver to the testing laboratory within 48 hours after casting in accordance with CAN/CSA-A23.1. Contractor will pay for crating and delivery of cylinders to the laboratory.
 - .7 If strength tests of test cylinder for any portion of the work falls below the specified compressive strength at 28 days, the Departmental Representative reserves the right to determine the acceptability of the concrete by performing additional field testing as outlined in CAN/CSA-A23.1.
 - .8 If concrete does not conform to drawings or specifications, take measures as directed to correct the deficiency. All costs of correctional measures will be at the expense of the Contractor.
-

PART 1 - GENERAL

- 1.1 Related Work
- .1 Section 31 23 10 - Excavating, Trenching and Backfilling.
 - .2 Section 32 11 23 - Granular Base.
 - .3 Section 32 11 19 - Granular Subbase.
- 1.2 References
- .1 American Society for Testing and Materials (ASTM)
 - .1 ASTM D 4791-10, Standard Test Method for Flat Particles, Elongated Particles or Flat and Elongated Particles in Coarse Aggregate.
- 1.3 Source Approval
- .1 Inform Departmental Representative of proposed source of aggregates and provide access for sampling
 - .2 If, in opinion of Departmental Representative, aggregate from the proposed source do not meet, or cannot reasonably be processed to meet, specified requirements, locate an alternative source or demonstrate that aggregate from source in question can be processed to meet specified requirements.
 - .3 Should a change of aggregate source be proposed during work, advise Departmental Representative 1 week in advance of proposed change to allow sampling and testing.
 - .4 Acceptance of an aggregate at source does not preclude future rejection if it is subsequently found to lack uniformity, or if it fails to conform to requirements specified, or if its field performance is found to be unsatisfactory.
- 1.4 Sampling
- .1 Submit samples in accordance with Section 01 33 00 - Submittal Procedures.
 - .2 Allow continual sampling by Departmental Representative during production.
 - .3 Provide Departmental Representative with access to source and processed material for
-

sampling.

- .4 Install sampling facilities at discharge end of production conveyor, to allow Departmental Representative to obtain representative samples of items being produced. Stop conveyor belt when requested by Departmental Representative to permit full cross section sampling.
- .5 Pay cost of sampling and testing of aggregates which fail to meet specified requirements.

PART 2 - PRODUCTS

2.1 Materials

- .1 Aggregate quality: sound, hard, durable aggregate free from soft, thin, elongated or laminated particles, organic material, clay lumps or minerals, or other substances that would act in a deleterious manner for the use intended.
- .2 Flat and elongated particles of coarse aggregate: to ASTM D4791.
 - .1 Greatest dimension to exceed three times least dimension.
- .3 Fine aggregate satisfying requirements of applicable section to be one, or a blend of following:
 - .1 Natural sand.
 - .2 Manufactured sand.
 - .3 Screenings produced in crushing of quarried rock, boulders, gravel or slag.
- .4 Coarse aggregates satisfying requirements of applicable section to be one of or blend of following:
 - .1 Crushed rock.
 - .2 Gravel and crushed gravel composed of naturally formed particles of stone.
 - .3 Light weight aggregate, including slag and expanded shale.

PART 3 - EXECUTION

- 3.1 Development of
 - .1 Prior to excavating materials for aggregate

Aggregate Source

production, clear and grub area to be worked, and strip unsuitable surface materials. Dispose of cleared, grubbed and unsuitable materials as directed by Departmental Representative.

- .2 Where clearing is required, leave a screen of trees between cleared area and roadways as per the Guidelines.
- .3 Clear, grub and strip area ahead of quarrying or excavating operation sufficient to prevent contamination of aggregate by deleterious materials.
- .4 When excavation is completed dress sides of excavation to nominal 1.5:1 slope, and provide drains or ditches as required to prevent surface standing water.
- .5 Trim off and dress slopes of waste material piles and leave site in neat condition.

3.2 Stripping of Topsoil

- .1 Commence topsoil stripping of areas as indicated by the Guidelines and as directed by the Departmental Representative.
- .2 Avoid mixing topsoil with subsoil.
- .3 Stockpile in locations as indicated by the Guidelines. Stockpile height not to exceed 2 m.

3.3 Processing

- .1 Park owned pit location to be determined near the Work Zone. Contractor to provide Pit Development Plan.
- .2 Process aggregate uniformly using methods that prevent contamination, segregation and degradation.
- .3 Blend aggregates, if required, to obtain gradation requirements, percentage of crushed particles, or particle shapes, as specified. Use methods and equipment approved by Departmental Representative.

- .4 Wash aggregates, if required to meet specifications. Use only equipment approved by Departmental Representative.
- .5 When operating in stratified deposits use excavation equipment and methods that will produce uniform, homogeneous aggregate.

3.4 Handling

- .1 Handle and transport aggregates to avoid segregation, contamination and degradation.

3.5 Stockpiling

- .1 Stockpile aggregates on site in locations as indicated unless directed otherwise by Departmental Representative. Do not stockpile on completed pavement surfaces.
- .2 Stockpile aggregates in sufficient quantities to meet project schedules.
- .3 Stockpiling sites to be level, well drained, and of adequate bearing capacity and stability to support stockpiled materials and handling equipment.
- .4 Except where stockpiled on acceptably stabilized areas, provide compacted sand base not less than 300 mm in depth to prevent contamination of aggregate. Stockpile aggregates on ground but do not incorporate bottom 300 mm of pile into work.
- .5 Separate different aggregates by strong, full depth bulkheads, or stockpile far enough apart to prevent intermixing.
- .6 Do not use intermixed or contaminated materials. Remove and dispose of rejected materials as directed by Departmental Representative within 48 hours of rejection.
- .7 Stockpile materials in uniform layers of thickness as follows:
 - .1 Maximum 1.5 m for coarse aggregate and base coarse aggregate.
 - .2 Maximum 1.5 m for fine aggregate and sub-

base aggregate.

.3 Maximum 1.5 m for other aggregate.

- .8 Uniformly spot-dump aggregates delivered to stockpile in trucks and build up stockpile as specified.
- .9 Do not cone piles or spill material over edges of piles.
- .10 Do not use conveying stackers.
- .11 During winter operations, prevent ice and snow from becoming mixed into stockpile or in material being removed from stockpile.

3.6 Aggregate
Stockpile
Cleanup

- .1 Leave aggregate stockpile site in tidy, well drained condition, free of standing surface water.
- .2 Leave any unused aggregates in neat compact stockpiles as directed by Departmental Representative.

3.7 Source
Abandonment

- .1 For temporary or permanent abandonment of aggregate source, rehabilitate source to condition meeting requirements of the Guidelines.

well as all other materials disturbed during this clearing operation are to be removed from the site and disposed of outside the park boundaries in a manner and location approved by the Departmental Representative or it can be placed outside clearing limit in a manner satisfactory to Departmental Representative. Mechanical brushers and harvesters may be used in areas of new highway intersection construction only.

- .2 Cut off branches and cut down trees overhanging area cleared as directed by Departmental Representative.
- .3 Cut off unsound branches on trees designated to remain as directed by Departmental Representative.
- .4 All cleared trees and timber shall become the property of the Contractor and are to be disposed of outside the park boundaries.
- .5 No roadside vegetation clearing will be permitted during the annual songbird nesting period of June and July. Contractor to ensure no songbird nests are present in areas of selective clearing. Contractor must receive written approval from Departmental Representative prior proceeding with any clearing or cutting during the nesting period.

PART 1 - GENERAL

- 1.1 Related Sections
- .1 Section 01 35 43 - Environmental Procedures.
 - .2 Section 31 05 17 - Aggregates: General.
 - .3 Section 31 24 13 - Roadway Embankments.
 - .4 Section 33 42 13 - Pipe Culverts.
- 1.2 References
- .1 American Society for Testing and Materials (ASTM)
 - .1 ASTM C117-04, Standard Test Method for Material Finer Than 0.075 mm (No. 200) Sieve in Mineral Aggregates by Washing.
 - .2 ASTM C136-06, Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates.
 - .3 ASTM D422-63(2007), Standard Test Method for Particle-Size Analysis of Soils.
 - .4 ASTM D698-07, Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400 ft-lbs/ft³) (600 kN-m/m³).
 - .5 ASTM D4318-05, Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils.
 - .2 Canadian General Standards Board (CGSB)
 - .1 CAN/CGSB-8.1-88, Sieves, Testing, Woven Wire, Inch Series.
 - .2 CAN/CGSB-8.2-M88, Sieves, Testing, Woven Wire, Metric.
- 1.3 Definitions
- .1 Excavation classes: one class of excavation will be recognized; common.
 - .1 Common excavation: excavation of materials of whatever nature.
 - .2 Waste material: excavated material unsuitable for use in Work or surplus to requirements.
 - .3 Borrow material: material obtained from locations outside area to be graded, and required for construction of fill areas or for other portions
-

of Work.

- .4 Unsuitable materials:
 - .1 Weak and compressible materials under excavated areas.
 - .2 Frost susceptible materials under excavated areas.
 - .3 Frost susceptible materials:
 - .1 Fine grained soils with plasticity index less than 10 when tested to ASTM D4318, and gradation within limits specified when tested to ASTM D422 and ASTM C136: Sieve sizes to CAN/CGSB-8.1.
 - .2 Table

<u>Sieve Designation % Passing</u>	
2.00 mm	100
0.10 mm	45 - 100
0.02 mm	10 - 80
0.005 mm	0 - 45
 - .3 Coarse grained soils containing more than 20% by mass passing 0.075 mm sieve.
- .5 Unshrinkable fill: very weak mixture of Portland cement, concrete aggregates and water that resists settlement when placed in utility trenches, and capable of being readily excavated.

1.4 Quality Assurance

- .1 Qualification Statement: submit proof of insurance coverage for professional liability.
- .2 For design of any temporary structures submit design and supporting data at least 2 weeks prior to installation or construction.
- .3 Design and supporting data submitted to bear stamp and signature of qualified professional engineer registered or licensed in Province of Newfoundland and Labrador, Canada.
- .4 Keep design and supporting data on site.
- .5 Engage services of qualified professional Engineer who is registered or licensed in Province of Newfoundland and Labrador, Canada in which Work is to be carried out to design and

inspect shoring, bracing and underpinning
required for Work.

1.5 Shoring, Bracing,
and Underpinning

- .1 Shoring, Bracing or underpinning may be required to prevent undermining of adjacent structures, underground utilities and/or traffic areas.
- .2 Comply with safety requirements and applicable local legislation to protect existing features.
- .3 Engage services of qualified Professional Engineer who is registered in the Province of Newfoundland and Labrador to design and inspect cofferdams, shoring, bracing and underpinning required for work.
- .4 At least 2 weeks prior to commencing work, submit design and supporting data.
- .5 Design and supporting data submitted to bear the stamp and signature of qualified Professional Engineer licensed in the Province of Newfoundland and Labrador.

PART 2 - PRODUCTS

2.1 Materials

- .1 Rock Borrow - maximum 250 mm diameter, angular, well graded. Use approved common excavation material from existing granular shoulders in fill areas.

PART 3 - EXECUTION

3.1 Site Preparation

- .1 Remove obstructions, ice and snow, from surfaces to be excavated within limits indicated.
- .2 Sawcut pavement neatly along limits of proposed removal in order that surface may break evenly and cleanly

3.2 Dewatering

- .1 Keep excavations free of water while Work is in progress.
- .2 Protect open excavations against flooding and damage due to surface run-off.

- .3 Dispose of water in accordance with Section 01 35 43 - Environmental Procedures to approved runoff areas and in manner not detrimental to public and private property, existing facilities, or portion of Work completed or under construction.
 - .1 Provide and maintain temporary drainage ditches and other diversions outside of excavation limits.
- .4 Provide flocculation tanks, settling basins, or other treatment facilities to remove suspended solids or other materials before discharging to storm sewers, watercourses or drainage areas.

3.3 Excavation

- .1 Excavate to lines, grades, elevations and dimensions as indicated.
- .2 Excavation must not interfere with bearing capacity of adjacent foundations.
- .3 Dispose of surplus and unsuitable excavated material in approved location off site.
- .4 Do not obstruct flow of surface drainage.
- .5 Earth bottoms of excavations to be undisturbed soil, level, free from loose, soft or organic matter.
- .6 Notify Departmental Representative when bottom of excavation is reached.
- .7 Obtain Departmental Representative's approval of completed excavation.
- .8 If encountered, remove unsuitable material from excavation bottom including those that extend below required elevations to extent and depth as directed by Departmental Representative.

3.4 Fill Types & Compaction

- .1 Use types of fill as indicated, and compacted in accordance with the requirements stated elsewhere in this specification.
- .2 Minimum roller size: 9t

3.5 Backfilling

- .1 Do not proceed with backfilling operations until Departmental Representative has inspected and approved installations.
- .2 Areas to be backfilled to be free from debris, snow, ice, water and frozen ground.
- .3 Do not use backfill material which is frozen or contains ice, snow or debris.
- .4 Place backfill material in uniform layers not exceeding 150 mm compacted thickness up to grades indicated. Compact each layer before placing succeeding layer.
- .5 Backfilling around installations.
 - .1 Place bedding and surround material as specified elsewhere.
 - .2 Do not backfill around or over cast-in-place concrete within 24 hours after placing of concrete.
 - .3 Place layers simultaneously on both sides of installed Work to equalize loading. Difference not to exceed 1.0 m.

3.6 Restoration

- .1 Upon completion of Work, remove waste materials and debris, trim slopes, and correct defects as directed by Departmental Representative.
 - .2 Clean and reinstate areas affected by Work as directed by Departmental Representative.
 - .3 Restore site to its normal state prior to excavation.
-

PART 1 - GENERAL

- 1.1 Related Sections
- .1 Section 01 33 00 - Submittal Procedure.
 - .2 Section 01 56 00 - Temporary Barriers and Enclosures.
 - .3 Section 01 35 29.06 - Health and Safety Requirements.
 - .4 Section 31 23 33.01 - Excavating, Trenching and Backfilling.
- 1.2 Definitions
- .1 Rock: any solid material in excess of 1.0m³ and which cannot be removed by means of mechanical excavating equipment having 0.95 to 1.15m³ bucket. Frozen material not classified as rock.
- 1.3 Measurement Procedures
- .1 Mass rock:
 - .1 Rock quantities will be taken from cross section showing original rock surface and actual grade line set by Owner's Representative, except that minimum depth or rock required to excavated to be considered as 300 mm.
 - .2 Volume of individual boulders and rock fragments will be determined by measuring three maximum mutually perpendicular dimensions.
 - .2 Trench rock: rock quantities measured will be actual volume removed within following limits:
 - .1 Width for trench excavation as indicated.
 - .2 Width for excavation for structures to be bounded by vertical planes up to 500 mm outside and parallel to neat lines for footings as indicated.
 - .3 Depth from rock surface elevations immediately prior to excavation, to elevation as indicated.
 - .4 Where design elevation is less than 300 mm below original rock surface depth will be considered to be 300 mm below original rock surface.
 - .3 Replacement imported fill: Imported fill quantities will be measured in cubic metres, compacted in place.
 - .4 Quantities for measurement purposes are indicated in Tender Form. If no quantities are provided, rock removal and fill replacement considered inclusive to the work and will not be measured.
 - .5 Contractors shall provide all survey equipment needed and provide assistance to Owner's Representative in taking cross sections. Sections shall be taken at 5 m intervals for mass and trench rock excavation. Sections will be submitted to contractor's site representative

for verification. Additional sections shall be taken at points or significant change in elevation or at any other locations as determined by Owner's Representative. Contractor to schedule work to allow sufficient time for Owner's Representative to take necessary sections.

PART 2 - PRODUCTS

(NOT APPLICABLE)

PART 3 - EXECUTION

3.1 Rock Disposal

- .1 Dispose of surplus removed rock off site. Dispose in locations acceptable to authorities having jurisdiction and Owner's Representative.
- .2 Do not dispose removed rock into landfill. Material must be sent to appropriate location as approved by the Owner's Representative.

PART 1 - GENERAL

1.1 Related Sections

- .1 Section 31 23 10 - Excavating, Trenching and Backfill.
- .2 Section 31 37 00 - Rip Rap.

1.2 Definitions

- .1 Topsoil: material capable of supporting good vegetative growth and suitable for use in top dressing, landscaping and seeding.
- .2 Waste material: material unsuitable for use in embankment or surplus to requirements.
- .3 Borrow material: Rock Borrow material obtained from areas off site required for construction of embankments or for other portions of work.
- .4 Embankment: Material derived from usable excavation and placed above original ground or stripped surface up to subgrade.
- .5 Pavement structure: combination of layers of unbound or stabilized granular sub-base, base, and asphalt or concrete surfacing.
- .6 Subgrade elevation: elevation immediately below pavement structure.

1.3 Traffic Provisions

- .1 Provide and maintain roadways, walkways and detours, for vehicular and pedestrian traffic and access to fire hydrants, alarms and emergency telephones.

PART 2 - PRODUCTS

2.1 Materials

- .1 Embankment materials to approval of Departmental Representative.
- .2 Material used for embankment not to contain organic matter, frozen lumps, weeds, sod, roots, logs, stumps, boulders larger than 150 mm or any other unsuitable material.

- .3 Embankment Material:
 - .1 Rock Borrow: in accordance with Section 31 23 10 - Excavating, Trenching and Backfilling.
 - .2 Rip Rap: in accordance with Section 31 37 00 - Rip Rap.

PART 3 - EXECUTION

3.1 Compaction Equipment

- .1 Compaction equipment must be capable of obtaining required densities in materials on project.
 - .1 Demonstrate compaction equipment effectiveness on specified material and lift thickness by documented performance of test-strip before start of Work.
 - .2 Replace or supplement equipment that does not achieve specified densities.
- .2 Operate compaction equipment continuously in each embankment when placing material.
- .3 Minimum roller size: 9t

3.2 Water Distributors

- .1 Apply water with equipment capable of uniform distribution.

3.3 Embankments

- .1 Remove topsoil and rootmat.
- .2 Cold Mill existing pavement to elevations shown as directed.
- .3 Do not place material which is frozen nor place material on frozen surfaces.
- .4 Maintain a crowned surface during construction to ensure ready runoff of surface water. Do not place material in free standing water.
- .5 Use specialized compaction equipment supplemented by routing, hauling, and leveling equipment over each layer of fill.
- .5 Compaction:
 - .1 Place and compact to full width in uniform layers not exceeding 200 mm loose thickness. Departmental Representative may authorize thicker lifts if specified compaction can be achieved.

.2 Compact to a density of not less than 95% corrected maximum dry density in accordance with ASTM D698.

.3 Bring moisture content of soil to level required to achieve specified compaction. Add water or aerate as required.

.4 Compact each layer of embankment until compaction equipment achieves no further significant consolidation.

.5 Ensure required compaction for each layer before placing any material for next layer.

3.4 Excavations

.1 Excavate fill or bedrock to subgrade level in accordance with Section 31 23 10 - Excavating, Trenching and Backfilling.

3.5 Subgrade
Compaction

.1 After grading has been completed, scarify and mix subgrade surface to required depth of subgrade compaction.

.2 Remove unsuitable materials found during work. Replace with material approved by Departmental Representative

.3 Bring moisture content of soil to level required to achieve specified compaction. Add water or aerate as required.

3.6 Finishing
and Tolerances

.1 Shape and compact surfaces to within 30 mm of design elevations but not uniformly high or low.

.2 Do scarifying, grading, compacting or other methods of work as necessary to provide thoroughly compacted roadbed shaped to grades and cross sections as indicated or as directed by Departmental Representative.

.3 Finish edges and slopes of common material to neat condition, true to line and grade.

.1 Remove isolated boulders exposed in cut slopes and fill resulting cavities.

.2 Hand finish slopes that cannot be finished satisfactorily by machine.

3.7 Maintenance

.1 Maintain finished surfaces in condition conforming to this section until acceptance.

PART 1 - GENERAL

1.1 Related Sections .1 Section 31 32 19.01 - Geotextiles

PART 2 - PRODUCTS

2.1 Rock .1 Hard, with relative density (formally specific gravity) not less than 2.5, durable quarry stone, free from seams, cracks or other structural defects, to meet following size distribution for use intended:

- .1 Rip Rap :
 - .1 As per sizes shown on drawings.
- .2 Rip rap to be clean, inorganic, non ore-bearing, non-toxic material from a non-watercourse source. It shall be hard, resistant to weathering and angular in shape.

PART 3 - EXECUTION

3.1 Placing .1 Where rip rap is to be placed on slopes, excavate trench at toe of slope.

.2 Fine grade area to be to uniform, even surface. Fill depressions with suitable material and compact to provide firm bed.

.3 Place rip rap to thickness and details as indicated.

.4 Place stones in manner approved by departmental representative to secure surface and create a stable mass. Place larger stones at bottom of slopes.

.5 Hand or Machine placing:

- .1 Use larger stones for lower courses and as headers for subsequent courses.
- .2 Stagger vertical joints and fill voids with rock spalls or cobbles.
- .3 Finish surface evenly, free of large openings and neat in appearance.

- .5 Provide for suppression of dust generated by removal process.
- .6 In areas where localized pavement removal is carried out within the traffic lane ensure traffic is restricted from area until the surface is restored.

3.4 Placement of Asphalt Millings and use of Recycled Asphalt Pavement (RAP)

- .1 The Contractor will be permitted to use Recycled Asphalt Pavement (RAP) in first lift of surface course asphalt. The amount of RAP in the pavement mixture will be limited to 20% and subject to the following conditions:
 - .2 During the milling, the contractor will take a minimum of six stratified random samples and test each for asphalt cement content and aggregate gradation. The results on the tests on the RAP are to be included with the mix design submission.
 - .3 Preparation and submission of a Marshall Asphalt Design Mix Formula (including all supporting documentation) for the asphalt mixture containing RAP, for the Department's review, is the responsibility of the Contractor. The Contractor shall use professional engineering services and a qualified testing laboratory, to assess the aggregate materials, asphalt binders, blending sands, mineral fillers, anti-stripping agents and asphalt cement rejuvenation agents proposed for use and to carry out the design of the asphalt concrete mix. No compensation will be provided to the Contractor, for the production of the asphalt design mix formula for the asphalt mixture containing RAP.
 - .4 The asphalt mixture containing RAP shall be designed in accordance with the latest edition of the asphalt Institute Manual series No. 2 (MS-2).
 - .5 RAP shall be comprised of asphalt millings from this contract and be free of uncoated particles. RAP shall be stockpiled in accordance with the requirements for coarse

aggregates. The quality of the final pavement mixture shall meet all requirements set forth in this specification.

- .6 The asphalt plant must be equipped with a metering system that allows the RAP to be added in a controlled manner acceptable to the Department.
- .7 The Contractor shall provide the Department with a minimum 30 day notice of his intention to use RAP. The Department reserves the right to accept or reject any particular source of RAP, irrespective of its quality.
- .8 The Contractor will be permitted to use Recycled Asphalt Pavement (RAP) as shoulder granulars subject to the following conditions:
 - 1. RAP used for shoulder gravels will not contain particles larger than 50mm;
 - 2. RAP will not be placed in lift thicknesses greater than 100mm;
 - 3. Compaction of RAP for shoulder material will be based on attaining maximum density as determined from a test rolling strip.

3.5 Traffic Control

- .1 Maintain at least one lane of alternating two-way traffic at construction sites at all times as specified in Section 01 55 26 - Traffic Regulations.

3.6 Disposal

- .1 The following locations have been designated as locations available to dispose of excess milling material not used as shoulder granulars or as RAP in asphalt mixes:
 - .1 Baker's Brook, 5.1km away from northwestern limits of contract: 1700t availability;
 - .2 Green Point, 8.2km away from northwestern limits of contract: 1150t availability;
 - .3 Broom Point, 28.4km away from northwestern limit of contract: 3600t availability.
- .2 If the Contractor chooses to not use the available RAP within the asphalt production they shall be responsible for the disposal of 20% (3400t) of all milled asphalt to an approved disposal site.

END

PART 1 - GENERAL

- 1.1 Related Work .1 Section 31 05 17 - Aggregates: General.
- .2 Section 31 23 10 - Excavating Trenching and Backfilling.
- 1.2 References .1 American Society for Testing and Materials (ASTM) .1 ASTM C 117-13, Standard Test Methods for Material Finer Than 75-micro m (No. 200) Sieve in Mineral Aggregates by Washing.
- .2 ASTM D6928-10, Standard Test Method for Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus.
- .3 ASTM C 136-06, Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates.
- .4 ASTM D 422-63 (2007), Standard Test Method for Particle-Size Analysis of Soils.
- .5 ASTM D 698-12, Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400ft-lbf/ftn) (600kN-m/mn).
- .6 ASTM D 1883-07e2, Standard Test Method for CBR (California Bearing Ratio) of Laboratory Compacted Soils.
- .7 ASTM D 4318-10, Standard Test Methods for Liquid Limit, Plastic Limit and Plasticity Index of Soils.

PART 2 - PRODUCTS

- 2.1 Materials .1 Granular "B" Sub-base Material: in accordance with Section 31 05 17 - Aggregates: General and following requirements:
- .1 Crushed blasted rock.
- .2 Gradations to be within limits specified when tested To ASTM C 136 and ASTM C 117. Sieve sizes to CAN/CGSB-8.1 AND CAN/CGSB-8.2.
- .3 Table:

Sieve Designation	% Passing
50.8 mm	100
25.4 mm	50 - 100
4.76 mm	20 - 55
1.20 mm	10 - 35
0.300 mm	5 - 20
0.075 mm	2 - 6 (Pit Source) 2 - 8 (Rock Source)

- .4 Other Properties as follows:
- .1 Liquid Limit: to ASTM D 4318, Maximum 25.
 - .2 Plasticity Index: to ASTM D 4318 Maximum 0.
 - .3 Los Angeles degradation: to ASTM C131. Max % loss by mass: 35.
 - .4 Crushed Particles: at least 100% of particles by mass retained on the 4.75 mm sieve to have at least one fractured face.
 - .5 Particles smaller than 0.02 mm: to ASTM D 422, Maximum 3%.
 - .6 Flat and elongated particles: maximum percent by mass: 15.

PART 3 - EXECUTION

3.1 Inspection of Underlying Sub-Base

- .1 Place granular sub-base after surface is inspected and approved by Departmental Representative.
- .2 Underlying material to be compacted to 100% of Standard Proctor Density to ASTM D698

3.2 Placing

- .1 Place granular sub-base after subgrade is to the satisfaction of the Departmental Representative.
- .2 Construct granular sub-base to depth and grade in areas indicated.
- .3 Ensure no frozen material is placed.
- .4 Place material only on clean, unfrozen surface, free from snow or ice.

- .5 Place granular sub-base materials using methods which do not lead to segregation or degradation.
- .6 Place material to full width in uniform layers not exceeding 150 mm compacted thickness. Departmental Representative may authorize thicker lifts (layers) if specified compaction can be achieved.
- .7 Shape each layer to smooth contour and compact to specified density before succeeding layer is placed.
- .8 Remove and replace portion of layer in which material has become segregated during spreading.
- .9 Place and compact shouldering to 2% cross slope in reconstruction areas. In overlay sections, feather new shoulder material from top of new asphalt to rounding of shoulder slope. RAP may be used in place of granular subbase.
- .10 Compacted shouldering to be flush with asphalt concrete surface. RAP may be used in place of granular subbase.
- .11 Hand work will be required to form base for asphalt concrete gutters/offtakes.
- .12 Place, hand rake and compact new shoulder material under and behind guiderail.

3.3 Compaction

- .1 Compaction equipment to be vibratory-type and capable of obtaining required material densities.
- .2 Compact to density of not less than 100% of Maximum Dry Density in accordance with ASTM D 698.
- .3 Shape and roll alternately to obtain smooth, even and uniformly compacted sub-base.
- .4 Apply water as necessary during compaction to obtain specified density.
- .5 In areas not accessible to rolling equipment,

compact to specified density with mechanical tampers to the satisfaction of the Departmental Representative.

- .6 Correct surface irregularities by loosening and adding or removing material until surface is within specified tolerance.

3.4 Site Tolerances

- .1 Finished sub-base surface to be within 10 mm of elevation as indicated but not uniformly high or low.

3.5 Protection

- .1 Maintain finished sub-base in condition conforming to this section until succeeding Base is constructed, or until granular sub-base is accepted by the Departmental Representative.
 - .2 Correct surface irregularities by loosening and adding or removing material until surface is within specified tolerance.
 - .3 Shouldering to have 2% cross slope.
-

PART 1 - GENERAL

- 1.1 Related Work .1 Section 31 05 17 - Aggregates: General.
- .2 Section 31 23 10 - Excavating, Trenching and Backfilling.
- 1.2 References .1 American Society for Testing and Materials (ASTM) .1 ASTM C 117-13, Standard Test Methods for Materials Finer Than 75-micrometre Sieve in Mineral Aggregates by Washing.
- .2 ASTM D 6928-10, Standard Test Method for Resistance of coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus.
- .3 ASTM C 136-06, Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates.
- .4 ASTM D 698-12, Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400ft-lbf/ftn) (600kN-m/mn).
- .5 ASTM D 1883-07e1, Standard Test Method for CBR (California Bearing Ratio) of Laboratory-Compacted Soils.
- .6 ASTM D 4318-10, Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils.
- .2 Canadian General Standards Board (CGSB) .1 CAN/CGSB-8.1, Sieves, Testing, Woven Wire, Inch Series. .2 CAN/CGSB-8.2, Sieves, Testing, Woven Wire, Metric.

PART 2 - PRODUCTS

- 2.1 Materials .1 Granular "A" base: material in accordance with Section 31 05 17 - Aggregates: General and following requirements:
- .1 Crushed blasted rock.
- .2 Gradations to be within limits specified when tested to ASTM C 136 and ASTM C 117. Sieve sizes to CAN/CGSB-8.1 and CAN/CGSB-8.2.
- .1 Gradation to:

<u>Sieve Designation</u>	<u>% Passing</u>
19 mm	100
9.51 mm	50-80
4.76 mm	35-60
1.20 mm	15-35
0.300 mm	5-20
0.075 mm	2-6 (pit source) 2-8 (pit source)

.2 Liquid limit: to ASTM D 4318, maximum 25.

.3 Plasticity index: to ASTM D 4318, maximum 0.

.4 Los Angeles degradation: to ASTM C 131. Maximum % loss by mass: 35.

.5 Crushed particles: at least 100% of particles by mass within each of following sieve designation ranges to have at least 1 freshly fractured face. Material to be divided into ranges using methods of ASTM C 136.

.6 Flat and elongated particles: maximum by mass: 15%.

PART 3 - EXECUTION

3.1 Placing

- .1 Place granular base after sub-base surface is inspected and approved by the Departmental Representative.
- .2 Construct granular base to depth and grade in areas indicated.
- .3 Ensure no frozen material is placed.
- .4 Place material only on clean unfrozen surface, free from snow and ice.
- .5 Place material using methods which do not lead to segregation or degradation of aggregate.
- .6 Place material to full width in uniform layers not exceeding 150 mm compacted thickness. Departmental Representative may authorize thicker lifts (layers) if specified compaction can be achieved.

- .7 Shape each layer to smooth contour and compact to specified density before succeeding layer is placed.
- .8 Remove and replace that portion of layer in which material becomes segregated during spreading.

3.2 Compaction

- .1 Compaction equipment to be capable of obtaining required material densities.
- .2 Compact to density not less than 100% of Maximum Dry Density in accordance with ASTM D 698.
- .3 Shape and roll alternately to obtain smooth, even and uniformly compacted base.
- .4 Apply water as necessary during compacting to obtain specified density.
- .5 In areas not accessible to rolling equipment, compact to specified density with mechanical tampers to the satisfaction of the Departmental Representative.
- .6 Correct surface irregularities by loosening and adding or removing material until surface is within specified tolerance.

3.3 Site Tolerances

- .1 Finished base surface to be within plus or minus 10 mm of established grade and cross section but not uniformly high or low.
- .2 Correct surface irregularities by loosening and adding or removing material until surface is within specified tolerance.

3.4 Protection

- .1 Maintain finished base in condition conforming to this Section until succeeding material is applied or until acceptance by the Departmental Representative.

shall all be of the same orifice and manufacturer and capable of producing a fog-type spray. The slot of each nozzle shall be set at 30 degrees to the axis of the spray bar and the spray bar shall be set at a height above the existing pavement that will permit the fan from each nozzle to overlap its neighbouring fan by exactly half.

3.2 Application

- .1 Obtain Departmental Representative's approval of existing surface before applying asphalt tack coat. Clean surface as required.
 - .2 Tack coat shall only be placed on surfaces that are clean and dry and then only when the atmospheric temperature is at least 10°C and when rain is not forecast within 2 hours of application.
 - .3 Should the surface to be treated be dirty, then the Contractor shall thoroughly clean the surface by means of a power broom, or equivalent.
 - .4 The Contractor shall plan his work so that no more tack coat than is necessary for the day's paving operation is applied at one time.
 - .5 Paint contact surfaces of existing abutting asphalt surface with thin, uniform coat of asphalt tack coat material.
 - .6 To avoid nuisance and possible property damage to the travelling public, the Contractor shall install portable traffic lights or other means of directing one-way traffic while working on the adjacent part of the road.
 - .7 Type SS-1 or Type SS-1h emulsion shall be diluted with an equal volume of water prior to the application. The diluted SS-1 or SS-1h emulsion shall be applied at a rate of 0.3 to 0.5 l/m² of diluted emulsion on old pavement. Both the mixing temperature and the application temperature shall be between 20°C and 50°C. Care must be exercised not to exceed the recommended application rate.
 - .8 Tack coat application shall be visually uniform. Areas of insufficient or non-uniform tack coat
-

coverage shall be corrected by the contractor at no cost to Canada.

- .9 Where traffic is to be maintained, treat no more than one half of width of surface in one application.
- .10 Keep traffic off tacked areas until asphalt tack coat has set.
- .11 Re-tack contaminated or disturbed areas as directed by Departmental Representative.
- .12 Permit asphalt tack coat to set before placing asphalt pavement.

3.3 Curing

- .1 No hot mix shall be placed upon the tack coat until it has dried to a proper condition of tackiness, as determined by the Departmental Representative. The Contractor is advised that the period required for such drying will depend upon weather conditions.

PART 1 - GENERAL

1.1 Related Work

- .1 Section 01 35 43 - Environmental Procedures.
- .2 Section 31 05 17 - Aggregates: General.
- .3 Section 32 11 23 - Granular Base.
- .4 Section 32 17 23 - Painted Traffic Lines & Markings.
- .5 Section 32 12 13.16 - Asphalt Tack Coat.

1.2 References

- .1 ASTM International
 - .1 ASTM C 88-13, Standard Test Method for Soundness of Aggregates by Use of Sodium Sulphate or Magnesium Sulphate.
 - .2 ASTM C 117-13, Standard Test Method for Material Finer Than 0.075mm (No.200) Sieve in Mineral Aggregates by Washing.
 - .3 ASTM C 123-12, Standard Test Method for Lightweight Particles in Aggregate.
 - .4 ASTM C 127-12, Standard Test Method for Specific Gravity and Absorption of Coarse Aggregate.
 - .5 ASTM C 128-12, Standard Test Method for Density, Relative Density (Specific Gravity), and Absorption of Fine Aggregate.
 - .6 ASTM C 131-06, Standard Test Method for Resistance to Degradation of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine.
 - .7 ASTM C 136-06, Standard Method for Sieve Analysis of Fine and Coarse Aggregates.
 - .8 ASTM C 207-06(2011), Standard Specification for Hydrated Lime for Masonry Purposes.
 - .9 ASTM D 995--95b(2002), Standard Specification for Mixing Plants for Hot-Mixed, Hot-Laid Bituminous Paving Mixtures.
 - .10 ASTM D 2419-09, Standard Test Method for Sand Equivalent Value of Soils and Fine Aggregate.
 - .11 ASTM D 3203-11, Standard Test Method for Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures.
 - .12 ASTM D 4791-10, Standard Test Method for Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate.
-

- .13 ASTM D 6373-13, Standard Specification for Performance Graded Asphalt Binder
- .14 ASTM D 6927-06, Standard Test Method for Marshall Stability and Flow of Bituminous Mixtures
- .15 ASTM D 6928-10, Standard Test Method for Resistance of Coarse Aggregate to Degradation by Abrasion in the Micro-Deval Apparatus
- .16 ASTM C 1252-06, Standard Test Methods for Uncompacted Void Content of Fine Aggregate (as Influenced by Particle Shape, Surface Texture, and Grading)
- .17 ASTM D 4867, Standard Test for Effect of Moisture on Asphalt Concrete Paving Mixtures (Lottman Test)

.2 Government of Newfoundland and Labrador, Department of Transportation and works, Highway Design Division.

.1 The Department of Transportation and Works (DTW) specifications Book, latest edition.

1.3 Supply of Materials

- .1 Notify Departmental Representative of proposed date for use of materials; order and schedule shipments to coincide with construction schedule.

1.4 Source Sampling

- .1 At least 4 weeks prior to commencing work inform Departmental Representative of proposed source of aggregates and provide access for sampling.
- .1 A copy of the location letter shall be forwarded to the Superintendent, Gros Morne National Park.

- .2 At least 4 weeks prior to commencing work submit samples of following materials proposed for use as requested by the Departmental Representative:
- .1 One 5 L container of asphalt cement.

1.5 Material Certification

- .1 Submit manufacturer's test data and certification that asphalt cement meets requirements of this section.

1.6 Submission of Mix Design

- .1 Submit asphalt concrete mix design and trial mix test results to Departmental Representative for review at least 4 weeks prior to commencing work.
-

- .2 All asphalt concrete mix supplied for the work shall conform to the requirements of the 'surface course' designation.

1.7 Delivery and Storage

- .1 Deliver and stockpile aggregates in accordance with Section 31 05 17 - Aggregates: General. Stockpile minimum 50% of total amount of aggregate required before commencing asphalt mixing operation.
- .2 When necessary to blend aggregates from one or more sources to produce required gradation, do not blend in stockpiles.
- .3 Stockpile fine aggregate separately from coarse aggregate.
- .4 Provide approved storage, heating tanks and pumping facilities for asphalt cement.
- .5 Furnish copies of freight and weigh bills for asphalt cement as shipments are received. Departmental Representative reserves right to check weights as material is received.

PART 2 - PRODUCTS

2.1 Materials

- .1 Asphalt cement: PG 58-28 in accordance with ASTM D6373.
- .2 Aggregate material to following requirements:
 - .1 Crushed rock consisting of hard, durable, angular particles, free from clay lumps, cementation, organic material, and other deleterious materials.
 - .2 Gradations to be within limits specified when tested to ASTM C136 and ASTM C117 and to have a smooth curve without sharp breaks when plotted on semi-log grading chart.

<u>Sieve Designation</u>		<u>Surface Course</u>
		<u>% Passing</u>
19.0	mm	100
12.5	mm	93 - 100
9.5	mm	75 - 92
4.75	mm	55 - 75
2.00	mm	32 - 55
0.425	mm	12 - 25

0.150 mm 5 - 12
 0.075 mm 2 - 5

.3 Coarse aggregate is aggregate retained on 4.75 mm sieve and fine aggregate is aggregate passing 4.75 mm when tested to ASTM C136.

.4 When dryer drum plant or plant without hot screening is used, process fine aggregate through 4.75 mm sieve and stockpile separately from coarse aggregate.

.5 Coarse aggregate stockpile shall contain no more than 15% passing 4.75 mm sieve.

.6 Fine aggregate stockpile shall contain no more than 15% retained on 4.75 mm sieve.

.7 Petrographic Number: CSA A23.2 - 15A, Max: 135.

.8 Do not use aggregates having known polishing characteristics in mixes for surface courses.

.9 Sand equivalent: ASTM D2419 Min: 50

.10 Magnesium Sulphate Soundness: ASTM C88. Max.% loss by mass: Coarse aggregate, surface course: 12. Fine aggregate, surface course: 16

.11 Los Angeles abrasion; Gradation B. to ASTM C131. Max. % loss by mass: Coarse aggregate, surface course: 35

.12 Absorption: ASTM C127, max. % by mass: Coarse aggregate, surface course: 1.75

.13 Loss by washing: to ASTM C117. Max. % passing 0.075 mm sieve: Coarse aggregate, surface course: 1.75

.14 Flat and elongated particles with length to thickness ratio greater than 4: Max. % by mass: Coarse aggregate, surface course: 20

.15 Crushed fragments at least 100% of particles by mass within each of following sieve designation ranges to have at least 2 freshly fractured faces. Material to be divided into ranges using methods of ASTM C136.

<u>Passing</u>		<u>Retained on</u>
19.0 mm	to	12.5 mm
12.5 mm	to	4.75 mm

.16 Regardless of compliance with specified physical requirements, fine aggregates may be accepted or rejected on basis of past field performance.

.17 Micro - Deval abrasion, to ASTM D6928, Coarse aggregate: Max. 20%.

.18 Micro - Deval abrasion, to CSA A23.2 -

23A, Fine aggregate: Max 20%.
.19 Fine aggregate angularity, to ASTM C1252,
Min. 45%.

.3 Mineral filler:

.1 Finely ground particles of limestone,
hydrated lime, Portland cement or other
approved non-plastic mineral matter,
thoroughly dry and free from lumps.

.2 Add mineral filler when necessary to meet
job mix aggregate gradation or as directed to
improve mix properties.

.3 Mineral filler to be dry and free flowing
when added to aggregate.

2.2 Mix Design

.1 Job mix formula to be provided by Contractor
and designed and certified by a Professional
Engineer licensed to practice in the Place of
Work. Job mix formula to be approved by
Departmental Representative.

.2 Design of mix: by Marshall method to
requirements below and as directed by
Departmental Representative.

.1 Compaction blows on each face of test
specimens: 75.

.2 Mix physical requirements: Marshall
Stability at 60°C: 10000 N(minimum) Flow Value
mm: 2 to 4.25 Air Voids in Mixture, %: 3-5
Voids in Mineral Aggregate, % min: 15
Index of Retained Stability % Minimum: 75

.3 Measure physical requirements as follows:
.1 Marshall load and flow value: to ASTM
D6927.

.2 Air voids: to ASTM D3203.

.4 Do not change job-mix without prior
approval of Departmental Representative.
Should change in material source be proposed,
new job-mix formula to be reviewed by
Departmental Representative.

.5 Return plant dust collected during
processing to mix in quantities acceptable to
Departmental Representative.

.6 Asphalt content: 5.5-6.25% based on total
weight.

.7 Asphalt mixtures containing RAP shall be
designed in accordance with the latest edition
of the Asphalt Institute Manual Series No. 2.

.8 The quality of the final pavement mixture
shall meet all requirements set forth in this

specification.

.9 Use liquid type anti-stripping agent. Ensure compatibility with cement being used. Tensile Strength Ration (TSR) required is 80% minimum.

PART 3 - EXECUTION

3.1 Plant and Mixing Requirements

- .1 Batch and continuous mixing plants:
 - .1 To ASTM D995.
 - .2 Heat asphalt cement and aggregate to mixing temperature directed by Departmental Representative. Do not heat asphalt cement above 160°C.
 - .3 Before mixing, dry aggregates to a moisture content not greater than 0.5% by mass or to a lesser moisture content if required to meet mix design requirements.
 - .4 Make available current asphalt cement viscosity data at plant. With information relative to viscosity of asphalt being used, Departmental Representative will direct temperature of completed mix at plant and at paver after considering hauling and placing conditions.
 - .5 Feed aggregates from individual stockpiles through separate bins to cold elevator feeders.
 - .6 Feed cold aggregates to plant in proportions that will ensure continuous operations.
 - .7 Immediately after drying, screen aggregates into hot storage bins in sizes to permit recombining into gradation meeting job-mix requirements.
 - .8 Store hot screened aggregates in a manner to minimize segregation and temperature loss.
 - .9 Calibrate bin gate openings and conveyor speeds to ensure mix proportions are achieved.
 - .10 Maintain temperature of materials within plus or minus 5°C of specified mix temperature during mixing.
 - .11 Mixing time:
 - .1 In batch plants, both dry and wet mixing times as directed by Departmental Representative. Continue wet mixing as long as necessary to obtain a thoroughly blended mix but not less than 30 s or more than 75 s.
 - .2 In continuous mixing plants, mixing

time as directed by Departmental Representative but not less than 45 s.
.3 Do not alter mixing time unless directed by Departmental Representative.

- .2 Dryer drum mixing plant:
 - .1 Feed aggregates to burner end of dryer drum by means of a multi-bin cold feed unit and blend to meet job-mix requirements by adjustments of variable speed feed belts and gates on each bin.
 - .2 Meter total flow of aggregate by an electronic weigh belt system with an indicator that can be monitored by plant operator and which is interlocked with asphalt pump so that proportions of aggregate and asphalt entering mixer remain constant.
 - .3 Provide for easy calibration of weighing systems for aggregates without having material enter mixer.
 - .4 Calibrate individual feed bin conveyors to ensure mix proportions are achieved.
 - .5 Make provision for conveniently sampling the full flow of materials from the cold feed.
 - .6 Provide screens or other suitable devices to reject oversize particles or lumps of aggregate from cold feed prior to entering drum.
 - .7 Provide a system interlock which will stop all feed components if either asphalt or aggregate from any bin stops flowing.
 - .8 Accomplish heating and mixing of asphalt mix in an approved parallel flow dryer-mixer in which aggregate and asphalt enter drum at burner end and travel parallel to flame and exhaust gas stream. Control heating to prevent fracture of aggregate or excessive oxidation of asphalt. Equip system with automatic burner controls and provide for continuous temperature sensing of asphalt mixture at discharge, with a printing recorder that can be monitored by plant operator. Submit printed record of mix temperatures at end of each day.
 - .9 Mixing period and temperature to produce a uniform mixture in which particles are thoroughly coated, and moisture content of material as it leaves mixer to be less than 1%.
- .3 Temporary storage of hot mix:
 - .1 Provide mix storage of sufficient capacity

to permit continuous operation and designed to prevent segregation.

.2 Do not store asphalt mix in storage bins in excess of 3 h.

.4 While producing asphalt mix for this project, do not produce mix for other users unless separate storage and pumping facilities are provided for materials supplied to this project.

.5 Mixing tolerances:

.1 Permissible variation in aggregate gradation from job mix (percent of total mass):

4.75 mm sieve and larger	5.0
2.00 mm sieve	4.0
0.425 mm sieve	2.5
0.075 mm sieve	1.0

.2 Permissible variation of asphalt cement from job mix, 0.30%

.3 Permissible variation of mix temperature at discharge from plant, 10°C.

3.2 Equipment

.1 Pavers: mechanical (grade controlled) self-powered pavers capable of spreading mix within specified tolerances, true to line, grade and crown indicated.

.2 Rollers, general: sufficient number of rollers of type and weight to obtain specified density of compacted mix.

.3 Haul trucks: of adequate size, speed and condition to ensure orderly and continuous operation and as follows:

.1 Boxes with tight metal bottoms.

.2 Covers of sufficient size and weight to completely cover and protect asphalt mix when truck fully loaded.

.3 In cool weather or for long hauls, insulate entire contact area of each truck box.

.4 Trucks which cannot be weighed in a single operation on scales supplied will not be accepted.

.4 Material Transfer Device: device to transfer all asphalt mixture from the haul trucks to the

paver(s). The Material Transfer Device shall be utilized in conjunction with a hopper insert in the asphalt paver. The hopper insert on the asphalt paver shall be kept full at all times. Cycling the hopper wings of the asphalt paver shall be kept to a minimum. The Material Transfer Device shall be used at no extra cost.

.5 Hand tools:

.1 Lutes or rakes with covered teeth for spreading operations.

.2 Provide tamping irons having mass not less than 12 kg and a bearing area not exceeding 310 cm² for compacting material along curbs, gutters and other structures inaccessible to roller. Mechanical compaction equipment, when approved by Departmental Representative, may be used instead of tamping irons.

.3 Straight edges, 4.5 m in length, to test finished surface.

3.3 Preparation

.1 Reshape granular roadbed to Departmental Representative's approval.

.2 Prior to laying mix, clean surfaces of loose and foreign material.

.3 Saw cut adjacent asphalt surfaces and prior to placing new asphaltic pavement.

.4 Tack coat existing asphalt surfaces and edges prior to placing new asphalt mix in accordance with Section 32 12 13.06 - Asphalt Tack Coat.

.5 Construct key joint at locations where the new top lift of asphalt will meet existing asphalt as indicated on the drawings.

3.4 Transportation of Mix

.1 Transport mix to job site in vehicles cleaned of foreign material in good mechanical working order, tight gates and with tarps.

.2 Paint or spray truck beds with limewater, soap or detergent solution, or non-petroleum based commercial product at least once a day or as required. Elevate truck bed and thoroughly drain. No excess solution will be permitted.

.3 Schedule delivery of material for placing in daylight, unless Departmental Representative approves artificial light.

- .4 Deposit mix from surge or storage silo into trucks in multiple drops and use methods necessary to prevent segregation.
- .5 Deliver materials to paver at a uniform rate and in an amount within capacity of paving and compacting equipment.
- .6 Deliver loads continuously in covered vehicles and immediately spread and compact. Deliver and place mixes at a temperature within range directed, but not less than 130°C.

3.5 Placing

- .1 Obtain Departmental Representative's approval of base prior to placing asphalt.
- .2 Place asphalt concrete to thicknesses, grades and lines indicated or directed by Departmental Representative.
- .3 Placing conditions:
 - .1 Place asphalt mixtures only when air temperature is above 5°C.
 - .2 When temperature of surface on which material is to be placed falls below 10°C, provide extra rollers as necessary to obtain required compaction before cooling.
 - .3 Do not place hot-mix asphalt when pools of standing water exist on surface to be paved, during rain, or when surface is damp.
 - .4 A material transfer device shall be used for the placement of all asphalt mix on the project. Prior to use, the material transfer device shall be approved by the Departmental Representative.
- .4 Place asphalt concrete in compacted lifts of thickness as noted on the plans.
- .5 Spread and strike off mixture with self-propelled mechanical finisher:
 - .1 Construct longitudinal joints and edges true to line markings. Lines for paver to follow will be established by Departmental Representative parallel to centerline of proposed pavement. Position and operate paver to follow established line closely.
 - .2 When using pavers in echelon, have first paver follow marks or lines, and second paver

follow edge of material placed by first paver. Work pavers as close together as possible and in no case permit them to be more than 30 m apart.

.3 If segregation occurs, immediately suspend spreading operation until cause is determined and corrected.

.4 Correct irregularities in alignment left by paver by trimming directly behind machine.

.5 Correct irregularities in surface of pavement course directly behind paver. Remove by shovel or lute excess material forming high spots. Fill and smooth indented areas with hot mix. Do not broadcast material over such areas.

.6 Do not throw surplus material on freshly screeded surfaces.

.6 When hand spreading is used:

.1 Approved wood or steel forms, rigidly supported to assure correct grade and cross section, may be used. Use measuring blocks and intermediate strips to aid in obtaining required cross-section.

.2 Distribute material uniformly. Do not broadcast material.

.3 During spreading operation, thoroughly loosen and uniformly distribute material by lutes or covered rakes. Reject material that has formed into lumps and does not break down readily.

.4 After placing and before rolling, check surface with templates and straightedges and correct irregularities.

.5 Provide heating equipment to keep hand tools free from asphalt. Avoid high temperatures which may burn material. Do not use tools at a higher temperature than temperature of mix being placed.

3.6 Compacting

.1 Roll asphalt continuously to a density not less than 93% of the mix maximum theoretical density.

.2 General:

.1 Provide minimum three (3) rollers and as many additional rollers as necessary to achieve specified pavement density. One roller must be pneumatic-tired type.

.2 Start rolling operations as soon as placed mix can bear weight of roller without undue

displacement of material or cracking of surface.

.3 Operate rollers slowly initially to avoid displacement of material. For subsequent rolling do not exceed 5 km/h for static steel-wheeled rollers and 8 km/h for pneumatic-tired rollers.

.4 For lifts 50 mm thick and greater, adjust speed and vibration frequency of vibratory rollers to produce minimum of 20 impacts per metre of travel.

.5 Overlap successive passes of roller by at least one half width of roller and vary pass lengths.

.6 Keep wheels of roller slightly moistened with water to prevent pick-up of material but do not over-water.

.7 Do not stop vibratory rollers on pavement that is being compacted with vibratory mechanism.

.8 Do to permit heavy equipment or rollers to stand on finished surface before it has been compacted and has thoroughly cooled.

.9 After traverse and longitudinal joints and outside edge have been compacted, start rolling longitudinally at low side and progress to high side.

.10 When paving in echelon, leave unrolled 50 to 75 mm of edge which second paver is following and roll when joint between lanes is rolled.

.11 Where rolling causes displacement of material, loosen affected areas at once with lutes or shovels and restore to original grade of loose material before re-rolling.

.3 Breakdown rolling:

.1 Commence breakdown rolling immediately following rolling of transverse and longitudinal joint and edges.

.2 Operate rollers as close to paver as necessary to obtain adequate density without causing undue displacement.

.3 Operate breakdown roller with drive roll or wheel nearest finishing machine. Exceptions may be made when working on steep slopes or super-elevated sections.

.4 Use only experienced roller operators for this work.

- .4 Second rolling:
 - .1 Use pneumatic-tired, steel wheel or vibratory rollers and follow breakdown rolling as closely as possible and while paving mix temperature allows maximum density from this operation.
 - .2 Rolling shall be continuous after initial rolling until mix placed has been thoroughly compacted.

- .5 Finish rolling:
 - .1 Accomplish finish rolling with two- axle or three-axle tandem steel wheel rollers while material is still warm enough for removal of roller marks. If necessary to obtain desired surface finish, Departmental Representative shall specify use of pneumatic-tired rollers.
 - .2 Conduct rolling operations in close sequence.

- 3.7 Joints
 - .1 General:
 - .1 Trim vertical face by sawcutting to provide true surface and cross section against which new pavement may be laid. Remove loose particles.
 - .2 Paint joint face with thin coat of hot asphalt cement or cutback asphalt or preheat joint face with approved heater, prior to placing of fresh mix.
 - .3 Overlap previously laid strip with spreader by 100 mm.
 - .4 Remove surplus material from surface of previously laid strip. Do not dispose on surface of freshly laid strip.
 - .5 Construct joints between asphalt concrete pavement and portland cement concrete pavement as directed by Departmental Representative.
 - .6 Paint contact surfaces of existing structures such as manholes, curbs or gutters with bituminous material prior to placing adjacent pavement.

 - .2 Transverse joints:
 - .1 Construct and thoroughly compact transverse joints to provide a smooth riding surface.
 - .2 Stagger joint locations 2 m.
 - .3 Offset transverse joint in succeeding lifts by at least 600 mm.

 - .3 Longitudinal Joints:

.1 Before rolling, carefully remove and discard coarse aggregate in material overlapping joint with a lute or rake.

.2 Roll longitudinal joints directly behind paving operation.

.3 When rolling with static roller, shift roller over onto previously placed lane in order that 100 to 150 mm of drum width rides on newly laid lane, then operate roller to pinch and press fines gradually across joint. Continue rolling until thoroughly compacted neat joint is obtained.

.4 When rolling with static or vibratory roller, have most of drum width ride on newly placed lane with remaining 100 to 150 mm extending onto previously placed and compacted lane.

.5 Offset longitudinal joints in succeeding lifts by at least 150 mm.

3.8 Finish Tolerances

.1 Finished asphalt surface to be within 5 mm of design elevation but not uniformly high or low.

.2 Finished asphalt surface not to have irregularities exceeding 5mm when checked with a 4.5 m straight edge place in any direction.

3.9 Defective Work

.1 Correct irregularities which develop before completion of rolling by loosening surface mix and removing or adding material as required. If irregularities or defects remain after final compaction, remove surface course promptly and lay new material to form a true and even surface and compact immediately to specified density.

.2 Repair areas showing checking, rippling or segregation.

.3 Adjust roller operation and screed settings on paver to prevent further defects such as rippling and checking of pavement.

3.10 Hours of Work

.1 Unless specifically authorized otherwise by the Departmental Representative, all spreading of asphalt mix shall stop at least 1/2 hour before sunset and the paver shall be off the road by sunset.

3.11 Pollution Control/Site Clean-up

.1 Control emissions from equipment and plant to Site Clean-up Provincial emission requirements.

.2 Copies of the Contractor's current Provincial Asphalt Plant Approval Permit must be provided to PCA and the EPO.

.3 Excess asphaltic concrete material must be disposed of at approved locations. No material will be deposited outside the lines and grades indicated for asphalt paving, except as approved by the Departmental Representative.

.4 The EPO on behalf of Provincial Department of Environment and Conservation will be monitoring the Contractor's operation, including site cleanup.

END

PART 1 - GENERAL

1.1 Description

.1 Contractor responsible for permanent lines and pavement markings in the two intersections only. Contractor is also responsible for all temporary line markings.

.2 This standard applies to low temperature, water-borne, acrylic, fast drying traffic paints suitable for spray application with specialized equipment, to asphalt surfaces. Included are centre lines to match existing layout (double solid, solid/dash or single dash lines), two shoulder lines, as well as the two intersections, arrows, delineation, special markings and temporary markings, etc., for the full length of the highway 430 work area. Province will be completing permanent lines and markings on highway 430 with exception of the two intersections detailed on the drawings.

.3 This specification includes a compound to be used as an additive in conjunction with water-borne traffic paint and glass spheres to provide a drying agent which accelerates the no-tack time of the water-borne traffic paint. No-tack time is to be increased by approximately 40% over the same paint without the compound.

.4 All pavement markings to be in accordance with the Manual of Uniform Traffic Devices for Canada, latest edition.

.5 Contractor is responsible to supply and perform all work necessary to paint temporary lines and pavement markings. The Province will supply and perform all work required to paint permanent lines and pavement markings.

1.2 References

- .1 American Society for Testing and Materials (ASTM)
- .1 ASTM D 711, Test Method for No-Pick-Up Time of Traffic Paint
 - .2 ASTM D 868, Test Method for Evaluating Degree of Bleeding of Traffic Paint
 - .3 ASTM D 869, Test Method for Evaluating Degree of Settling of Paint
 - .4 ASTM D 969, Test Method for Laboratory Determination of Degree of Bleeding of Traffic Paint
 - .5 ASTM D 1155, Test Method for Roundness of Glass Spheres

- .6 ASTM D 1210, Test Method for Fineness of Dispersion of Pigment-Vehicle Systems
- .7 ASTM D 1214, Test Method for Sieve Analysis of Glass Spheres
- .8 ASTM D 1309, Test Methods for Settling Properties of Traffic Paints During Accelerated Storage
- .9 ASTM D 2205, Guide for Selection of Tests for Traffic Paints
- .10 ASTM D 2243, Test Method for Freeze-Thaw Resistance of Water-Borne Coatings
- .11 ASTM D 3960, Standard Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings
- .12 ASTM E 97, Test Method for Directional Reflectance Factor of Opaque Specimens by Broad-Band Filter Reflectometry

- .3 Transportation Association of Canada (TAC), Manual of Uniform Traffic Control Devices For Canada.

1.3 Samples

- .1 Submit samples in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Mark samples with name of project, location, paint manufacturer's name and address, name of paint, CGSB specification number and formulation number and batch number.
- .3 The Departmental Representative reserves the right to test samples of paint at the point of delivery, from any or all batches of paint to be used. The samples will be tested and all paint from any batch tested that does not meet specifications, will not be permitted to be used on this project.

1.4 Temporary Line Striping

- .1 The Contractor shall ensure that the roadway is properly marked as the work progresses and all cold planed sections and/or newly surfaced road is pre-marked at the completion of the day's operation, as described herein. Temporary pavement marking shall be clearly visible both day and night.
- .2 Should the pre-marking tape not adhere to the cold planed and/or newly treated surface, the Contractor shall use other means to adequately mark the roadway, such as painting the markings on the road.

- .3 The Contractor is responsible for the removal of the Temporary Overlay Markers between successive pavement courses as the work progresses and from the finish course of pavement after painting.
- .4 Temporary Pavement Marking sign to be erected 250 m in advance of the beginning of a temporarily marked section of highway. End Temporary Pavement Marking is placed at the end of a temporarily marked section. These signs must be used to indicate a section of highway that has been recently resurfaced and that does not have permanent centreline markings. The signs must remain in place until the permanent centreline has been painted.
- .5 Typical temporary pavement markings consist of temporary marking tape, raised pavement markers and standard traffic paint with glass beads. Yellow markings shall be used where two-way traffic occurs and to delineate opposing traffic. White markings should be used for shoulder edge lines or multiple lanes where traffic flows in the same direction.

PART 2 - PRODUCTS

2.1 Materials

- .1 General Requirements:
 - .1 The low temperature, water-borne (acrylic), lead free, fast drying traffic paints shall be designed to be applied in environmental conditions such that operational temperatures shall be in the range of 2 degrees Celsius and rising.
 - .2 Paint shall be well ground to a uniform smooth consistency and shall be free from skin, dirt and other foreign particles. The paint shall be capable of being sprayed at the temperature intended for the paint. It shall flow evenly and smoothly and cover solidly when applied to pavement. The paint shall be supplied ready-mixed for use without any addition of water.
 - .3 The paint mixture shall include the glass bead intermix system.
 - .4 The paint mixture is to be able to be applied under pneumatic pressure by a standard truck mounted dispensing machine

moving at speeds of 8 to 24km/hr.

2.2 Paint

.1 Paint to this standard shall comply with the following detail requirements when tested in accordance with the specified test methods:

<u>Property</u>	<u>Specification</u>		<u>Test Method (1)</u>
	<u>Min.</u>	<u>Max.</u>	
General:			
Density	-	-	Method 2.1
Consistency, KU (2)	85	95	Method 4.5
Skinning Properties (3)	0	0	Method 10.1
Contrast Ratio (5)	0.992		
VOC (6)		150g/L	ASTM D3960
Volatile Matter % (mass) (including water)		24	Method 17.1
Freeze-thaw resistance	Pass		ASTM D2243
Pigment Content, % (mass)	56	62	Method 21.2
Binder solid, % of mass (7)	16.75		Method 19.1
100% Acrylic Polymer, % (mass)	15	-	Method 57.1
No-pick-up time, min. (4)	1	5	ASTM D711
Non-tracking time, sec. (9)		60	
Fineness of grind, HU	3	-	ASTM D1210
Coarse Particles:			
#60 Sieve - 250um	nil	nil	ASTM D185 & ASTM D2205
#100 Sieve - 150 mm	-	0.01	
Bleeding	4	-	ASTM D868 & ASTM D2205

Settling Rate	6	-	ASTM D1309
	8	-	ASTM D869
White Paint:			
Titanium Dioxide, g/L	150	-	Method 2.1, 21.1, 50.14
Titanium Dioxide Pigment (8)			
Reflectance	80	-	ASTM E97
Colour	-	-	1-GP-12C 513-301
Yellow Paint:			
Reflectance	60	-	ASTM E97
Colour	-	-	505-308 (approx)

- (1) All tests to be performed by methods as per Canadian General Standards Board (CGSB), 1-GP-71 or American Society of Testing and Materials (ASTM) or as noted herein.
- (2) Kreb units at 25°C
- (3) Paint shall be non-skinning. (See General Requirements, 2.1.1.2).
- (4) Perform field tests on a 15 mil wet film thickness of hot spray (maximum 50°C). Wait one minute, drive a passenger vehicle over the film and ensure no visible (from 15m) deposition of paint is deposited onto the adjacent pavement.
- (5) Contrast Ratio: apply a wet film thickness of 381 microns on Laneta Penopac form (1B) Drying Time: Minimum 24 hours at 23°C. (plus or minus 2°C)
- (6) Volatile organic compounds (VOC) (excluding water): max. 150g/L; method ASTM D3960.
- (7) Binder shall be FASTRACK Resin XSR or equivalent.
- (8) Titanium dioxide pigment shall be Rutile type and have a minimum TiO₂ content of 93%.
- (9) Non-tracking time based upon 375um (15 mils) wet film thickness applied when pavement temperature is greater than 10° C and humidity conditions of 80% or less on dry pavement.

2.3 Glass Bead Intermix System

- .1 The compound shall be a mixture of glass beads and drying agent materials.
- .2 The compound shall meet the following gradation when tested according to ASTM D1214:

<u>Sieve Size</u>	<u>% Passing</u>
1.180mm (#16)	100%
0.850mm (#20)	90 - 100%
0.600mm (#30)	65 - 95%
0.300mm (#50)	10 - 35%
0.150mm (#100)	0 - 5%

- .3 The glass bead component of the compound shall be colourless, clean, transparent, and free from milkiness and excessive air bubbles. They shall be spherical in shape, containing no more than 30% irregularly shaped particles and be the equivalent of an AASHTO Type I glass bead. The silica content of the glass spheres shall not be less than 60% as per ASTM C169 testing. The component shall be manufactured of glass of a composition designed to be highly resistant to traffic wear, decomposition, etching under atmospheric conditions, dilute acids, alkalis, paint film constitutes, and to the effect of weathering, and should be composed of recycled glass (to the maximum extent possible).
- .4 The drying agent component shall be smooth and spherically shaped, amber to white in colour, and of a type that promotes accelerated coalescence of the latex polymer and as such reduces water-borne paint dry to touch time by approximately 40% (minimum).
- .5 The compound shall show no tendency to absorb moisture in storage and shall remain free of clusters and hard lumps. It shall flow freely from dispensing equipment at any time when applying with pavement marking.

PART 3 - EXECUTION

3.1 Equipment Requirements

- .1 Paint applicator to be an approved pressure type mobile distributor capable of applying paint in single, double and dashed lines. Applicator to be capable of applying marking components uniformly, at rates specified, and to dimensions as indicated, and to have positive shut-off.

3.2 Condition of Surfaces

- .1 Surface to be dry, free from ponded water, frost, ice, dust, oil, grease and other foreign materials.

3.3 Traffic Control

- .1 Traffic control to be in accordance with Section 01 55 26 - Traffic Regulation.

3.4 Application

- .1 Unless otherwise approved by Departmental Representative, apply paint only when air temperature is above 10°C, wind speed is less than 60km/h and no rain is forecast within next 4h.
- .2 Apply traffic paint evenly at rate of 3m/L.
- .3 Do not thin paint unless approved by Departmental Representative.
- .4 Symbols and letters to conform to dimensions indicated.
- .5 Paint lines to be of uniform colour and density with sharp edges.
- .6 Thoroughly clean distributor tanks before refilling with paint of different colour.

3.5 Tolerance

- .1 Paint markings to be within plus or minus 12mm of dimensions indicated.
- .2 Remove incorrect markings to approval of Departmental Representative.

3.6 Protection of Completed Work

- .1 Protect pavement markings until dry.

PART 1 - GENERAL

- 1.1 Related Sections .1 Section 31 23 10 - Excavating, Trenching and Backfilling.
- .2 Section 31 24 13 - Roadway Embankments.
- .3 Section 31 37 00 - Riprap.
- .4 Section 32 11 19 - Granular Subbase.
- .5 Section 32 11 23 - Granular Base.
- .6 Section 32 12 16 - Hot Mix Asphalt Concrete Paving.
- 1.2 References .1 ASTM International
- .1 ASTM C 117-13, Standard Test Method for Material Finer Than 0.075 mm (No. 200) Sieve in Mineral Aggregates by Washing.
- .2 ASTM C 136-06, Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates.
- .3 ASTM D 698-12, Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12,400 ft-lbf/ftn (600 kN-m/mn)).
- .2 Canadian General Standards Board (CGSB)
- .1 CAN/CGSB-8.1-88, Sieves, Testing, Woven Wire, Inch Series.
- .2 CAN/CGSB-8.2-M88, Sieves, Testing, Woven Wire, Metric.
- .3 CSA International
- .1 CSA A23.1/A23.3-09, Concrete Materials and Methods of Concrete Construction/Test Methods and Standard Practices for Concrete.
- .2 CAN/CSA G401-07, Corrugated Steel Pipe Products.
- .4 Government of Newfoundland and Labrador, Municipal Water, Sewer and Roads Master Construction Specification, latest edition.
- 1.3 Samples .1 Submit samples in accordance with Section 01

33 00- Submittal Procedures.

- .2 Inform Departmental Representative at least 4 weeks prior to commencing work, of proposed source of bedding materials and provide access for sampling.

1.4 Material Certification

- .1 Submit manufacturer's test data and certification at least four weeks prior to commencing work.
- .2 Certification to be marked on pipe.

1.5 Delivery, Storage and Handling

- .1 Contractor to deliver, store and handle materials in accordance with Product Requirements and manufacturer's instructions.

1.6 Waste Management and Disposal

- .1 Separate and recycle waste materials as indicated by Departmental Representative.
- .2 Place materials defined as hazardous or toxic waste in designated containers.
- .3 Ensure emptied containers are sealed and stored safely for disposal away from children.

PART 2 - PRODUCTS

2.1 Corrugated Steel Pipe

- .1 All pipes to be gasketed.
- .2 Aluminized corrugated steel pipe, couplers, wyes, tees, bends, adapters, nuts and bolts shall conform to the requirements of the most recent revisions of the following specifications: AASHTO M274 and M36, ASTM A819 and A760 and CSA G401. Wall thickness: 2.8 mm.
- .3 For existing pipes being extended, wall thickness couplers, culvert material and dimensions to match existing.
- .4 For existing small diameter culverts (600 dia. Or less), remove and reinstall as directed by Departmental Representative in the field to

ensure positive drainage of relocated ditches.

- .5 For aluminum pipes: All materials shall conform to ASTM Standard B746 except that the bolts can be galvanized steel meeting the CSA Standard CAN3-G401-M81 or latest edition thereof. Special care is to be taken when installing and backfilling aluminum culvert pipe to ensure no damage or deformation occurs.

2.2 End Treatments

- .1 Rip rap: to Section 31 37 00 - Rip Rap and as indicated on the drawings.
- .2 Concrete headwall:
 - .1 Concrete shall be 35 MPa, Class C-2 exposure, constructed and installed in accordance with CSA A23.1 and as indicated on the drawings.

2.3 Granular Bedding and Backfill

- .1 Granular bedding and backfill material to Section 31 05 17 - Aggregates: General and following requirements:
 - .1 Section 32 11 19 - Granular "B" Subbase.

PART 3 - EXECUTION

3.1 Trenching

- .1 Do trenching work in accordance with Section 31 23 10 - Excavating, Trenching and Backfilling.
- .2 Obtain Departmental Representative's approval of trench line and depth prior to placing bedding material or pipe.

3.2 Bedding

- .1 Dewater excavation, as necessary, to allow placement of culvert bedding in the dry.
- .2 Place minimum thickness of 200 mm of approved granular material on bottom of excavation and compact to minimum 100% maximum density to ASTM D 698.
- .3 Shape bedding to fit lower segment of pipe

exterior so that width of at least 25% of pipe diameter is in close contact with bedding and to camber as indicated or as directed by Departmental Representative, free from sags or high points.

- .4 Place bedding in unfrozen condition.

3.3 Laying
Corrugated Steel
Pipe Culverts

- .1 Commence pipe placing at downstream end.
- .2 Ensure bottom of pipe is in contact with shaped bed or compacted fill throughout its length.
- .3 Lay pipe with outside circumferential laps facing upstream and longitudinal laps or seams at side or quarter points.
- .4 Do not allow water to flow through pipes during construction except as permitted by Departmental Representative.
- .5 Take special care and take all necessary precautions while handling installing aluminum culvert pipe to avoid damage.

3.4 Joints:
Corrugated Steel
Culverts

- .1 Corrugated steel pipe: joints/couplings shall be non-corroding, Steel Culverts aluminized Type II to manufacturer's standards.
- .2 Match corrugations or indentations of coupler with pipe sections before tightening.
 - .1 Tap couplers firmly as they are being tightened, to take up slack and ensure snug fit.
 - .2 Insert and tighten bolts.

3.5 Backfilling

- .1 Place backfill material, rock borrow approved by Departmental Representative, in 300 mm layers to full width, alternately on each side of culvert, so as not to displace it laterally or vertically.
- .2 Compact each layer to 100% maximum density to ASTM D 698 taking special care to obtain required density under haunches.

- .3 Protect installed culvert with minimum 600 mm cover of compacted fill before heavy equipment is permitted to cross. During construction, width of fill, at its top, to be at least twice diameter or span of pipe and with slopes not steeper than 1:2.

3.6 End Treatments

- .1 Install concrete headwalls and rip-rap as indicated or as directed by Departmental Representative.
- .2 Obtain approval of Departmental Representative of culvert installation prior to installation of any end treatments.

APPENDIX A