

**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**  
Travaux publics et Services gouvernementaux  
Canada  
Place Bonaventure, portail Sud-Est  
800, rue de La Gauchetière Ouest  
7 ième étage  
Montréal  
Québec  
H5A 1L6  
FAX pour soumissions: (514) 496-3822

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

<b>Title - Sujet</b> Étagères, Cabinets et Comptoirs	
<b>Solicitation No. - N° de l'invitation</b> W0106-11R775/A	<b>Date</b> 2012-05-16
<b>Client Reference No. - N° de référence du client</b> W0106-11-R775	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$MTA-550-12037	
<b>File No. - N° de dossier</b> MTA-1-34352 (550)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2012-06-27</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Heure Avancée de l'Est HAE	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input checked="" type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Guernon (mta550), Émile	<b>Buyer Id - Id de l'acheteur</b> mta550
<b>Telephone No. - N° de téléphone</b> (514) 496-3585 ( )	<b>FAX No. - N° de FAX</b> (514) 496-3822
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> MINISTERE DE LA DEFENSE NATIONALE Edifice 313 2e Royal 22e Régiment Garnison Valcartier COURCELETTE Québec G0A 4Z0 Canada	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

<b>Delivery Required - Livraison exigée</b> .	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

**Issuing Office - Bureau de distribution**

Travaux publics et Services gouvernementaux Canada  
Place Bonaventure, portail Sud-Est  
800, rue de La Gauchetière Ouest  
7 ième étage  
Montréal  
Québec  
H5A 1L6

## **TABLE OF CONTENTS**

### **PART 1 - GENERAL INFORMATION**

- 1.2. Requirement
- 1.3. Communications Notification
- 1.4. Debriefings

### **PART 2 - BIDDER INSTRUCTIONS**

- 2.1. Standard Instructions, Clauses and Conditions
- 2.2. Submission of Bids
- 2.3. Enquiries - Bid Solicitation
- 2.4. Improvement of Requirement During Solicitation Period
- 2.5. Applicable Laws

### **PART 3 - BID PREPARATION INSTRUCTIONS**

- 3.1. Bid Preparation Instructions

### **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

- 4.1. Evaluation Procedures
- 4.2. Basis of Selection

### **PART 5 - CERTIFICATIONS**

- 5.1. Certifications Precedent to Contract Award

### **PART 6 - RESULTING CONTRACT CLAUSES**

- 2. Requirement
- 3. Standard Clauses and Conditions
- 4. Term of Contract
- 5. Authorities
- 6. Payment
- 7. Invoicing Instructions
- 8. Certifications
- 9. Applicable Laws
- 10. Priority of Documents
- 11. SACC Manual Clauses

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

---

## 12. Insurance Requirements

### List of Annexes:

Annex A	Statement of requirements
Annex B	Pricing
Annex C	Evaluation Grid
Annex D	Plans for storage shelves

## **PART 1 - GENERAL INFORMATION**

### **1.2. Requirement**

The requirement is detailed in annex A - Statement of requirements that form part of the request for proposal and resulting contract.

### **1.3. Communications Notification**

As a courtesy, the Government of Canada requests that successful bidders notify the Contracting Authority in advance of their intention to make public an announcement related to the award of a contract.

### **1.4. Debriefings**

After contract award, bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

## PART 2 - BIDDER INSTRUCTIONS

### 2.1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions

(<http://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) Manual issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2012-03-02) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation

(<http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/ach-eng.jsp>) Manual issued by Public Works and Government Services Canada.

### 2.2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

### 2.3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than **seven (7) calendar days** before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

## 2.4 Improvement of Requirement During Solicitation Period

Should bidders consider that the specifications or Statement of Work contained in the bid solicitation could be improved technically or technologically, bidders are invited to make suggestions, in writing, to the Contracting Authority named in the bid solicitation. Bidders must clearly outline the suggested improvement as well as the reason for the suggestion. Suggestions that do not restrict the level of competition nor favour a particular bidder will be given consideration provided they are submitted to the Contracting Authority at least **sept (7) calendar days** before the bid closing date. Canada will have the right to accept or reject any or all suggestions.

## 2.5. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

## **PART 3 - BID PREPARATION INSTRUCTIONS**

### **3.1. Bid Preparation Instructions**

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy) (Annex B)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/Politique-policy-eng.html>).

To assist Canada in reaching its objectives, bidders are encouraged to:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

### **Section I: Technical Bid**

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

---

## **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the basis of payment. The total amount of Goods and Services Tax or Harmonized Sales Tax must be shown separately, if applicable. (See annex B)

### **3.1.1 SACC Manual Clauses**

C3011T (11/01/2010) Exchange Rate Fluctuation

## **Section III: Certifications**

Bidders must submit the certifications required under Part 5.



## PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

### 4.1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids with the evaluation grid as per Annex «C» attached.

#### 4.1.1 Technical Evaluation

*It is mandatory to provide technical/ descriptive documents for the products that you are offering to allow their technical evaluation. Failure to comply will render your bid non responsive.*

*You have to demonstrate in your technical submission that all products are compliant with every characteristics mentionned in Annex «A» and plans in Annex «D».*

##### 4.1.1.1 Technical Mandatory Requirements

- Compliance to Mandatory criteria to comply upon bid deposit of Annex «A».
- Submit with your submission technical/ descriptive documents for the products that you are offering.

#### 4.1.2 Financial Evaluation

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, FOB Destination, Canadian customs duties and excise taxes included.

SACC Manual Clauses      A0222T      Evaluation of Price      (11/01/2010),

**The contract will be awarded in Canadian dollars.** In the event the bid recommended for Contract award was submitted in foreign currency it will be converted using the rate given by the Bank of Canada in effect on the bid solicitation closing date.

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

File No. - N° du dossier

MTA-1-34352

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

W0106-11-R775

CCC No./N° CCC - FMS No/ N° VME

---

#### **4.2. Basis of Selection**

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

---

## PART 5 - CERTIFICATIONS

Bidders must provide the required certifications to be awarded a contract. Canada will declare a bid non-responsive if the required certifications are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

### 5.1. Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

#### 5.1.1. Federal Contractors Program - over \$25,000 and below \$200,000

Suppliers who are subject to the Federal Contractors Program (FCP) and have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive federal government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any bids from ineligible contractors, including a bid from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

The Bidder, or, if the Bidder is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Bidder or the member of the joint venture

- (a) ( ) is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada;

- (b) ( ) is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
- (c) ( ) is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC, having not bid on requirements of \$200,000 or more;
- (d) ( ) has not been declared an ineligible contractor by HRSDC, and has a valid certificate number as follows: \_\_\_\_\_.

Further information on the FCP is available on the HRSDC Web site.

## **PART 6 - RESULTING CONTRACT CLAUSES**

### **2. Requirement**

The Contractor must provide the requirement in accordance with Annex «A» - Statement of Requirements that form part of the contract.

### **3. Standard Clauses and Conditions**

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions* Manual issued by Public Works and Government Services Canada. (<http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/acho-eng.jsp>)

#### **3.1 General Conditions**

2010A (2012-03-02), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

### **4. Term of Contract**

#### **4.1 Delivery Date**

All the deliverables must be received on or before ( Refer to Annex «A»).

### **5. Authorities**

#### **5.1 Contracting Authorities**

The Contracting Authority for the Contract is:

Émile Guernon  
Spécialiste en approvisionnements | Supply Specialist  
Direction générale des approvisionnements | Acquisitions Branch  
Bureau régional du Québec | Quebec Regional Office  
Travaux publics et Services gouvernementaux Canada | Public Works and Government Services Canada  
800 rue de la Gauchetière Ouest, Suite 7300, Montréal (Québec) Canada, H5A 1L6  
T: 514.496.3585 | F: 514.496.3822 |  
E-mail: [emile.guernon@tpsgc-pwgsc.gc.ca](mailto:emile.guernon@tpsgc-pwgsc.gc.ca)

The Contracting Authority is responsible for the management of the Contract, and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

## 5.2 Contact at Customer Department

For all information related to invoicing and/or payments you may communicate with:

Customer Department: \_\_\_\_\_

Name: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

## 5.3 Contractor Contacts

Name and telephone number of the person responsible for :

### General enquiries & Delivery follow-up

Name: \_\_\_\_\_

Telephone No. : \_\_\_\_\_

Facsimile No. : \_\_\_\_\_

E-mail address: \_\_\_\_\_

## 6. Payment

### 6.1 Basis of Payment - Firm Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price of \$ \_\_\_\_\_ (*amount to be inserted at contract award*). Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.2 SACC Manual Clause

H1000C (2008-05-12) Single Payment

## **7. Invoicing Instructions**

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

## **8. Certifications**

**8.1** Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the entire contract period. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

## **9. Applicable Laws**

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of Quebec.

## 10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2012-03-02), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Statement of requirements;
- (d) Annex B, Pricing
- (e) Annex C, Evaluation Grid
- (f) Annex D, Plans for storage shelves
- (g) the Contractor's bid dated \_\_\_\_\_, as amended \_\_\_\_\_.

## 11. SACC Manual Clauses

A2000C	Foreign Nationals (Canadian Contractor)	16/06/06
A2001C	Foreign Nationals (Foreign Contractor)	16/06/06
C2000C	Taxes - Foreign-based Contractor	30/11/07
D0018C	Delivery, Inspection and Acceptance	30/11/07

## 12. Insurance Requirements

The Contractor is responsible to decide if insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any insurance acquired or maintained by the Contractor will be at its own expense and for its own benefit and protection. It will not release the Contractor from or reduce its liability under the Contract.



Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

---

## **Annex A**

### **Statement of requirements**

### **Refer to included document**

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

---

## **Annex B**

### **Pricing**

**Refer to included document**

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

## **Annex C**

### **Evaluation Grid**

### **Refer to included document**

Solicitation No. - N° de l'invitation

W0106-11R775/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mta550

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0106-11-R775

MTA-1-34352

---

## **Annex D**

### **Plans for storage shelves**

### **Refer to included document**

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

**BACKGROUND**

The Royal 22nd Regiment at the Valcartier Garrison wishes to acquire storage shelves, multi-purpose structures and mobile counters to reorganize various rooms in its facilities at the Quebec Citadel and in building 313 at the Valcartier Garrison.

The Contractor shall deliver and install all materials.

**PLANS**

The plans included with this statement are for information purposes, to show the configuration of the shelves and workstations sought. Bidders may submit comparable equipment as long as the mandatory conditions set out further in this document are met.

**DESCRIPTION****1. Citadel Museum storage (See plan #1).**

Quantity: Two sections of mini racking (maximum length 145  $\frac{5}{8}$ " ).

- Two (2) sections of mini racking, 72" x 48 $\frac{1}{2}$ " x 99" (each dimension +/-1").
- Four (4) steel shelves for each section.

**2. Citadel Quartermaster's quarters – 15' side (See plan #2)**

Quantity: Four (4) sections of shelving, including three (3) with drawers (maximum length 181 $\frac{5}{8}$ " ).

Four (4) adjoining sections of shelving (each dimension +/-1").

- One (1) shelving unit, 36" x 24 $\frac{1}{4}$ " x 87", six (6) shelves, enclosed back and sides, full door.
- Three (3) shelving units, 48" x 24 $\frac{1}{4}$ " x 87", three (3) shelves, enclosed back and sides with door above drawers.
  - o Three (3) shelves per unit.
  - o Four (4) drawers, 12", with 8 compartments (4 drawers per unit).

**3. Citadel Quartermaster's quarters – 8' side (See plan #3)**

Quantity: Two (2) sections of shelving with drawers (maximum length 97 $\frac{5}{8}$ " ).

Two (2) adjoining sections of shelving (each dimension +/-1").

- One (1) shelving unit, 48" x 24 $\frac{1}{4}$ " x 87", four (4) shelves, enclosed back and sides with door above drawers.
  - o Four (4) shelves per unit.
  - o One (1) drawer, 10", 8 compartments.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Two (2) drawers, 12", 8 compartments.
- One (1) drawer, 14", 8 compartments.
- One (1) shelving unit, 48" x 24 $\frac{1}{4}$ " x 87", four (4) shelves, enclosed back and sides with door above drawers.
  - Three (3) shelves per unit.
  - Two (2) drawers, 6", with 15 compartments.
  - One (1) drawer, 10", with 8 compartments.
  - One (1) drawer, 12", with 8 compartments.
  - One (1) drawer, 14", with 8 compartments.

**4. Citadel Quartermaster's computer room (see plans #4, #5 & #6).**

Quantity: One (1) section of shelving without drawers (maximum length 37 $\frac{5}{8}$ ").

- One (1) shelving unit, 36" x 24 $\frac{1}{4}$ " x 75", five (5) shelves, enclosed back and sides with door.
  - Five (5) shelves.
- One (1) cabinet, 60" x 27" x 28 $\frac{3}{4}$ ", with levelling glides (each dimension +/-1").
  - Steel top.
  - One (1) base shelf.
  - One (1) adjustable shelf.
  - Door with lock.
- One (1) twin cabinet (2 side by side, 66" x 27" x 40 $\frac{1}{2}$ " with levelling glides.
  - First cabinet, 36" x 27" x 40 $\frac{1}{2}$ " (each dimension +/-1").
    - One (1) drawer, 3", 32 compartments.
    - Two (2) drawers, 3", 24 compartments.
    - Three (3) drawers, 5", 24 compartments.
    - One (1) drawer, 10", 9 compartments.
  - Second cabinet, 30" x 27" x 40 $\frac{1}{2}$ " (each dimension +/-1").
    - One (1) drawer, 3", 32 compartments.
    - Two (2) drawers, 3", 24 compartments.
    - Three (3) drawers, 5", 24 compartments.
    - One (1) drawer, 10", 9 compartments.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

**5. Quartermaster of the Citadel Garde en Rouge (see plan #7).**

Quantity: Two adjoining sections of mini racking (maximum length 145 $\frac{5}{8}$ " ).

- Two (2) sections of mini racking, 72" x 32 $\frac{1}{2}$ " x 87" (each dimension +/-1").
- Five (5) steel shelves per section.

**6. Citadel Quartermaster's storage – rear wall (see plan #8).**

Quantity: Two (2) shelving units and one (1) counter (maximum length 121 $\frac{5}{8}$ " ).

Two (2) separate shelving units separated by a counter with drawers.

- Two (2) shelving units, 36" x 24 $\frac{1}{4}$ " x 87", five (5) shelves, enclosed back and sides (each dimension +/-1").
- One (1) counter, 48" x 24 $\frac{1}{4}$ " x 39", laminated wood top (each dimension +/-1").
  - o One (1) drawer, 4", with 24 compartments.
  - o One (1) drawer, 6", with 20 compartments.
  - o Three (3) drawers, 8", with 12 compartments.

**7. Citadel Quartermaster's storage – centre of the room (see plan #9).**

Quantity: Island of two (2) back-to-back rows of shelving units, with sections at the end of the aisle (maximum length 193 $\frac{7}{8}$ " ).

Nine (9) shelving units with and without drawers (each dimension +/-1").

- One (1) shelving unit, 48 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ " x 87", five (5) shelves.
  - o Three (3) drawers, 4", with 24 compartments.
  - o Two (2) drawers, 6", with 20 compartments.
  - o Three (3) drawers, 8", with 12 compartments.
- Two (2) shelving units, 48 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ " x 87", five (5) shelves.
  - o Six (6) drawers, 8", with 12 compartments.
- Two (2) shelving units, 48 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ " x 87", five (5) shelves.
- Four (4) shelving units, 36 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ " x 87", five (5) shelves.

**8. Citadel workshop (see plan #10).**

Quantity: Row of three (3) adjoining sections of shelving with drawers (maximum length 115 $\frac{5}{8}$ " ).

Two (2) adjoining sections of shelving.

- Two (2) shelving units, 36 $\frac{1}{2}$ " x 24 $\frac{1}{4}$ " x 99", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - o Five (5) shelves per unit.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Four (4) drawers, 3", with 30 compartments.
- Three (3) drawers, 4", with 30 compartments.
- Four (4) drawers, 6", with 12 compartments.
- One (1) shelving unit, 42½" x 24¼" x 99", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - Five (5) shelves per unit.
  - Four (4) drawers, 4", with 30 compartments.
  - Four (4) drawers, 6", with 12 compartments.
  - One (1) drawer, 8", with 12 compartments.

**9. Citadel workshop (see plan #11).**

Quantity: Row of three (3) adjoining sections of shelving with drawers (maximum length 109⅝").

- One (1) shelving unit, 36½" x 24¼" x 99", seven (7) shelves, enclosed back and sides (each dimension +/-1").
- One (1) shelving unit, 36½" x 24¼" x 99", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - Two (2) drawers, 5", with 30 compartments.
  - Two (2) drawers, 8", with 12 compartments.
  - One (1) drawer, 10", with 9 compartments.
  - One (1) drawer, 12", with 9 compartments.
- One (1) shelving unit, 36½" x 24¼" x 99", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - One (1) drawer, 4", with 30 compartments.
  - One (1) drawer, 6", with 12 compartments.
  - Two (2) drawers, 8", with 12 compartments.
  - One (1) drawer, 10", with 9 compartments.
  - One (1) drawer, 12", with 9 compartments.

**10. Citadel workshop (see plan #12).**

Quantity: Island of four (4) steel-topped work tables (wooden lining acceptable) (maximum length 108").

- Two (2) rows of two (2) stations each (each dimension +/-1").
- Row #1.
  - One (1) workstation, 60" x 30" x 36⅞", with sliding doors.



**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- One (1) workstation, 48" x 30" x 36 $\frac{7}{8}$ ", with sliding doors.
- Row #2.
  - One (1) workstation, 60" x 30" x 36 $\frac{7}{8}$ ", with sliding doors.
  - One (1) workstation, 48" x 30" x 36 $\frac{7}{8}$ ", with sliding doors.

**11. Citadel workshop (see plan #13).**

Quantity: Island of four (4) steel-topped work tables (wooden lining acceptable) (maximum length 108").

Two (2) rows of two (2) stations each (each dimension +/-1").

- Row #1.
  - One (1) workstation, 60" x 30" x 36 $\frac{7}{8}$ ", enclosed back, two (2) shelves.
  - One (1) workstation, 48" x 30" x 36 $\frac{7}{8}$ ", enclosed back, two (2) shelves.
- Row #2.
  - One (1) workstation, 60" x 30" x 36 $\frac{7}{8}$ ", with sliding doors.
  - One (1) workstation, 48" x 30" x 36 $\frac{7}{8}$ ", with sliding doors.
  - Each workstation shall include two (2) twin cabinets with wheels, 6" +/-1".

First cabinet: 36" x 27" x 40 $\frac{1}{2}$ ".

- One (1) drawer, 3".
- Two (2) drawers, 6".
- One (1) drawer, 9".

Second cabinet: 30" x 27" x 40 $\frac{1}{2}$ ".

- One (1) shelf halfway up.
- One (1) door with handle and lock.

**12. Citadel workshop (see plan #14).**

Quantity: One (1) mobile workstation (maximum length 98', excluding the side handrail).

- One (1) workstation, appr. 96" x 30" x 37 $\frac{1}{4}$ " with laminated wood top.
  - One (1) cabinet, 48" x 30" x 37 $\frac{1}{4}$ ", integrated mechanism on the drawers (each dimension +/-1").
    - One (1) drawer, 6", with PVC bottom.
    - One (1) drawer, 8", with PVC bottom.
    - One (1) drawer, 10", with PVC bottom.
    - One handrail along the entire side.
  - One (1) cabinet, 48" x 30" x 37 $\frac{1}{4}$ " (each dimension +/-1").

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Integrated double door with handle and lock.
- Two (2) full-size adjustable shelves.

**13. Quartermaster, building 313 – Coy A (see plan #15).**

Quantity: Two (2) sections of shelving without drawers (maximum length 76").

- Two (2) shelving units, 37 $\frac{5}{8}$ " x 24 $\frac{1}{4}$ " x 87", six (6) shelves, enclosed back and sides (each dimension +/-1").
  - Half-door, 51" +/-1", at the bottom of the unit, with handle.

**14. Quartermaster, building 313 – Coy A (see plan #16).**

Quantity: Two (2) sections of shelving without drawers (maximum length 76").

- Two (2) shelving units, 37 $\frac{5}{8}$ " x 24 $\frac{1}{4}$ " x 87", four (4) shelves, enclosed back and sides (each dimension +/-1").
  - Six (6) drawers, 8", with 12 compartments at the bottom of the unit.

**15. Quartermaster, building 313 – Coy B (see plan #17).**

Quantity: Three (3) sections of adjoining shelving, one (1) with drawers and two (2) without (maximum length 145  $\frac{5}{8}$ ").

- One (1) shelving unit, 48" x 24 $\frac{1}{4}$ " x 87", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - Five (5) shelves per unit.
- Two (2) shelving units, 48" x 24 $\frac{1}{4}$ " x 87", five (5) shelves, enclosed back and sides (each dimension +/-1").
  - Two (2) shelves with two (2) dividers, 18" +/-1" high.
  - One (1) shelf with two (2) dividers, 22" +/-1" high.
  - Two (2) drawers, 12", with 12 compartments.

**16. Quartermaster, building 313 – Coy B (see plan #18).**

Quantity: One (1) row of three (3) sections of adjoining shelving, open model, enclosed aisle (maximum length 145  $\frac{5}{8}$ ").

- Three (3) shelving units, 48" X 24 $\frac{1}{4}$ " X 87", five (5) shelves (each dimension +/-1").

**17. Quartermaster, building 313 – Coy B (see plan #19).**

Quantity: Island of six (6) sections of shelving (maximum length 145  $\frac{5}{8}$ ").

- Four (4) shelving units, 48" x 24 $\frac{1}{4}$ " x 87", five (5) shelves, enclosed back (each dimension +/-1").

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Two (2) shelving units, 48" x 24¼" x 87", five (5) shelves, open back (each dimension +/-1").

**18. Quartermaster, building 313 – Coy B (see plan #20).**

Quantity: Island of four (4) sections of shelving (maximum length 97⅝").

- Two (2) shelving units, 48" x 24¼" x 87", five (5) shelves, back to back (each dimension +/-1").
- Two (2) shelving units, 48" x 24¼" x 87", five (5) shelves, with rear section for hanging tools (each dimension +/-1").

**19. Armoury, building 313 (see plan #21).**

Quantity: Row of five (5) adjoining sections of shelving, enclosed, with drawers (maximum length 241⅝").

- One (1) shelving unit, 48" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - o One (1) drawer, 4", with 18 compartments.
  - o One (1) drawer, 6", with 15 compartments.
  - o Two (2) drawers, 8", with 12 compartments.
  - o One (1) drawer, 10", with 8 compartments.
  - o One (1) drawer, 12", with 12 compartments.
- One (1) shelving unit, 48½" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - o Two (2) drawers, 5", with 18 compartments.
  - o Two (2) drawers, 8", with 12 compartments.
  - o One (1) drawer, 10", with 8 compartments.
  - o One (1) drawer, 12", with 12 compartments.
- Two (2) shelving units, 48" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - o Four (4) drawers, 3", with 35 compartments.
  - o Three (3) drawers, 4", with 28 compartments.
  - o Four (4) drawers, 6", with 18 compartments.
  - o Two (2) vertical doors above each bank of drawers.
- One (1) shelving unit, 48" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - o One (1) thread reel stand.

**20. Kitchen, building 313 (see plan #22).**

Quantity: Row of five (5) adjoining sections of shelving, enclosed back and sides, with drawers (maximum length 205⅝").

- One (1) shelving unit, 48" x 24¼" x 87", five (5) shelves (each dimension +/-1").

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Two (2) drawers, 6", with 15 compartments.
- One (1) drawer, 10", with 12 compartments.
  
- One (1) drawer, 12", with 12 compartments.
- One (1) drawer, 14", with 6 compartments.
- Two (2) vertical doors above the drawers.
- One (1) shelving unit, 48½" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - One (1) drawer, 10", with 12 compartments.
  - Two (2) drawers, 12", with 12 compartments.
  - One (1) drawer, 14", with 6 compartments.
  - Two (2) vertical doors above the drawers.
- Two (2) shelving units, 36½" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - One (1) drawer, 6", with 15 compartments.
  - Two (2) drawers, 8", with 15 compartments.
  - One (1) drawer, 12", with 6 compartments
  - One (1) drawer, 14", with 6 compartments.
  - Two (2) vertical doors above the drawers.
- One (1) shelving unit, 36½" x 24¼" x 87", five (5) shelves (each dimension +/-1").
  - One (1) drawer, 4", with 15 compartments.
  - Three (3) drawers, 6", with 15 compartments.
  - One (1) drawer, 12", with 6 compartments
  - One (1) drawer, 14", with 6 compartments.
  - Two (2) full-height doors.

**21. Kitchen, building 313 (see plan #23).**

Quantity: Two (2) workstations set up in an L shape.

- Station #1.
  - One (1) workstation, 48" x 24" x 33¾" (each dimension +/-1").
  - Laminated wood top.
  - One (1) leg, 21" x 32", with levelling glides.
  - One (1) cabinet with base and levelling glides.
    - Two (2) drawers, 6".
    - One (1) drawer, 12".
  - One (1) riser shelf, laminated wood.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

- Support with electrical outlet.
  
- Station #2.
  - One (1) workstation, 60" x 24" x 33¾" (each dimension +/-1").
  - Laminated wood top.
  - One (1) leg, 21" x 32", with levelling glides.
  - One (1) cabinet with base and levelling glides.
    - Two (2) drawers, 3".
    - One (1) drawer, 6".
    - One (1) drawer, 12".
  - Double multi-purpose structure???
    - Two (2) pegboards, 28" x 36" tall.
    - Four (4) adjustable shelves.
    - One (1) light with two (2) neon bulbs, 48", and switch.

**22. Quartermaster, oil section, building 313 (see plan #24).**

Quantity: Two (2) mobile counters.

- Two (2) mobile counters, 72" x 27" x 41½" (each dimension +/-1").
  - Rubber-covered steel top.
  - Two fixed wheels, 6" +/-1".
  - Two swivel wheels, 6" +/-1", with brakes.
  - One (1) handrail along the entire side.
  - Two (2) cabinets, 36" x 27" x 41½", with energy module.
    - Three (3) drawers, 4", with PVC bottom.
    - One (1) drawer, 8", with PVC bottom.
    - One (1) drawer, 10", with PVC bottom.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

**SPECIFICATIONS****SHELVING UNITS****Post:**

T or L shaped, or tubular, painted steel, 14-gauge or heavier. Perforated on the sides **at 1" intervals** to accommodate shelf hooks or other devices for the adjustment of shelves every 1". Perforated front at 1" or 2" intervals to accommodate beams or other accessories for the adjustment of components.

**Welded enclosure:**

On each side of the shelving unit where an enclosure is required, include a painted steel panel, 14-gauge or heavier, full height and width, factory welded to the two posts at least every 12".

**Shelf:**

May be made of folded steel, 20-gauge or heavier, forming structural beams welded at 4" intervals; may also be made of another type of metal and composed differently, on the condition that each shelf can bear a load of up to 75 pounds per square foot without bending, and does not exceed 1¼" in height. Shelves should be perforated on the sides so they can be bolted to the sides of the unit. The top should be perforated at 3" intervals (minimum) for installation of partial and/or full dividers.

**Front base:**

Painted steel, 18-gauge or heavier, positioned in front of the shelf, at the bottom of the shelving unit, to hold the base firmly in place and prevent it from coming loose when kicked. Also prevents small items from getting under the unit.

**Side brace:**

Painted steel, 20-gauge or heavier, to solidify units that are open on the sides, bottom and top, perforated for bolting to posts.

**Rear brace:**

Painted steel, 14-gauge or heavier, made of 2 bands, at least ¾" wide. Riveted at the centre and perforated at the ends for bolting to posts.

**Rear panel:**

Painted steel, 24-gauge or heavier, covering the entire rear of the unit and perforated on each side for bolting to posts.

**Drawer:**

Painted steel, 18-gauge or heavier, drawers open 100%. Load capacity up to 400 lb per drawer. Several compartment options shall be available: separators, dividers, plastic boxes, foam for tools, etc.

**Rear storage panel:**

Painted steel, 16-gauge or heavier, can be inserted between 2 shelves. Perforated for bolting and fastenings for hanging plastic containers for small parts and hooks for tools.

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

**Door:**

Painted steel, 20-gauge or heavier. Folded double on the sides and single or double on the top and bottom; door thickness  $\frac{3}{4}$ " to 1", centrally reinforced with steel covering the entire height of the door. Attached to the sides of the frame with hinges,  $2\frac{1}{2}$ " to  $3\frac{1}{2}$ " tall, welded to the frame. Door shall open 180 degrees and be equipped with a lock. The frame shall be designed to leave sufficient space not to block the drawers.

**CABINET****Top and sides:**

Painted steel. Top made of steel, 20-gauge or heavier, reinforced at the front with steel, 12-gauge or heavier, at the top front and rear of the cabinet to solidify the unit. The reinforcement shall cover the entire width of the cabinet and be at least  $1\frac{1}{2}$ " tall. The cabinet shall also have two U-shaped reinforcements welded to the inside of it on each side at the front and rear, allowing for various components to be bolted to its sides.

**Bottom:**

Painted steel. Bottom made of steel, 20-gauge or heavier, reinforced at the front and rear with steel, 12-gauge or heavier, at the bottom front and rear of the cabinet to solidify the unit. There shall be holes in the bottom to allow for various types of cabinet bases to be attached to the floor, or for wheels to be attached to the cabinet.

**Drawer:**

Painted steel, 18-gauge or heavier, drawers open 100%. Load capacity up to 400 lb. Full-width handle on the front. Several compartment options shall be available: separators, dividers, plastic boxes, foam for tools, etc. Drawer rails made of steel, 12-gauge or heavier.

**Carriage:**

Side of carriage made of steel, 12-gauge or heavier, with steel crosspiece, 14-gauge or heavier. Connects the rails and the drawer so that the drawer can be opened 100%.

**Separator:**

Painted steel, 18-gauge or heavier. Part formed with a 90° at the base, containing perforations so the separator can be screwed to the bottom of the drawer. Inserted into dividing strips on the sides, back and front of drawers. Perforations every  $\frac{1}{2}$ " to 1", centre on centre. Drawer shall be able to be divided length-wise and width-wise.

**Divider:**

Galvanized or painted steel, 20-gauge or heavier. Adjustable every  $\frac{1}{2}$ " to 1", centre on centre, with separators every  $\frac{1}{2}$ " to 1" along the sides of the drawer. Inserted into dividing strips on the sides, back and front of drawers and separators. Option of attaching label holders for product identification on the upper part. Identification surface minimum  $\frac{3}{8}$ ".

**PVC drawer bottom:**

PVC resin. Lattice cut based on the shape of the drawer in which it is being placed. Helps protect items stored in the drawer and prevent them from moving when the drawer is opened and closed. Shall be able to accommodate separators. Maximum thickness  $\frac{1}{4}$ ".

**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

Locking mechanism:

Galvanized steel locking bar, 12-gauge or heavier. All drawers can be locked with only one lock.

“One drawer at a time” mechanism:

Galvanized steel reinforcement, 16-gauge or heavier. Prevents more than one drawer from being opened at once to reduce the risk of the cabinet tipping when it is not anchored to the floor.

Rollers:

Polyurethane. Steel, minimum ¼", zinc plated. 900-lb capacity / roller. Diameter of 5 to 6".

Handrails (sides):

6061-T6 anodized aluminum or galvanized steel. Full-width handle attached to the side of the cabinet, at the top.

Steel top with rubber:

Steel, 14-gauge or heavier. Equipped with a neoprene mat, 3/16" to ¼" thick.

**COLOURS**

Shelving units: Pale grey

Cabinets:	Small (under workstations)	grey casing and deep blue drawers
	Large (freestanding)	deep blue casing and drawers

**CONDITIONS**

The bidder shall be able to provide all equipment required, as well as after-sales service.

The proposed equipment may have different dimensions, as long as the total dimensions of the equipment set out in each plan are respected due to the space available in each room where the equipment is to be installed.

The height of the cabinet drawers shall not vary by more than ½". The depth and height of cabinets, mobile counters, workstations and shelving units shall not vary by more than 1".

The gauge of the metals mentioned in the specifications shall be respected. For safety reasons, cabinets shall be equipped with a system that does not allow more than one drawer to be open at once.

The bidder shall submit with its proposal literature regarding the proposed equipment.



**STATEMENT OF NEEDS AND REQUIREMENTS**  
**MULTI-PURPOSE SHELVES AND MOBILE COUNTERS**  
**DEPARTMENT OF NATIONAL DEFENCE (DND) – VALCARTIER GARRISON**  
**2nd BATTALION, ROYAL 22nd REGIMENT (2R22R) – (5 CMBG)**

**INSTALLATION**

Items 1 to 12 shall be installed at the Quebec Citadel. Access to the Citadel is limited to cube vehicles; tractor-trailers are prohibited. Items 13 to 22 shall be installed in building 313 at the Valcartier Garrison.

There is an unloading dock at building 313 at the Valcartier Garrison, but not at the Citadel. The bidder must therefore bring the equipment required for unloading.

Each day during installation, the contractor shall collect all packaging of equipment installed.

Please indicate your earliest possible installation time after delivery: \_\_\_\_\_

**DELIVERY**

Deliver equipment to each of the two locations set out above and install each item described above according to plans.

2<sup>nd</sup> Battalion, Royal 22<sup>nd</sup> Regiment  
Valcartier Garrison  
Building 313  
P.O. Box 1000, Station Forces  
Courcellette, Quebec, G0A 4Z0

2<sup>nd</sup> Battalion, Royal 22<sup>nd</sup> Regiment  
Quebec Citadel  
Building 10  
Côte de la Citadelle  
Quebec City, Quebec, G1R 4V7

Please indicate your earliest possible delivery time: \_\_\_\_\_

**PRICING**

Provide a firm price for all equipment delivered to each delivery point and a separate price for installation.

**Quebec Citadel**

ITEM 1	Plan : 1	Price : _____ \$
ITEM 2	Plan : 2	Price : _____ \$
ITEM 3	Plan : 3	Price : _____ \$
ITEM 4	Plan : 4, 5, 6	Price : _____ \$
ITEM 5	Plan : 7	Price : _____ \$
ITEM 6	Plan : 8	Price : _____ \$
ITEM 7	Plan : 9	Price : _____ \$
ITEM 8	Plan : 10	Price : _____ \$
ITEM 9	Plan : 11	Price : _____ \$
ITEM 10	Plan : 12	Price : _____ \$
ITEM 11	Plan : 13	Price : _____ \$
ITEM 12	Plan : 14	Price : _____ \$

**Building 313 at Valcartier Garrison**

ITEM 13	Plan : 15	Price : _____ \$
ITEM 14	Plan : 16	Price : _____ \$
ITEM 15	Plan : 17	Price : _____ \$
ITEM 16	Plan : 18	Price : _____ \$
ITEM 17	Plan : 19	Price : _____ \$
ITEM 18	Plan : 20	Price : _____ \$
ITEM 19	Plan : 21	Price : _____ \$
ITEM 20	Plan : 22	Price : _____ \$
ITEM 21	Plan : 23	Price : _____ \$
ITEM 22	Plan : 24	Price : _____ \$

---

**TOTAL**      Price: \$ \_\_\_\_\_ Installation: \$ \_\_\_\_\_

**Nota : All above do not include GST.**

## Appendix C

## W0106-11-R775


### Evaluation grid

#### SHELVING UNITS


	ITEM	Compliant	Non-Compliant
1	Steel shelving unit post, 14-gauge or heavier. Perforated at sides to accommodate adjustable shelves.		
2	Steel welded enclosure, 14-gauge or heavier, full height and full width and welded to the beam posts when "closed side" is specified.		
3	Steel shelf, 20-gauge or heavier, capable of bearing a load of 75 lbs/sq.ft. without bending. Maximum height 1¼ inches. Top perforated at 3" intervals, minimum, for installation of dividers.		
4	Steel shelving units with front base, 18-gauge or heavier, that closes the bottom of the shelving unit completely.		
5	Steel side brace, 20-gauge or heavier, perforated for bolting to posts.		
6	Steel rear brace, 14-gauge or heavier. Minimum width 3/4", riveted at the centre and perforated at the ends for bolting to posts.		
7	Steel rear panel, 24-gauge or heavier, attached to the back of the shelving unit, full width and perforated for bolting to posts.		
8	Steel shelf, 18-gauge or heavier, opens 100%, load capacity of 400 lb., compartment options.		
9	Steel rear storage panel, 16-calibre or heavier. Perforated for bolting and equipped with fastenings for hanging plastic containers.		
10	Steel door, 20-gauge or heavier, opens 180 degrees, hinges 2 ½" minimum, welded to the frame. Equipped with a lock.		

#### CABINETS


	ITEM	Compliant	Non-Compliant
1	Top made of steel, 20-gauge or heavier, reinforcement covering the entire width, 12-gauge or heavier, 1 ½" high minimum. U-shaped reinforcements on the inside for bolting on the sides.		
2	Steel bottom, 20-gauge or heavier, reinforced at the front and rear with 12-gauge steel. Holes for attaching a base or rollers.		
3	Steel drawer, 18-gauge or heavier, opens 100%, load capacity of 400 lb., compartment options, steel rails, 12-gauge or heavier. Full-length handle.		
4	Steel drawer carriage, 12-gauge or heavier, with crosspiece, 14-gauge or heavier, so drawer can be opened 100%.		
5	Steel drawer separator, 18-gauge or heavier, perforated for installation in drawer. Perforations every ½" to 1".		
6	Steel drawer divider, 20-gauge or heavier, adjustable every ½" to 1". Identification surface of ¾" minimum for label holders.		
7	PVC drawer bottom, ¼" thick maximum, for accommodating separators.		
8	Steel locking bar, 12-gauge or heavier, enabling all drawers to be locked with one lock.		
9	Steel reinforcement mechanism, 16-gauge or heavier, preventing more than one drawer from being opened at a time.		
10	Polyurethane rollers, 5" to 6" in diameter, load capacity of 900 lb. each.		
11	Aluminum or galvanized steel full-width side moving handles.		
12	Steel top, 14-gauge or heavier, covered with a Neoprene mat, 3/16" to 1/4" thick.		




ENTREPÔT MUSÉ




QM ACCOMMODATION  
CÔTÉ DE 15' LONG




QM ACCOMMODATION  
CÔTÉ DE 8' LONG











QM INFORMATIQUE




GARDE EN ROUGE

QM ENTREPÔT  
MUR DU FOND




# VUE AVANT



QM ENTREPÔT  
CENTRE DU LOCAL

#9A




VUE ARRIÈRE

QM ENTREPÔT  
CENTRE DU LOCAL

#9B



# QM MENUISERIE

## ITEM 2F



# QM MENUISERIE


## ITEM 2F






QM MENUISERIE

ITEM 2G

DERRIERE



DEVANT




TOP






# QM MENUISERIE

## ITEM 2H

DERRIERE




DEVANT





TOP

QM MENUISERIE

ITEM 2i







CIE A  
ITEM 20A

CIE A

ITEM 20B



#16





#17

ITEM 22A



CIE B

ITEM 22B




CIE B


ITEM 22B




CIE B  
ITEM 22B



VUE AVANT




VUE ARRIERE







This technical drawing illustrates a building facade with a grid of windows. The central portion of the facade is detailed with a dense pattern of vertical lines, representing internal structural elements or a specific window treatment. The drawing is a black and white line drawing, typical of architectural plans.



MIHALJEVIC CUISINE

ITEM 8B




Technical drawing of a rectangular box with a lid, showing top, front, and side views. The drawing includes dimensions and labels.

**Top View:** A rectangle with a smaller rectangle inside. The outer rectangle has dimensions  $a$  (width) and  $b$  (height). The inner rectangle has dimensions  $c$  (width) and  $d$  (height). The distance between the inner and outer rectangles is  $e$  on the left and right sides, and  $f$  on the top and bottom sides.

**Front View:** A rectangle with a smaller rectangle inside. The outer rectangle has dimensions  $a$  (width) and  $b$  (height). The inner rectangle has dimensions  $c$  (width) and  $d$  (height). The distance between the inner and outer rectangles is  $e$  on the left and right sides, and  $f$  on the top and bottom sides.

**Side View:** A rectangle with a smaller rectangle inside. The outer rectangle has dimensions  $a$  (width) and  $b$  (height). The inner rectangle has dimensions  $c$  (width) and  $d$  (height). The distance between the inner and outer rectangles is  $e$  on the left and right sides, and  $f$  on the top and bottom sides.



QM PHL  
ITEM 7A

