



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet HEAT PUMP	
Solicitation No. - N° de l'invitation 08281-120121/A	Date 2012-10-03
Client Reference No. - N° de référence du client 08281-120121	
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-530-61324	
File No. - N° de dossier hp530.08281-120121	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-11-13	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Lepage, Renee	Buyer Id - Id de l'acheteur hp530
Telephone No. - N° de téléphone (819) 956-4017 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Specified Herein Précisé dans les présentes	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) Signature Date	

Destination Code - Code destinataire	Destination Address - Adresse de la destination	Invoice Code - Code bur.-comptable	Invoice Address - Adresse de facturation
D - 1	BOYD MOVING AND STORAGE 2574 SHEFFIELD RD OTTAWA, ONTARIO K1B 3V7 TEL: 613-744-3786, FAX: 613-744-2560 FOR FURTHERANCE TO THE CANADIAN HIGH COMMISSION, DHAKA	08281	DEPARTMENT OF FOREIGN AFFAIRS AND INTERNATIONAL LB PEARSON BLDG 125 SUSSEX DR. OTTAWA Ontario K1A0G2 Canada



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	SINGLE DUCTLESS SPLIT SYSTEMS HEAT PUMP MAKE: MITSUBISHI ELECTRIC COOLING HEATING SYSTEM MODEL: MSZ-GA24NA, MUZ-GA24NA-UI 24MBH WALLMOUNT VCSI, VARIABLE SPEED COMPRESSOR 208/230 VOLTS 60 HERT TAG: The High Commission of Canada in Dhaka Acceptable Part Number and Manufacturer (or equivalent): Part Number: Cage: SPECIFICATIONS: Single Indoor Ductless Split System, wall mounted style Capacity (rated): BTU/h: cooling: 22,000 Capacity (min. max.): BTU/h cooling: 4,400 – 22,000 Capacity (rated): BTU/h: heating: 23,200 Capacity (min. max.): BTU/h: heating: 3,600 – 24,400 Power consumption (min. max.): cooling W: 270 – 2,500 Power consumption (min. max.): heating W: 250 – 2,520 EER: cooling: 8.8 SEER: cooling: 17.5 HSPF (IV): heating: 9.5 Capacity control: Variable speed compressor (VCSi) Refrigerant: R410A Power supply: V, Phase, Hz:	D - I	08281	13	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	208/230, 1, 60 Moisture removal: Pt/h: 7.3 Airflow: (Q, L, M, H, SH): N/A, 296, 431, 568, 624 Sound indoor: (Q, L, M, H, SH): quiet, low, medium, high, super high: cooling dB (A): N/A, 34, 40, 49, 51 Sound outdoor: (Q, L, M, H, SH): quiet, low, medium, high, super high: cooling dB (A): 55 Max. fuse size (time delay) : indoor A : 15 Max. fuse size (time delay) : outdoor A : 20 Min. ampacity: indoor A: 1.0 Min. ampacity: outdoor A: 17 Fan speed control: 5 (auto, powerful, high, medium, low) Horizontal airflow direction: manual swing Vertical airflow direction: auto, manual, swing Air filters (washable): Catechin Plus air purifying system (Catechin Plus pre-filter, anti-allergy bleu ensyme filter) Dimensions: (H x L x P) indoor in.: 12 13/16 in x 43 5/16 in x 10 ¼ in Dimensions: (H x L x P) outdoor in: 33 7/16 in x 33 1/16 in x 13 in Weight: indoor lbs: 37 Weight: outdoor lbs: 117 Pipe size : liq. X gaz : ¼ x 5/8 Max. hight difference ft. : 50								




Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	Max. pipe lenght ft : 100 Outdoor operating range: cooling: 14 - 115 FDB Outdoor operating range: heating: 14 - 75 FDB (13 - 65 FDB) Your offer: Part No. offered: _____ NSCM/CAGE offered: _____ Volts Offered: _____ Marque : Mitsubishi Electric Système de chauffage et de refroidissement Modèle : MSZ-GA24NA, MUZ-GA24NA-UI 24 MBH VCSi mural, compresseur à vitesses variables, 208/230 V, 60 Hz TAG: Haut-commissariat du Canada à Dhaka Numéro de pièce acceptable et fournisseur (ou l'équivalent): Numéro de pièce: NSCM: SPÉCIFICATIONS: Système Mini-Split sans conduit d'air Unité intérieur simple, modèle murale Capacité (nominale) : BTU/h : climatisation : 22,000 Capacité (min. max.) : BTU/h climatisation : 4,400 - 22,000 Capacité (nominale) : BTU/h : chauffage : 23,200 Capacité (min. max.) : BTU/h : chauffage : 3,600 - 24,400 Consommation d'énergie (min.							

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	max.) : climatisation W : 270 - 2,500 Consommation d'énergie (min. max.) : chauffage W : 250 - 2,520 EER : climatisation : 8.8 SEER : climatisation : 17.5 HSPF (IV) : chauffage : 9.5 Régulation de puissance : Compresseur à vitesse variable (DRV1i) Réfrigérant : R410A Alimentation : V, Phase, Hz : 208/230, 1, 60 Déshumidification : Pt/h : 7.3 Débit d'air (S, F, M, E, TE) : N/A, 296, 431, 568, 624 Niveau sonore intérieur : (S, F, M, E, TE) silencieux, faible, moyen, élevé, très élevé: climatisation dB(A) : N/A, 34, 40, 49, 51 Niveau sonore extérieur : (S, F, M, E, TE) silencieux, faible, moyen, élevé, très élevé: climatisation dB(A) : 55 Calibre max. du fusible (à action différée) : unité intérieur A : 15 Calibre max. du fusible (à action différée) : unité extérieur A : 20 Courant admissible min : unité intérieur A : 1.0 Courant admissible min : unité extérieur A : 17 Sélecteur de vitesse du ventilateur : 5 (A, TE, E, M, F)							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	auto, très élevé, élevé, moyen, faible Orientation du débit d'air horizontale : manuelle, oscillation Orientation du débit d'air verticale : auto, manuelle, oscillation Filtre à air (lavable) : Système de purification d'air Catéchine Plus (pré-filtre, Catéchine Plus, filtres d'enzymes bleues hypoallergéniques) Dimensions : (H x L x P) unité intérieure en po : 12 13/16 po x 43 5/16 po x 10 ¼ po Dimensions : (H x L x P) unité extérieure en po : 33 7/16 po x 33 1/16 po x 13 po Poids : lb : unité intérieure : 37 Poids : lb : unité extérieure : 117 Dimension de la tuyauterie liq. X gaz : ¼ x 5/8 Hauteur de la tuyauterie max en pi : 50 Longueur de la tuyauterie max en pi : 100 Température de fonctionnement extérieure : climatisation : 14 - 115 FDB Température de fonctionnement extérieure : 14 - 75 FDB (13 - 65 FDB) Votre offre: No de pièce offert: _____							

 Public Works and Government Services Canada		Travaux publics et Services gouvernementaux Canada		Document No.08281-120121/A		Part - Partie 1 of - de 2		
				See Part 2 for Clauses and Conditions Voir Partie 2 pour Clauses et Conditions				
Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire		Del. Offered Liv. offerte
						FOB/FAM	Plant/Usine	
1	COF/CAGE offert: _____ Volts Offert: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	SINGLE DUCTLESS SPLIT SYSTEMS HEAT PUMP MAKE: MITSUBISHI ELECTRIC COOLING HEATING SYSTEM MODEL: MSZ-GA24NA, MUZ-GA24NA-UI 24MBH WALLMOUNT VCSI, VARIABLE SPEED COMPRESSOR 208/230 VOLTS 60 HERT TAG: The High Commission of Canada in Dhaka Acceptable Part Number and Manufacturer (or equivalent): Part Number: Cage: SPECIFICATIONS: Single Indoor Ductless Split System, wall mounted style Capacity (rated): BTU/h: cooling: 22,000 Capacity (min. max.): BTU/h cooling: 4,400 - 22,000 Capacity (rated): BTU/h: heating: 23,200 Capacity (min. max.): BTU/h: heating: 3,600 - 24,400 Power consumption (min. max.): cooling W: 270 - 2,500 Power consumption (min. max.): heating W: 250 - 2,520 EER: cooling: 8.8 SEER: cooling: 17.5 HSPF (IV): heating: 9.5 Capacity control: Variable speed compressor (VCSi) Refrigerant: R410A Power supply: V, Phase, Hz:	D - I	08281	12	Each	\$	XXXXXXXXXXXX	See Herein		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	208/230, 1, 60 Moisture removal: Pt/h: 7.3 Airflow: (Q, L, M, H, SH): N/A, 296, 431, 568, 624 Sound indoor: (Q, L, M, H, SH): quiet, low, medium, high, super high: cooling dB (A): N/A, 34, 40, 49, 51 Sound outdoor: (Q, L, M, H, SH): quiet, low, medium, high, super high: cooling dB (A): 55 Max. fuse size (time delay) : indoor A : 15 Max. fuse size (time delay) : outdoor A : 20 Min. ampacity: indoor A: 1.0 Min. ampacity: outdoor A: 17 Fan speed control: 5 (auto, powerful, high, medium, low) Horizontal airflow direction: manual swing Vertical airflow direction: auto, manual, swing Air filters (washable): Catechin Plus air purifying system (Catechin Plus pre-filter, anti-allergy bleu ensyme filter) Dimensions: (H x L x P) indoor in.: 12 13/16 in x 43 5/16 in x 10 ¼ in Dimensions: (H x L x P) outdoor in: 33 7/16 in x 33 1/16 in x 13 in Weight: indoor lbs: 37 Weight: outdoor lbs: 117 Pipe size : liq. X gaz : ¼ x 5/8 Max. hight difference ft. : 50								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	Max. pipe lenght ft : 100 Outdoor operating range: cooling: 14 - 115 FDB Outdoor operating range: heating: 14 - 75 FDB (13 - 65 FDB) Your offer: Part No. offered: _____ NSCM/CAGE offered: _____ Volts Offered: _____ • Marque : Mitsubishi Electric Système de chauffage et de refroidissement Modèle : MSZ-GA24NA, MUZ-GA24NA-UI 24 MBH VCSi mural, compresseur à vitesses variables, 208/230 V, 60 Hz TAG: Haut-commissariat du Canada à Dhaka Numéro de pièce acceptable et fournisseur (ou l'équivalent): Numéro de pièce: NSCM: SPÉCIFICATIONS: Système Mini-Split sans conduit d'air Unité intérieur simple, modèle murale Capacité (nominale) : BTU/h : climatisation : 22,000 Capacité (min. max.) : BTU/h climatisation : 4,400 - 22,000 Capacité (nominale) : BTU/h : chauffage : 23,200 Capacité (min. max.) : BTU/h : chauffage : 3,600 - 24,400								

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	Consommation d'énergie (min. max.) : climatisation W : 270 - 2,500 Consommation d'énergie (min. max.) : chauffage W : 250 - 2,520 EER : climatisation : 8.8 SEER : climatisation : 17.5 HSPF (IV) : chauffage : 9.5 Régulation de puissance : Compresseur à vitesse variable (DRV1i) Réfrigérant : R410A Alimentation : V, Phase, Hz : 208/230, 1, 60 Déshumidification : Pt/h : 7.3 Débit d'air (S, F, M, E, TE) : N/A, 296, 431, 568, 624 Niveau sonore intérieur : (S, F, M, E, TE) silencieux, faible, moyen, élevé, très élevé: climatisation dB(A) : N/A, 34, 40, 49, 51 Niveau sonore extérieur : (S, F, M, E, TE) silencieux, faible, moyen, élevé, très élevé: climatisation dB(A) : 55 Calibre max. du fusible (à action différée) : unité intérieur A : 15 Calibre max. du fusible (à action différée) : unité extérieur A : 20 Courant admissible min : unité intérieur A : 1.0 Courant admissible min : unité extérieur A : 17 Sélecteur de vitesse du							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	ventilateur : 5 (A, TE, E, M, F) auto, très élevé, élevé, moyen, faible Orientation du débit d'air horizontale : manuelle, oscillation Orientation du débit d'air verticale : auto, manuelle, oscillation Filtre à air (lavable) : Système de purification d'air Catéchine Plus (pré-filtre, Catéchine Plus, filtres d'enzymes bleues hypoallergéniques) Dimensions : (H x L x P) unité intérieure en po : 12 13/16 po x 43 5/16 po x 10 ¼ po Dimensions : (H x L x P) unité extérieure en po : 33 7/16 po x 33 1/16 po x 13 po Poids : lb : unité intérieure : 37 Poids : lb : unité extérieure : 117 Dimension de la tuyauterie liq. X gaz : ¼ x 5/8 Hauteur de la tuyauterie max en pi : 50 Longueur de la tuyauterie max en pi : 100 Température de fonctionnement extérieure : climatisation : 14 - 115 FDB Température de fonctionnement extérieure : 14 - 75 FDB (13 - 65 FDB) Votre offre:								

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire		Del. Offered Liv. offerte
						FOB/FAM Destination	Plant/Usine	
2	No de pièce offert: _____ COF/CAGE offert: _____ Volts Offert: _____							

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions
2. Technical Bid
3. Financial Bid
4. Certifications and Additional Information

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Technical Evaluation
3. Financial Evaluation
4. Basis of Selection

PART 5 - CERTIFICATIONS

1. Code of Conduct Certifications - Certifications Required Precedent to Contract Award
2. Certifications Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses
12. Preparation for Delivery
13. Condition of Material - DND
14. Shipping Instructions - DDP Destination
15. Inspection

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is no security requirement associated with the requirement.

2. Requirement

The requirement is detailed under the "Line Item Detail".

3. Debriefings

After contract award, bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions (<http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/acho-eng.jsp>) Manual issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The **2003 (2012-07-11)** Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 4 of Section 01 - Code of Conduct and Certifications of 2003 (2012-07-11) Standard Instructions is amended as follows:

Bidders should provide, with their bid or promptly thereafter, a complete list of names of all individuals who are currently directors of the Bidder. If such a list has not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to provide such a list within the required time frame will render the bid non-responsive. Bidders must always submit the list of directors before contract award.

Canada may, at any time, request that a Bidder provide properly completed and Signed Consent Forms (Consent to a Criminal Record Verification form - PWGSC-TPSGC 229) for any or all individuals named in the aforementioned list within a specified delay. Failure to provide such Consent Forms within the delay will result in the bid being declared non-responsive.

The text under Subsection 5 of Section 01 - Code of Conduct and Certifications of 2003 referenced above is replaced by:

The Bidder must diligently maintain the list up-to-date by informing Canada in writing of any change occurring during the validity period of the bid, and must also provide Canada, when requested, with the corresponding Consent Forms. The Bidder will also be required to diligently maintain the list and when requested, provide Consent Forms during the period of any contract arising from this bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days
Insert: ninety (90) days

1.1 SACC Manual Clauses

B1000T	Condition of Material	2007-11-30
--------	-----------------------	------------

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies

to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation;

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders are encouraged to:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

2. Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

2.1 Equivalent Products

In order to be considered for the evaluation of an equivalent product, Bidders must provide all required technical information.

2.1.1 Products that are equivalent in form, fit, function and quality to the item(s) specified in the bid solicitation will be considered where the Bidder:

- (a) designates the brand name, model and/or part number of the substitute product;
- (b) states that the substitute product is fully interchangeable with the item specified;
- (c) provides complete specifications and descriptive literature for each substitute product;
- (d) provides compliance statements that include technical specifics showing the substitute product meets all mandatory performance criteria that are specified in the bid solicitation; and
- (e) clearly identifies those areas in the specifications and descriptive literature that support the substitute product's compliance with any mandatory performance criteria.

2.1.2 Products offered as equivalent in form, fit, function and quality will not be considered if:

- (a) the bid fails to provide all the information requested to allow the Contracting Authority to fully evaluate the equivalency of each substitute product; or
- (b) the substitute product fails to meet or exceed the mandatory performance criteria specified in the bid solicitation for that item.

2.1.3 In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to demonstrate, at the sole cost of bidders, that the substitute product is equivalent to the item specified in the bid solicitation.

2.2 Replaced Part Numbers

In order to be considered for the evaluation of an Original Equipment Manufacturer (OEM) replaced part number (superseded or obsolete), Bidders must provide the following with their bid by the bid closing date and time:

- (a) a copy of Certificate of Conformity from the Original Equipment Manufacturer (OEM), or
- (b) all required technical information (as detailed in Part 3, Section 2, of this RFP) to demonstrate their technical compliance and to confirm form, fit, function, quality and performance of these replaced part numbers.

3. Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of goods and Services tax (GST) or Harmonized Sales Tax (HST) must be shown separately, If applicable.

The Bidder must submit firm unit prices in "Line Item Detail" only. No prices must be indicated in any other section of the bid.

3.2 SACC Manual Clauses

C3011T	Exchange Rate Fluctuation	2010-01-11
--------	---------------------------	------------

4. Certifications and Additional Information

4.1 Certifications :

Bidders must submit the certifications required under Part 5.

4.2 Additional Information

Canada requests that bidders submit the following information:

4.2.1 Delivery Date

Delivery is highly desirable for **December 4, 2012**

The bidder is to state the delivery offered:

Item 001: _____ **Weeks/Calendar days** from the effective date of the contract.

Item 002: _____ **Weeks/Calendar days** from the effective date of the contract.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- 1.1 Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- 1.2 An evaluation team composed of representatives of Canada will evaluate the bids.
- 1.3 Proposals not meeting all of the requirements identified as “mandatory” will be considered non responsive and no further consideration will be given to the bid.

2. Technical Evaluation

Mandatory Technical Criteria

- 2.1 Bidders must indicate the Part Number and the NCAGE offered in the "Line Item Detail" in accordance with the requirement.
- 2.2 **Mandatory Technical Criteria - Equivalent Products**

Bidders proposing an equivalent product must meet the following criteria:

In order to be considered for the evaluation of an equivalent product, Bidders must provide all required technical information (as detailed in Part 3, Technical Bid, of this RFP) to demonstrate their technical compliance and to confirm form, fit, function, quality and performance of these equivalent products.

- 2.3 **Mandatory Technical Criteria - Replaced Part Numbers from the OEM**

Bidders proposing a replaced part number must meet the following criteria:

In order to be considered for the acceptance of a replaced part number (superseded or obsolete),

Bidders must provide:

- (a) proof by submitting a copy of a Certificate of Conformity from the Original Equipment Manufacturer (OEM) providing justification/explanation that the replaced part numbers are equivalent in form, fit, function, quality and performance to the OEM's parts specified herein; or
- (b) all required technical information (as detailed in Part 3, Technical Bid, of this RFP) to demonstrate their technical compliance and to confirm form, fit, function, quality and performance of these replaced part numbers.

3. Financial Evaluation

- 3.1 All firm unit prices will be evaluated in Canadian dollars, Delivery Duty Paid (DDP) at destination, Incoterms 2000, including Canadian Custom Duties and Excise taxes where applicable, Goods and Services tax (GST) or Harmonized Sales Tax (HST) extra, if applicable. .
- 3.2 Bidders must quote a price for all destinations with the same Nato Stock Number (NSN).

4. Basis of Selection

- 4.1 A bid must comply with all requirements of the bid solicitation to be declared responsive. The responsive bid with the lowest evaluated price on an aggregate basis will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications to be awarded a contract. Canada will declare a bid non-responsive if the required certifications are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

1. Code of Conduct Certifications - Certifications Required Precedent to Contract Award

1.1 Bidders should provide, with their bids or promptly thereafter, a complete list of names of all individuals who are currently directors of the Bidder. If such a list has not been received by the time the evaluation of bids is completed, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Bidders must submit the list of directors before contract award, failure to provide such a list within the required time frame will render the bid non-responsive.

The Contracting Authority may, at any time, request that a Bidder provide properly completed and Signed Consent Forms (Consent to a Criminal Record Verification form - PWGSC-TPSGC 229) for any or all individuals named in the aforementioned list within a specified delay. Failure to provide such Consent Forms within the delay will result in the bid being declared non-responsive.

2. Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

2.1 Federal Contractors Program - over \$25,000 and below \$200,000

Suppliers who are subject to the Federal Contractors Program (FCP) and have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive federal government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any bids from ineligible contractors, including a bid from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

The Bidder, or, if the Bidder is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Bidder or the member of the joint venture

-
- (a) () is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada;
- (b) () is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
- (c) () is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC, having not bid on requirements of \$200,000 or more;
- (d) () has not been declared an ineligible contractor by HRSDC, and has a valid certificate number as follows: _____.

Further information on the FCP is available on the HRSDC Web site.

[Http://www.hrsdc.gc.ca/eng/labour/equality/fcp/index.shtml](http://www.hrsdc.gc.ca/eng/labour/equality/fcp/index.shtml)

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement associated with the requirement.

2. Requirement

The Contractor must provide the items detailed under the "Line Item Detail".

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/acho-eng.jsp>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2012-07-16) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Subsection 4 of Section 29 - Code of Conduct and Certifications of 2010A (2012-07-16) General Conditions - Goods is amended as follows:

During the entire period of the Contract, the Contractor must diligently update, by written notice to the Contracting Authority, the list of names of all individuals who are directors of the Contractor whenever there is a change. As well, whenever requested by Canada, the Contractor must provide the corresponding Consent Forms.

4. Term of Contract

4.1 Delivery Date

The Contractor must make the delivery as follows:

Item 001: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)

Item 002: must be delivered on or before _____ (Date to be inserted by the Contracting Authority at time of contract award.)

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Renee Lepage

Title: Supply Officer

Public Works and Government Services Canada - Acquisitions Branch

LEFT Directorate, HP Division,

7A2, Place du Portage, Phase 3, 11 Laurier Street, Gatineau Quebec. K1A 0S5

Telephone: 819 956-4017

Facsimile: 819 953-2953

E-mail address: renee.lepage@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Procurement Authority

The Procurement Authority for the Contract is:

Name: _____

Title: _____

Organization: _____

Address _____

Telephone: ____-____-____

Facsimile: ____-____-____

E-mail: _____

The Procurement Authority is the representative of the department or agency for whom the Work is being carried out under the Contract. The Procurement Authority is responsible for the implementation of tools and processes required for the administration of the Contract. The Contractor may discuss administrative matters identified in the Contract with the Procurement Authority however the Procurement Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Technical Authority

The Technical Authority for the Contract is:

Name: _____

Title: _____

Organization: _____

Address _____

Telephone: ____-____-____

Facsimile: ____-____-____

E-mail: _____

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.4 Contractor's Representative

Name and telephone number of the person responsible for :

General enquiries

Name: _____ (To be completed by the bidder.)

Title: _____

Telephone: ____ - ____ - ____

Facsimile: ____ - ____ - ____

E-mail: _____

Delivery follow-up

Name: _____ (To be completed by the bidder.)

Title: _____

Telephone: ____ - ____ - ____

Facsimile: ____ - ____ - ____

E-mail: _____

6. Payment**6.1 Basis of Payment -Firm Unit Price**

6.1.1 In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit price(s), as specified in "Line Item Detail".

6.1.2 All firm unit prices in Canadian dollars must be Delivery Duty Paid (DDP) at destination, Incoterms 2000, including Canadian Custom Duties and Excise taxes where applicable, Goods and Services tax (GST) or Harmonized Sales Tax (HST) extra, if applicable.

6.1.3 Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.1.4 DFAIT certifies that the goods ordered hereby are for consolidation at and export from the designated warehouse, Goods and Services Tax(GST)/Harmonized Sales Tax (HST) is not applicable as:

- for direct shipment: No GST/HST as per section 142.2 of the revised Excise Tax Act.

- for indirect shipment: no GST/HST as per section 1 of part 5, schedule 6 of the revised Excise Act.

6.2 SACC Manual Clauses

C2000C	Taxes - Foreign-based Contractor	2007-11-30
H1000C	Single Payment	2008-05-12

7. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

7.1. Invoices must be distributed as follows:

- (a) The original must be forwarded to the following address for certification and payment:

Department of Foreign Affairs and International Trade
125 Sussex Dr.

Attn: **to be inserted by PWGSC**

Ottawa, Ontario
K1A 0G2

- (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract for certification and payment.

Note 1: Invoices of Delivered Duty Paid, Incoterms 2000 contract will not be submitted prior to shipment of materiel.

8. Certifications

Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the entire contract period. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for Default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2012-07-16) General Conditions - Goods (Medium Complexity);
- (c) Line Item Detail;
- (d) the Contractor's bid dated _____

11. SACC Manual Clauses

B7500C	Excess Goods	2006-06-16
D2001C	Labelling	2007-11-30
D2025C	Wood Packaging Materials	2008-12-12
D3010C	Dangerous Goods/Hazardous Products	2012-07-16
D9002C	Incomplete Assemblies	2007-11-30
G1005C	Insurance	2008-05-12

12. Preparation for Delivery

Domestic packing adequate to protect cargo to consignee is required. Blanket or paper wrapped packaging is not acceptable. Soft wood packaging must comply with international Standard for Phytosanitary Measures (ISPM #15) and must carry the International Plant Protection Convention (IPPC) Stamp on all exposed wood packaging. Shipments do not meet this requirement will be returned or repacked at the supplier expense.

13. Condition of Material

The Contractor must provide material that is new production of current manufacture supplied by the principal manufacturer or its accredited agent. The material must conform to the latest issue of the applicable drawing, specification and part number, as applicable, that was in effect on the bid closing date.

14. Shipping Instructions - DDP Destination

Goods must be consigned and delivered to the destination specified in the contract, Incoterms 2000 "DDP Delivered Duty Paid" :

Boyd Moving and Storage
2574 Shefields Rd.
Ottawa, Ontario

Solicitation No. - N° de l'invitation

08281-120121/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hp530

Client Ref. No. - N° de réf. du client

08281-120121

File No. - N° du dossier

hp53008281-120121

CCC No./N° CCC - FMS No/ N° VME

K1B 3V7

Tel.: 613-744-3786

Fax: 613-744-2560

It is essential that the supplier contact the warehouse at the telephone number provided to arrange for a delivery appointment in advance.

Telephone # _____ (Number to inserted by the Contracting Authority at time of contract award)

15. Inspection

Goods shall be subject to inspection of condition and acceptability by consignee unless otherwise indicated.