

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet CAB AND CHASSIS	
Solicitation No. - N° de l'invitation 21120-128101/C	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 21120-128101	Date 2012-04-13
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-371-60251	
File No. - N° de dossier hp371.21120-128101	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-05-07	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Modérie, Christine	Buyer Id - Id de l'acheteur hp371
Telephone No. - N° de téléphone (819) 956-3970 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

21120-128101/C

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

hp371

Client Ref. No. - N° de réf. du client

21120-128101

File No. - N° du dossier

hp37121120-128101

CCC No./N° CCC - FMS No/ N° VME

This amendment is raised to attach the correct English and French Annexes to the solicitation

**Annex "A" - Vehicle Specifications and Mandatory Requirements for
Cab and Chassis for existing Inmate Regional Transfer Trucks**

BIDDERS ARE TO SPECIFY THEIR CONFORMANCE / COMPLIANCE WITH THE SPECIFICATIONS

Revision-05 (30-Mar-2012)

Items	Sub Items	Requirements	Mandatory	Yes	No	Comments
1.0	Minimum Vehicle Overview:					
	1.1	The truck shall be of the current year or later, regular production and not be a demonstrator, trial unit or prototype.	X			
	1.2	The gross vehicle weight rating (GVWR) 25,000 lbs (minimum)	X			
	1.3	Extended Cab with chassis only (Cab over engine will be consider non-compliant)	X			
	1.4	The distance from the frame to the top of the cab should have 65" (maximum).	X			
	1.5	The truck shall have capability to achieve highway speeds of at least 105 km per hour, loaded, on level grade, into 30 km per hour headwind.	X			
	1.6	Cold weather package with a operating range of - 40° to +37°. (minimum)	X			
	1.7	4x2 Drive line	X			
2.0	Engine:					
	2.1	Engine shall be fuel injection, turbo-charged, four (4) stroke, Diesel powered EPA approved.	X			
	2.2	200 hp (minimum)	X			
	2.3	500 ft/lbs of torque (minimum)	X			
	2.4	Alternator, 12 volts, 130 Amp (minimum)	X			
	2.5	2 batteries, 12 Volts maintenance free with shock pads with a minimum of 600-CCA	X			
	2.6	Engine block heater	X			
	2.7	Radiator, aluminum core (if available)	X			
	2.8	Starter, 12 volt with over crank protection	X			
	2.9	Exhaust to be a horizontal tail pipe behind the rear wheel on the curb side. (Vertical stack will be considered non compliant)	X			
	2.10	SCR (Selective catalytic reduction) using DEF (Diesel Exhaust Fluid) or EEGR (Enhanced Exhaust Gas Recirculation) is acceptable.	x			
3.0	Transmission:					
	3.1	5 speeds Automatic transmission (minimum)	X			

Items	Sub Items	Requirements	Mandatory	Yes	No	Comments
4.0	<u>Steering, Axles & Suspension:</u>					
	4.1	Power Assist steering	X			
	4.2	Front axle 8,000 lbs (minimum capacity)	X			
	4.3	Front brake dust shields	X			
	4.4	Front suspension 8,000 lbs taper leaf spring with shock absorber (minimum)	X			
	4.5	Solid Rear axle 17,000 lbs (minimum capacity)	X			
	4.6	Rear brake dust shields	X			
	4.7	Rear air-ride suspension 17,000 lbs with double acting shock absorber (minimum)	X			
	4.8	Air suspension levelling valve	X			
	4.9	Air suspension dump valve with driver-controlled pressure release in Cab	X			
	4.10	Synthetic type lubricant suitable for operation to -40C or lower i.e. SAE 75W-90W or equivalent .	X			
	4.11	Rear axle with limited slip or locking differential or Traction control.	X			
5.0	<u>Tires and Rims:</u>					
	5.1.	Tire and rim provided must meet with all load requirement, axle specifications and low profile chassis.	X			
	5.2	Manufacturer' standard steel painted wheels	X			
	5.3	Tires M+S (Mud/Snow) shall be first line radial, steel belted, tubeless premium tires.	X			
	5.4	Full size spare tire and rim	X			
6.0	<u>Brake System:</u>					
	6.1	Hydraulic Brakes	X			
	6.2	Anti-lock brake system and extended life linings	X			
7.0	<u>Fuel System:</u>					
	7.1	200 L fuel tank (minimum)	X			
	7.2	With lockable cap	X			
8.0	<u>Wheel base & Frame:</u>					
	8.1	Low profile chassis	X			
	8.2	Must have clean frame behind cab	X			
	8.3	Cab to rear axle length of 144" to accommodate existing bodies or between 142" to 146" will be acceptable.	X			
	8.4	Frame must have the same height (ground to top edge) over the entire length of the truck.	X			

Items	Sub Items	Requirements	Mandatory	Yes	No	Comments
9.0	<u>Bumper & Equipment:</u>					
	9.1	Heavy duty steel painted front bumper	X			
	9.2	2 Front tow hooks	X			
10.0	<u>Cab:</u>					
	10.1	Extended Cab with no air suspension on cab	X			
	10.2	Cab, aluminum or welded galvanized steel shell with rust prevention	X			
	10.3	Painted " Dark Blue "	X			
	10.4	Bug screen, with winter front cover.				
	10.5	Dual level cab entry steps on both sides	X			
	10.6	Electric horn, single tone	X			
	10.7	Back up alarm	X			
	10.8	Integral heater-defroster w/automatic or manual temperature control	X			
	10.9	Thermal cab insulation	X			
	10.10	Air conditioning	X			
	10.11	Storage console w/12 volts outlet and cup holder.	X			
	10.12	Adjustable tilt steering column	X			
	10.13	(2) Seats -Front Bucket type, high back	X			
	10.14	Seats, vinyl or vinyl with cloth insert	X			
	10.15	2.5 lbs ABC fire extinguisher between driver's seat and door	X			
	10.16	AM/FM stereo radio.	X			
	10.17	Driver and passenger interior sun visors with ticket holder (minimum)	X			
	10.18	Electric windshield wipers with delay feature.	X			
	10.19	Heated exterior mirror with convex spotter mirror at the bottom.	X			
	10.20	Cruise control	X			
	10.21	Factory switch mounted in dash	X			
	10.22	Vinyl flooring	X			
	Instrument panel to include gauges:					
	10.23	Engine Oil Pressure	X			
	10.24	Transmission temperature	X			
	10.25	Alternator Voltage	X			
	10.26	Engine Temperature Gauge	X			
	10.27	Manufacturer's standard vehicles brochures and detailed specifications for the offered vehicle shall be included with the tender to assist with the bid evaluation and confirmation that the offered vehicle meets all requirements or approved equivalent.	X			

Items	Sub Items	Requirements	Mandatory	Yes	No	Comments
11.0	Technical Books and Training:					
	11.1	Operator manual (Manual or DVD or web access) in English, If available French version may be requested.	X			
	11.2	Maintenance, parts manual (Manual or DVD or web access) in English, If available French version may be requested.	X			
	11.3	Operator Familiarity training (Manual or DVD or web access) in English. If available French version may be requested.	X			
	11.4	Maintenance and operation Familiarity training (Manual or DVD or web access) for mechanics in English, If available French version may be requested.	X			
End						