

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet MOBILE WEAPON LABORATORY TRAILER		
Solicitation No. - N° de l'invitation W8486-120923/A		Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client W8486-120923		Date 2012-10-15
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-901-61245		
File No. - N° de dossier hp901.W8486-120923	CCC No./N° CCC - FMS No./N° VME	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-11-08		Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>		
Address Enquiries to: - Adresser toutes questions à: Martin, Erik		Buyer Id - Id de l'acheteur hp901
Telephone No. - N° de téléphone (819) 956-3842 ()		FAX No. - N° de FAX (819) 956-5227
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT **001** IS RAISED TO EXTEND THE CLOSING DATE FROM NOVEMBER 1, 2012 TO NOVEMBER 8, 2012 AND MODIFY THE ANNEX “B” - PURCHASE DESCRIPTION OF THE REFERENCED SOLICITATION AS FOLLOWS:

REMOVE:

ANNEX “B” - PURCHASE DESCRIPTION

2.1.		<p>The trailer shall be constructed in accordance with and compliant to, all relevant portions of the Canadian Welding Bureau standard (or equivalent for manufacturers outside Canada) for the size, weight and style of the trailer being provided. Manufacturer or individual welders involved in the welding of the trailer shall hold welding certificates to one of the following standards:</p> <ul style="list-style-type: none"> a. Canada – Current division three certification in accordance with CSA W 47.1; b. United States of America – Current certification in accordance with AWS D1.1; or c. International – Current welder performance qualification for steel joints welds in accordance with ISO 9606-1
2.2		<p>A letter of validation demonstrating proof of current certification from the appropriate agency shall be provided with the Bidder's submission. All welds shall be inspected by a certified Welding Inspector (in accordance with the above standard) and copies of the welding certifications shall be provided with the trailer.</p>
2.3		<p>(See Section 1.9.2 above) The contractor shall ^(E) take appropriate measures to allow the trailer to travel over rough roads and terrain with being damaged by brush. Potentially vulnerable areas will be protected by skid plates and wiring located on the underside of the trailer shall ^(E) be protected.</p>
22.7		<p>The door will be equipped with access steps that will be re-tractable (pull out) from a purpose built storage compartment located below the interior floor level. No lock required.</p>

INSERT:**ANNEX "B" - PURCHASE DESCRIPTION**

2.1	<p>The trailer shall be constructed in accordance with and compliant to, all relevant portions of the Canadian Welding Bureau standard (or equivalent for manufacturers outside Canada) for the size, weight and style of the trailer being provided.</p> <p>a. Canada – Current division three certification in accordance with CSA W 59.1 or CSA W59.2</p> <p>b. United States of America – Current certification in accordance with AWS D1.1; or AWS D1.2.</p>
2.2	All welds shall be inspected by a certified Welding Inspector in accordance with CSA W178.2 Certification of Welding Inspectors, endorsed to W59.1 or W59.2 standard or the equivalent in the United States.
2.2.1	The bidder shall submit an inspection report to the DND technical authority.
2.3	See Section 1.9.2 above) The contractor shall ^(E) take appropriate measures to allow the trailer to travel over rough roads and terrain without being damaged by brush. Potentially vulnerable areas will be protected by skid plates and wiring located on the underside of the trailer shall ^(E) be protected.

<u>6.6.1</u>	Guidance DND estimates that the internal weight of components will be in the range of 1,300 to 1,800 lbs. (See Appendix 1 for more details)
<u>14.9.1</u>	A total of 12 anchor points are required equally spaced along the length of the roof top platform, six on each side with a working load limit of 2,000 pounds.
<u>17.10</u>	Prior to fitting the interior, the entire body shall be properly sealed then wall, doors and ceiling shall ^(E) be insulated with a high-density fibreglass or spray on insulation providing a minimum R value of R12.
<u>27.3</u>	Two (2) automatic hose take-up reels sets on the curb side and one on the driver's side. Two (2) independent shut-off valves. Two (2) external outlets as the same compartments as the electrical outlets.
<u>27.3.1</u>	Capacity: 50 feet of 3/8 inch I.D hose Fittings – Inlet 1/4 inch NPT Fittings – Outlet 1/4 inch NPT Maximum working pressure 300 PSI
<u>38.2.1</u>	Internal wiring shall be 110 volts.
<u>38.8</u>	A 2,000 watt inverter / battery charger, with an automatic transfer switch shall ^(E) be installed in the forward storage compartment. It will charge the two auxiliary batteries from either an AC or generator power source

Appendix 1 - File Number W8486-120923/A Mobile Weapon Laboratory**WEIGHT ATTRIBUTED TO WORKSHOP CONFIGURATION**

The Purchase Description requires that the contractor supply and install a list of items that when assembled will provided QETE with a fully equipped mobile workshop. The table below provides a detail summary.

Item	Reference	Page	Wt (lbs)	Comment
6.5 kw gasoline generator	Article 26	14/36	253	115 kg (253.5 lbs) (including battery)
Air compressor	Article 27	15/36	80	Compressor weighs 56.5 lbs
Air hose reels				
Fittings and plumbing				
Outdoor work lights x 2	Article 43		30	
Close double work bench	Article 49	24/36	150	
Cabinet 1	Article 50.2	25/36	75	
Cabinet 2	Article 50.3	25/36	75	
Cabinet 3	Article 50.4.	25/36	75	
Cabinet 4 and 5	Article 50.5	25/36	300	
Rifle rack	Article 56.1	28/36	25	
Tools, miscellaneous equipment, small arms			200	
Total			1,263	

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.