

PWGSC Ontario	FENBROOK INSTITUTION	Addendum No.04
Region Project	FENBROOK FIRING RANGE	Page 1
Number R.052544.001	AND TRAINING BUILDING	2013-01-18

ADDENDUM No.04, dated 2013-01-18.

This Addendum shall form part of documents referred to in "Articles of Agreement" as "Plans and Specifications".

The Plans and Specifications are amended as follows:

SPECIFICATIONS

	CAST-IN-PLACE CONCRETE	Section 03 30 00
		2012-11-27

2.3 MATERIALS

1. Add paragraph 2.3 21:

".21 Fiberglass lath: 6.25 x 6.25 mm (0.25" x 0.25") fiberglass mesh, and self-furring, nailing strips."

2.4 MIXES

1. Paragraph 2.4.2.2: add ", parging." at the end of the sentence after the word "pilasters".

3.2 INSTALLATION/ APPLICATION

1. Add paragraph 3.2.7:

".7 Apply parging on fiberglass lath at foundation perimeter as indicated on drawings."

	COLD FLUID-APPLIED WATERPROOFING	Section 07 14 16
		2013-01-18

Add the attached new Section 07 14 16 - Cold Fluid-Applied Waterproofing, dated 2013-01-18 and consisting of 4 pages.

End of Addendum No.04, dated 2013-01-18, consisting of 1 page and the following documents:

Specifications:

New Section 07 14 16 - Cold Fluid-Applied Waterproofing (4 pages)