

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./ 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Clothing and Textiles Division / Division des vêtements
et des textiles
11 Laurier St./ 11, rue Laurier
6B1, Place du Portage
Gatineau, Québec K1A 0S5

Title - Sujet PHYSICAL FITNESS EQUIPMENT	
Solicitation No. - N° de l'invitation W8484-137807/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client W8484-137807	Date 2013-01-21
GETS Reference No. - N° de référence de SEAG PW-\$\$PR-757-61766	
File No. - N° de dossier pr757.W8484-137807	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-01-28	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Papineau (PR Div.), Alain	Buyer Id - Id de l'acheteur pr757
Telephone No. - N° de téléphone (819) 956-0389 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This second amendment is raised to answer questions from the industry:

Question: "All bidders must provide documentation stating they have the rights to sell the equipment on their submission list"? Are you asking us to get 10-15 letters from all suppliers (OEM's) prior to bidding from strength, bars, bumper plate, fans, lock jaws, dumbbell racks, urethane dumbbells etc...Can this not be done after you have chosen a compliant supplier?

Answer: Yes, with the exception of the **fans and the 50KG plates** , if that is how many companies the supplier is dealing with. All letters must be submitted with the bid.

Question: The standard of many strength lines is ¾ inch solid hardened steel guide rods – will you accept this? The specifications are very tight and appears the end-user is trying to source out from one supplier.

Answer: No. 1 inch is requested

Question: Is their two suppliers that meet all these spec's? We have never seen this specific bolt, cable specification, steel specification, and product dimensions in a RFQ/RFP before?

Answer: Yes (Legend and Atlantis as a minimum)

Question: Is 6 weight plate storage pins acceptable?

Answer: No. 8 Storage pins is requested due to storage space issues in gym facilities.

Question: 50kg Bumper Plate – Do you mean 50lb

Answer: no it's 50Kg.

Question: Cable Crossover accessory storage rack – Can it be free-standing?

Answer: No

Question: Fan – no specifications? Do you want 30" diameter; non-oscillating, pivoting fan head?

Answer: 30" minimum, industrial fan; non-oscillating with pivoting head.

Question: Dimensions on products are these acceptable?

- a. Lat Pulldown – Width – 50 to 59 inches; Length 60 to 65.5 inches
- b. Seated Row – Width – 35-48 inches;
- c. Seated Ab Crunch – Width 62-63.5 inches
- d. Lateral Raise – Length 45-59 inches
- e. Tricep Extension – Width 45-49.3/4 inches; Length 45-60 inches
- f. Seated Bicep Curl – Width 45 to 59 inches; Length 50-64.5 inches
- g. Cable Crossover – Width from 35 inches to 40 inches

Answer: No. All equipment must fit within the dimensions given.

Question: Although the sizes required for the equipment have been established in order to ensure everything fits, if the product bid is plus 1 or 2 inches in width or length would this be acceptable as long as the square measurement is within the prescribed range?

Answer: No. All strength equipment must fit within the dimensions given.

Question: You have indicated a requirement for 8 storage pegs on the equipment where indicated, as a minimum. Most manufacturers incorporate 6 storage pegs which is ample. Would this be acceptable?

Answer: No. 8 Storage pins is requested due to storage space issues in gym facilities.

Question: You are asking for a Selectorized Fixed Cable Crossover. This is an older design, most if not all newer Cable Crossovers utilize floating (adjustable) pulleys. Would this be acceptable?

Answer: No.

Question: In regards to the insert platform, you are asking for a fully welded steel frame. Since platforms range in size from 8' x 8' or 8' x 6' (please specify which size you are requiring) although the frames are steel, many bolt together for ease of delivery. Let me know if steel frame, bolt together is acceptable and what size you are requiring.

Answer: Fully welded. 8' x 6'

Question: The Power Rack Bars requested are to be either stamped with IWF or IPF and to be 200,000 Tensile Strength. These bars are truly competition bars, used in Olympic style competition and are very expensive. Does DND require these or would North American, 1500lb Tensile Strength, Hard Chrome Olympic bars be sufficient? Also do you require 30mm or 32mm diameter?

Answer: 200,000 psi competition bars are being requested and nothing rated under will be accepted. Minimum of 28mm.

Question: Urethane Dumbbells, with 10 sides are being requested to prevent rolling. Would 8 sided Urethane coated dumbbells be acceptable since the 8 sided design also helps to prevent rolling?

Note: It is also important to know what type of racks these dumbbells will be going on. In order to help preserve the structural integrity of the urethane and not void the manufacturer's warranty, all Urethane coated dumbbells should be placed on saddle style racks

Answer: 10 sided is requested and they are all placed in saddle style racks.
