

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works & Government Services
Canada/Réception des soumissions Travaux publics et
Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.E.)
B3J 1T3
Halifax
Bid Fax: (902) 496-5016

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Real Property Contracting
1713 Bedford Row
P.O. Box 2247/C.P.2247
Halifax, N.S./Halifax, (N.E.)
B3J 3C9
Halifax

Title - Sujet EXTERIOR/INTERIOR CONCRETE MASONRY		
Solicitation No. - N° de l'invitation W010C-12C142/A		Date 2013-05-17
Client Reference No. - N° de référence du client W010C-12-C142		Amendment No. - N° modif. 001
File No. - N° de dossier PWA-2-68098 (122)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$PWA-122-4985		
Date of Original Request for Standing Offer		2013-05-02
Date de la demande de l'offre à commandes originale		
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-06-13		Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
Address Enquiries to: - Adresser toutes questions à: Chinye, Chukwudi		Buyer Id - Id de l'acheteur pwa122
Telephone No. - N° de téléphone (902) 496-5476 ()	FAX No. - N° de FAX (902) 496-5016	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required	Yes - Oui	No - Non
Accusé de réception requis	<input type="checkbox"/>	<input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

W010C-12C142/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

W010C-12-C142

File No. - N° du dossier

PWA-2-68098

CCC No./N° CCC - FMS No/ N° VME

Amendment 001 is raised to answer the following question:

Question 1: In regards to the Standing Offer tender (Exterior/Interior Concrete Masonry – Solicitation # W010C-12C142/A), would it be possible to get a copy of the unit prices from the last tender that was put out for this work?

Answer to Question 1: In accordance to W010C-10C142/A-General condition 2005 (2007-05-25), the unit prices are as follows:

PRICING FOR YEAR ONE (1) FROM ISSUANCE January 15, 2010 TO NOVEMBER 30, 2010:

Description	Price	Estimated Quantity	Extended Price
1. Replacement of portion of brick exterior walls, various types of jointing, (includes brick removal, all required tools and equipment excluding scaffold, prep new brick, cleaning and cleanup) any size area consisting of 10 or more bricks, running bond, single Wythe		\$ 24.00 /per 10 brick	
2. Random individual replacement of common brick, running bond, single Wythe		\$ 3.50 ea brick for areas consisting of less than 10 brick	
3. Random repointing of brick 25mm depth of Wythe		\$ 1.25 /LM.	
4. Random repointing of glazed tile 19mm depth of Wythe		\$ 1.25 /LM	
5. Application of water repellent coatings to brick/masonry walls using the following: a) Hydrozo clear, enviroseal, double 7 sealer		\$ 1.75 /M2	
b) Nitocote Dekguard Clear P-15 applied in one application		\$ 1.75 /M2	
c) Capseal Lox Siloxane Sealer		\$ 1.75 /M2	
6. Supply equipment and labour to Hydro Blast Brick, glazed tile/masonry walls to clean surfaces prior to penetrating coatings, if required		\$ 0.75 /M2	
7. Supply steel scaffolding 1.5m high X 3m length sections c/w braces, back rest/guard rails, rollers and platforms:		\$ 1.50 per section/day \$ 3.50 per section/week	
a) Swing scaffold, any size required c/w outrigger, weights and ropes:		\$ 100.00 set/day \$ 400.00set/week.	
b) Supply the following equipment c/w gas, oil and extension cords for work required other than paragraph 2, 3, and 4. i) Gas cut off saw for removing brick with diamond blade:		\$ 20.00 /day \$ 40.00 /week	
ii) Electric chipping hammer:		\$ 10.00 /day \$ 20.00 /week	
iii) Electric mini grinder c/w diamond blades:		\$ 10.00 /day \$ 20.00 /week	

NOTE: A) The cost of scaffolding will depend on the duration of the job and which is the cheapest

cost for DND.	
B) Labour cost to transport, erect and dismantle steel safeway scaffold will be charged under miscellaneous direct labour.	
a) Dymonic Exterior Sealant by Tremco	\$ 1.75 /LM
b) Spectrum 2 by Tremco	\$ 2.10 /LM
9. Labour and material in addition to the above: The following applies to undefined/miscellaneous minor repairs, such as: flashings, curbs, lintels, tile, various types of block, stucco/parging, expansion and control joints, step repair, stone, anchors, dowelling, removal of vines/suckers and sand blasting or jetmeg steel/rebar and labour to erect and dismantle steel scaffold and any swing staging c/w outriggers.	Materials and replacement parts at distributors list price plus a mark up of <u>10%</u> .
Labour:	
1. Direct or productive hours exclusively in work, these costs do not cover daily travel time.	
a) On site Mason/Bricklayer c/w vehicle	\$ 26.00 /hour
b) Helper/Labourer	\$ 15.00 /hour
2. Unproductive labour (for each tradesperson or helper) to travel from office/workshop to job site and return daily, while working on miscellaneous jobs and when traveling to MillCove, NRS Newport Corners and Windsor Armoury.	
<u>Mason/Bricklayer</u>	<u>\$26.00/hour</u>
<u>Helper/Labourer</u>	<u>\$15.00/hour</u>
10. Traveling to CFS MillCove, NRS Newport, Windsor Armoury and return, from the contractor's office or site, per day	<u>\$0.45/KM</u>
11. Quantities of work must be agreed upon between Contractor and Engineer prior to commencement of any work.	

PRICING FOR OPTION YEAR ONE (1) FROM DECEMBER 01, 2010 TO NOVEMBER 30, 2011:

Description	Price	Estimated Quantity	Extended Price
1. Replacement of portion of brick exterior walls, various types of jointing, (includes brick removal, all required tools and equipment excluding			\$ 24.00 /per 10 brick

scaffold, prep new brick, cleaning and cleanup) any size area consisting of 10 or more bricks, running bond, single Wythe	
2. Random individual replacement of common brick, running bond, single Wythe	\$ 3.50 ea brick for areas consisting of less than 10 brick
3. Random repointing of brick 25mm depth of Wythe	\$ 1.25 /LM.
4. Random repointing of glazed tile 19mm depth of Wythe	\$ 1.25 /LM
5. Application of water repellent coatings to brick/masonry walls using the following:	
a) Hydrozo clear, enviroseal, double 7 sealer	\$ 1.75 /M2
b) Nitocote Dekguard Clear P-15 applied in one application	\$ 1.75 /M2
c) Capseal Lox Siloxane Sealer	\$ 1.75 /M2
6. Supply equipment and labour to Hydro Blast Brick, glazed tile/masonry walls to clean surfaces prior to penetrating coatings, if required	\$ 1.75 /M2
7. Supply steel scaffolding 1.5m high X 3m length sections c/w braces, back rest/guard rails, rollers and platforms:	\$ 1.50 per section/day \$ 3.50 per section/week
a) Swing scaffold, any size required c/w outrigger, weights and ropes:	\$ 100.00 set/day \$ 400.00set/week.
b) Supply the following equipment c/w gas, oil and extension cords for work required other than paragraph 2, 3, and 4.	
i) Gas cut off saw for removing brick with diamond blade:	\$ 20.00 /day \$ 40.00 /week
ii) Electric chipping hammer:	\$ 10.00 /day \$ 20.00 /week
iii) Electric mini grinder c/w diamond blades:	\$ 10.00 /day \$ 20.00 /week
NOTES: A) The cost of scaffolding will depend on the duration of the job and which is the cheapest cost for DND. B) Labour cost to transport, erect and dismantle steel safeway scaffold will be charged under miscellaneous direct labour.	

8. Sealants: Remove old loose deteriorated caulking from sides of doors and windows and replace using.	
a) Dymonic Exterior Sealant by Tremco	\$ 1.75 /LM
b) Spectrum 2 by Tremco	\$ 2.10 /LM
9. Labour and material in addition to the above: The following applies to undefined/miscellaneous minor repairs, such as: flashings, curbs, lintels, tile, various types of block, stucco/parging, expansion and control joints, step repair, stone, anchors, dowelling, removal of vines/suckers and sand blasting or jetmeg steel/rebar and labour to erect and dismantle steel scaffold and any swing staging c/w outriggers.	Materials and replacement parts at distributors list price plus a mark up of <u>10%</u> .
Labour:	
1. Direct or productive hours exclusively in work, these costs do not cover daily travel time.	
a) On site Mason/Bricklayer c/w vehicle	\$ 26.00 /hour
b) Helper/Labourer	\$ 15.00 /hour
2. Unproductive labour (for each tradesperson or helper) to travel from office/workshop to job site and return daily, while working on miscellaneous jobs and when traveling to MillCove, NRS Newport Corners and Windsor Armoury.	
<u>Mason/Bricklayer</u>	<u>\$26.00/hour</u>
<u>Helper/Labourer</u>	<u>\$15.00/hour</u>
10. Traveling to CFS MillCove, NRS Newport, Windsor Armoury and return, from the contractor's office or site, per day	<u>\$0.45/KM</u>
11. Quantities of work must be agreed upon between Contractor and Engineer prior to commencement of any work.	

PRICING FOR OPTION YEAR TWO (2) FROM DECEMBER 01, 2011 TO NOVEMBER 30, 2012:

Description	Price	Estimated Quantity	Extended Price
1. Replacement of portion of brick exterior walls, various types of jointing, (includes brick removal,		\$ 24.00 /per 10 brick	

all required tools and equipment excluding scaffold, prep new brick, cleaning and cleanup) any size area consisting of 10 or more bricks, running bond, single Wythe	
2. Random individual replacement of common brick, running bond, single Wythe	\$ 3.50 ea brick for areas consisting of less than 10 brick
3. Random repointing of brick 25mm depth of Wythe	\$ 1.25 /LM.
4. Random repointing of glazed tile 19mm depth of Wythe	\$ 1.25 /LM
5. Application of water repellent coatings to brick/masonry walls using the following:	
a) Hydrozo clear, enviroseal, double 7 sealer	\$ 1.75 /M2
b) Nitocote Dekguard Clear P-15 applied in one application	\$ 1.75 /M2
c) Capseal Lox Siloxane Sealer	\$ 1.75 /M2
6. Supply equipment and labour to Hydro Blast Brick, glazed tile/masonry walls to clean surfaces prior to penetrating coatings, if required	\$ 0.75 /M2
7. Supply steel scaffolding 1.5m high X 3m length sections c/w braces, back rest/guard rails, rollers and platforms:	\$ 1.50 per section/day \$ 3.50 per section/week
a) Swing scaffold, any size required c/w outrigger, weights and ropes:	\$ 100.00 set/day \$ 400.00set/week.
b) Supply the following equipment c/w gas, oil and extension cords for work required other than paragraph 2, 3, and 4.	
i) Gas cut off saw for removing brick with diamond blade:	\$ 20.00 /day \$ 40.00 /week
ii) Electric chipping hammer:	\$ 10.00 /day \$ 20.00 /week
iii) Electric mini grinder c/w diamond blades:	\$ 10.00 /day \$ 20.00 /week
NOTES: A) The cost of scaffolding will depend on the duration of the job and which is the cheapest cost for DND. B) Labour cost to transport, erect and dismantle steel safeway scaffold will be charged under miscellaneous direct labour.	

8. Sealants: Remove old loose deteriorated caulking from sides of doors and windows and replace using.	
a) Dymonic Exterior Sealant by Tremco	\$ 1.75 /LM
b) Spectrum 2 by Tremco	\$ 2.10 /LM
9. Labour and material in addition to the above: The following applies to undefined/miscellaneous minor repairs, such as: flashings, curbs, lintels, tile, various types of block, stucco/parging, expansion and control joints, step repair, stone, anchors, dowelling, removal of vines/suckers and sand blasting or jetmeg steel/rebar and labour to erect and dismantle steel scaffold and any swing staging c/w outriggers.	Materials and replacement parts at distributors list price plus a mark up of <u>10%</u> .
Labour:	
1. Direct or productive hours exclusively in work, these costs do not cover daily travel time.	
a) On site Mason/Bricklayer c/w vehicle	\$ <u>26.00</u> /hour
b) Helper/Labourer	\$ <u>15.00</u> /hour
2. Unproductive labour (for each tradesperson or helper) to travel from office/workshop to job site and return daily, while working on miscellaneous jobs and when traveling to MillCove, NRS Newport Corners and Windsor Armoury.	
<u>Mason/Bricklayer</u>	<u>\$26.00/hour</u>
<u>Helper/Labourer</u>	<u>\$15.00/hour</u>
10. Traveling to CFS MillCove, NRS Newport, Windsor Armoury and return, from the contractor's office or site, per day	<u>\$0.45/KM</u>
11. Quantities of work must be agreed upon between Contractor and Engineer prior to commencement of any work.	

All Other Terms and Conditions Remain the Same.