

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving - PWGSC / Réception des soumissions -**  
**TPSGC**  
**11 Laurier St./11 rue Laurier**  
**Place du Portage, Phase III**  
**Core 0A1 / Noyau 0A1**  
**Gatineau, Québec K1A 0S5**

## **SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

### **Comments - Commentaires**

.

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Construction Services Division/Division des services de  
construction  
11 Laurier St./11 Rue Laurier  
3C2, Place du Portage  
Phase III  
Gatineau, Québec K1A 0S5

<b>Title - Sujet</b> S.J.C. Building Deconstruction	
<b>Solicitation No. - N° de l'invitation</b> EP076-131647/A	<b>Amendment No. - N° modif.</b> 008
<b>Client Reference No. - N° de référence du client</b> R.010592.002	<b>Date</b> 2012-12-28
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$FG-345-61469	
<b>File No. - N° de dossier</b> fg345.EP076-131647	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2013-01-10</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Nealon, Shawn	<b>Buyer Id - Id de l'acheteur</b> fg345
<b>Telephone No. - N° de téléphone</b> (819) 956-3391 ( )	<b>FAX No. - N° de FAX</b> (819) 956-8335
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> Sir John Carling Building, Central Experimental Farm, 930 Carling Avenue, Ottawa, Ontario.	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

EP076-131647/A

Client Ref. No. - N° de réf. du client

R.010592.002

Amd. No. - N° de la modif.

008

File No. - N° du dossier

fg345EP076-131647

Buyer ID - Id de l'acheteur

fg345

CCC No./N° CCC - FMS No/ N° VME

---

**THE PURPOSE OF THIS AMENDMENT IS TO ISSUE ADDENDUM # 5.**

End of Amendment.

Solicitation No. - N° de l'invitation

EP076-131647/A

Client Ref. No. - N° de réf. du client

R.010592.002

Amd. No. - N° de la modif.

008

File No. - N° du dossier

fg345EP076-131647

Buyer ID - Id de l'acheteur

fg345

CCC No./N° CCC - FMS No/ N° VME

---

# Addendum No. 5.

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

## 1 SPECIFICATIONS

- .1 Section 31 23 33.01 - Excavation, Trenching and Backfilling
  - .1 Change Subsection 2.1.2 to read as follows: "Type 2 Fill: to OPSS 1010, Granular B, Type 2."
  - .2 Change Subsection 3.9.3 to read as follows: "Within area of removed parking areas, roadways, sidewalks and hard landscaped areas, use the following fill types, depths and compaction densities:
    - .1 Under sod - 100 mm of topsoil in accordance with Section 32 91 21 - Topsoil and Finish Grading.
    - .2 Under topsoil layer - existing granular fill material may remain in place - where existing fill material has been disturbed or removed replace it with Fill Type 2, minimum 200 mm deep, compacted to 85% of corrected maximum dry density."
- .2 Section 02 62 00.01 - Hazardous Materials
  - .1 Delete Article 1.2.1.1 in its entirety.
  - .2 Delete Article 1.2.1.3 in its entirety.
- .3 Section 02 82 00.01 - Asbestos Abatement - Minimum Precautions
  - .1 Delete Article 1.1.2.1 in its entirety.
  - .2 Delete Article 1.1.2.3 in its entirety.
- .4 Section 02 82 00.02 - Asbestos Abatement - Intermediate Precautions
  - .1 Delete Article 1.1.2.1 in its entirety.
  - .2 Delete Article 1.1.2.3 in its entirety.
- .5 Section 02 82 00.03 - Asbestos Abatement - Maximum Precautions
  - .1 Delete Article 1.1.2.1 in its entirety.
  - .2 Delete Article 1.1.2.3 in its entirety.
- .6 Section 02 84 00 - Polychlorinate Biphenyl Remediation
  - .1 Delete Article 1.1.2.1 in its entirety.
- .7 Section 02 86 00 - Lead Abatement
  - .1 Delete Article 1.1.4.1 in its entirety.
  - .2 Delete Article 1.1.4.3 in its entirety.
- .8 Section 02 87 00 - Mercury Precautionary Measures
  - .1 Delete Article 1.1.3.1 in its entirety.
  - .2 Delete Article 1.1.3.3 in its entirety.
- .9 Section 02 89 00 - Silica Precautionary Measures
  - .1 Delete Article 1.1.3.1 in its entirety.
  - .2 Delete Article 1.1.3.3 in its entirety.

END OF ADDENDUM