

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving - PWGSC / Réception des soumissions -**  
**TPSGC**  
**11 Laurier St. / 11, rue Laurier**  
**Place du Portage , Phase III**  
**Core 0A1 / Noyau 0A1**  
**Gatineau, Québec K1A 0S5**  
**Bid Fax: (819) 997-9776**

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Defence Communications Division. (QD)  
11 Laurier St./11, rue Laurier  
Place du Portage, Phase III, 8C2  
Gatineau, Québec K1A 0S5

<b>Title - Sujet</b> RADIO FREQ SIGNAL MEASURING INSTRUM		
<b>Solicitation No. - N° de l'invitation</b> U4030-130081/A		<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> U4030-130081		<b>Date</b> 2012-12-03
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$QD-023-23315		
<b>File No. - N° de dossier</b> 023qd.U4030-130081	<b>CCC No./N° CCC - FMS No./N° VME</b>	
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2012-12-12</b>		<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>		
<b>Address Enquiries to: - Adresser toutes questions à:</b> Tanguay(qd div.), Heather		<b>Buyer Id - Id de l'acheteur</b> 023qd
<b>Telephone No. - N° de téléphone</b> (819) 956-0835 ( )		<b>FAX No. - N° de FAX</b> (819) 956-0636
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>		

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Amendment #002 is being raised to correct the typing error on Page 8 - **PART 4 - EVALUATION PROCEUDRES AND BASIS OF SELECTION**, paragraph 1.1.1. (b) Technical Evaluation Plan, row 1.15 Phase Noise and Page 25 - **ANNEX A - STATEMENT OF REQUIREMENT - 1 -Equipment Specifications**; paragraph 1.15 Phase Noise as follows:

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELCETION**

### **1.1.1 Mandatory Technical Criteria**

#### **(b) Technical Specification**

#### **Technical Evaluation Plan**

#### **At Page 10**

#### **Delete 1.15 - Phase Noise**

ITEM	TITLE	DESCRIPTION	PROOF OF COMPLIANCE	COMPLIANT YES OR NO
1.15	Phase Noise	At a displacement frequency of 100 kHz, the phase noise shall be -120 dBc/Hz or lower. At a displacement frequency of 1 MHz, the phase noise shall be -155 dBc/Hz or lower.		

#### **At Page 10**

#### **Insert 1.15 - Phase Noise**

ITEM	TITLE	DESCRIPTION	PROOF OF COMPLIANCE	COMPLIANT YES OR NO
1.15	Phase Noise	At a displacement frequency of 100 kHz, the phase noise shall be -120 dBc/Hz or lower. At a displacement frequency of 10 MHz, the phase noise shall be -155 dBc/Hz or lower.		

are incorporated by reference into and form part of the bid solicitation.

---

**ANNEX A - STATEMENT OF REQUIREMENT****2. GENERAL REQUIREMENTS****At Page 25****Delete 1.15 - Phase Noise**

At a displacement frequency of 100 kHz, the phase noise shall be -120 dBc/Hz or lower. At a displacement frequency of 1 MHz, the phase noise shall be -155 dBc/Hz or lower.

**At Page 25****Insert 1.15 - Phase Noise**

At a displacement frequency of 100 kHz, the phase noise shall be -120 dBc/Hz or lower. At a displacement frequency of 10 MHz, the phase noise shall be -155 dBc/Hz or lower.  
are incorporated by reference into and form part of the bid solicitation.

**ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.**