



1 ROOF DIMENSION & REFERENCE PLAN  
A2.06 SCALE = 1:100

ROOF PLAN GENERAL NOTES

1. WALL ASSEMBLIES SHALL BE CONSTRUCTED IN SEQUENCE AS WRITTEN INITIATED FROM THE SIDE ON WHICH TAG IS LOCATED.
2. EXTERIOR DIMENSION INDICATES FACE OF SHEATHING OR FACE OF MASONRY VENEER UNLESS NOTED OTHERWISE.
3. INTERIOR DIMENSIONS ARE TO CENTERLINE OF STUD OR BLOCK UNLESS NOTED OTHERWISE.
4. ALL GRID LINES ARE TO FACE OF STRUCTURE UNLESS NOTED OTHERWISE.
5. DOOR FRAMES TO BE LOCATED 100mm FROM NEAREST ADJACENT WALL UNLESS NOTED OTHERWISE.
6. ALL INTERIOR PARTITIONS ARE TO EXTEND TO UNDERSIDE OF STRUCTURE ABOVE UNLESS NOTED OTHERWISE, BRACE AS REQUIRED.
7. PARTITIONS WHICH ARE FIRE SEPARATIONS SHALL EXTEND TO UNDERSIDE OF STRUCTURE OR 100mm ABOVE FIRE RATED CEILING ASSEMBLY AND ARE TO FORM A SMOKE TIGHT JOINT AT TERMINATION, PROVIDE DEFLECTION JOINT.
8. AT ALL FIRE SEPARATIONS ANY PENETRATIONS OR OPENINGS MUST BE SEALED WITH APPROVED FIRE STOPPING MATERIAL. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THE INTEGRITY OF THE FIRE RATED ASSEMBLY IS MAINTAINED.
9. PROVIDE ADEQUATE IN-WALL BLOCKING DRAWINGS & SPECIFICATIONS FOR TYPE OF RELATED FIXTURES.
10. REFER TO MECHANICAL & ELECTRICAL DRAWINGS & SPECIFICATIONS FOR TYPE OF RELATED FIXTURES.
11. TAPER ROOF INSULATION TO ROOF DRAINS AS INDICATED, ROOF SLOPE TO BE 2% UNLESS INDICATED OTHERWISE, MAINTAIN MIN. INSULATION LEVELS AS INDICATED IN ROOF CONSTRUCTION TYPES ON A0.02

ROOF PLAN SYMBOL LEGEND

- E1 INDICATES CONSTRUCTION ASSEMBLY. REFER TO A0.01.
- G1 INDICATES TO GLAZING TYPE. REFER TO A0.02.
- 1001 INDICATES DOOR REFERENCE. REFER TO DOOR SCHEDULE.
- INDICATES CONCRETE BLOCK OR MASONRY VENEER
- LINE INDICATING PATH OF VHF ANTENNA CABLE. REFER TO ELECTRICAL
- LINE INDICATING PATH OF HORIZONTAL LIFE LINE ASSEMBLY AND TRAVEL RESTRAINT. REFER TO SPECIFICATION.
- INDICATES LOCATION OF MODULAR ACCESS PAVERS. REFER TO SPECIFICATION.
- INDICATES LOCATION OF BALLASTED PHOTOVOLTAIC PANEL. REFER TO ELECTRICAL.
- PRPT 121.75 INDICATES GEODETIC ELEVATION OF COMPONENT
- SLOPE INDICATES DIRECTION OF ROOF SLOPE TO DRAIN.
- HB INDICATES HOSE BIBB.REFER TO MECHANICAL.
- RD INDICATES LOCATION OF ROOF DRAIN.REFER TO MECHANICAL.
- OFSC INDICATES LOCATION OF OVER FLOW ROOF SCUPPER.REFER TO MECHANICAL.
- AW INDICATES LOCATION OF ROOF ANCHOR FOR WINDOW WASHING. REFER TO DETAIL 1/A6.20 AND 2/A6.20
- ATR INDICATES LOCATION OF ROOF ANCHOR FOR TRAVEL RESTRAINT SYSTEM. REFER TO 1/A6.20 AND 2/A6.20.
- RH INDICATES LOCATION OF ROOF HATCH REFER TO SPECIFICATION.

ROOF PLAN CODE LEGEND

- 1 LINE INDICATING ROOF CANOPY BELOW.
- 2 SELF-SUPPORTING SKYLIGHT - REFER TO SPECIFICATION. REFER TO DRAWING 15/A6.12 FOR CURB DETAIL
- 3 LOCATION OF VHF ANTENNA. REFER TO DRAWING 1/A6.19 FOR DETAIL.
- 4 GREEN ROOF BELOW. REFER TO LANDSCAPE
- 5 WELDED WIRE CANOPY. REFER TO DRAWING 7/A6.13 FOR DETAIL.
- 6 MECHANICAL LOUVERS. REFER TO MECHANICAL DRAWINGS. REFER TO DRAWING 2/A6.18 FOR CURB DETAIL.
- 7 ROOF TOP MECHANICAL UNIT. REFER TO MECHANICAL.
- 8 LOCATION OF VHF CABLE ENTRY INTO BUILDING. REFER TO DRAWING X/A6.18 FOR DETAIL.

REBANKS Pepper  
Littlewood  
Architects Inc.

402 -1491 Yonge Street, Toronto, Ontario, M4T 1Z4  
Tel (416)964-7163 Fax (416)964-5817 www.rebanks.ca

This drawing as an instrument of service, is provided by and is the property of Rebanks Pepper Littlewood Architects Inc. The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify Rebanks Pepper Littlewood Architects Inc. of any variations from the supplied information. This drawing is not to be scaled. The architect is not responsible for the accuracy of survey, structural, mechanical, electrical, etc., information shown on this drawing. Refer to the appropriate consultant's drawings before proceeding with the work. Construction must conform to all applicable Codes and requirements of authorities having jurisdiction. The contractor working from drawing not specifically marked 'For Construction' must assume full responsibility and bear costs for any corrections or damages resulting from his work.

PRELIMINARY  
NOT FOR CONSTRUCTION

|        |                         |
|--------|-------------------------|
| North: | Seal:                   |
|        |                         |
| 16     | -                       |
| 15     | -                       |
| 14     | -                       |
| 13     | -                       |
| 12     | -                       |
| 11     | ADDENDUM No. 4          |
| 10     | ADDENDUM No. 3          |
| 9      | ADDENDUM No. 2          |
| 8      | 100% TENDER             |
| 7      | SITE PLAN AGREEMENT - 2 |
| #      | REVISION                |
|        | DATE                    |

Consultant:

Client:  
 Government of Canada / Gouvernement du Canada

Project:  
**NIAGARA OFFICE  
ADMINISTRATION  
FACILITY**

Location:  
**Niagara-on-the-Lake,  
Ontario**

|                  |                |
|------------------|----------------|
| Project Manager: | PJ             |
| Project Number:  | 1322-003       |
| Tender:          | April 10, 2012 |
| Date:            | June 13, 2012  |
| Scale:           | 1:100mm        |
| Drawn By:        | KH             |
| Checked By:      | -              |

Drawing Title:  
**ROOF DIMENSION &  
REFERENCE PLAN**

Drawing:  
**A2.06**