

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Réception des soumissions - TPSGC / Bid Receiving
- PWGSC
601-1550, Avenue d'Estimauville
Québec
Québec
G1J 0C7

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
TPSGC/PWGSC
601-1550, Avenue d'Estimauville
Québec
Québec
G1J 0C7

Title - Sujet Small hardware and fasteners	
Solicitation No. - N° de l'invitation W0106-11R109/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client W0106-11-R109	Date 2013-04-11
GETS Reference No. - N° de référence de SEAG PW-\$QCN-031-15262	
File No. - N° de dossier QCN-2-35543 (031)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-04-29	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Champoux, Nicolas	Buyer Id - Id de l'acheteur qcn031
Telephone No. - N° de téléphone (418) 649-2821 ()	FAX No. - N° de FAX (418) 648-2209
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: MINISTERE DE LA DEFENSE NATIONALE DIFFÉRENTS ÉDIFICES GARNISON VALCARTIER COURCELETTE Québec G0A4Z0 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée VOIR DOC.	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 003

Included in the present amendment :

- Question/answer sheet following the site visit of March 26, 2013 (Q/A #5. to #19.)
- Question & answer #20 to #23
- Amendments to documents

QUESTION & ANSWER

Question/answer sheet following the site visit of March 26, 2013

5. Q. Are ball bearings required on the cabinet frames?

A. Yes, ball-bearing drawer slides.

See amendment to Appendix 1 of Annex A attached

6. Q. Could you define the types of separators required for the drawers?

A. Upon the award of the contract, the successful Contractor shall visit each of the consumption points to check and record the various drawer configurations to be supplied, i.e., 24 fixed compartments, certain compartments with specific fixed layouts or with adjustable compartments.

See amendment to Appendix 1 of Annex A attached

7. Q. Should the racks for flexible hoses be open or closed?

A. It does not matter, at minimum, the racks must comply with Appendix 1 of Annex A.

8. Q. Would it be possible for DND employees to help in transferring the parts into the cabinets?

A. No, this work is the Contractor's responsibility.

9. Q. Would it be possible to install the storage material on weekends?

A. No, the Contractor shall install the storage material during normal business hours, i.e. Monday to Friday from 8 a.m. to 4 p.m., except on statutory holidays.

See amendment to Annex A below

10. Q. With respect to the 45-day period allowed for installing the storage material, are you referring to working days?

A. Yes, 45 working days.

See amendment to Annex A below

11. Q. Why doesn't DND purchase the storage material that is currently on site?

A. It is not justifiable to make a single-source purchase for this requirement.

12. Q. Who will handle the existing storage material when it is empty?

A. Once emptied, the existing storage material shall be returned to the DND representative on site, who will look after its storage.

See amendment to Annex A below

13. Q. Would it be possible for DND to allocate space to park a tractor-trailer at the garrison for the storage material installation period?
A. Yes, upon 48-hours' notice.
14. Q. Is there a maximum amount for an order?
A. No.
15. Q. Are users required to purchase parts from the Contractor who was awarded the contract?
A. All purchases related to this contract shall be done through the Contractor awarded the contract. Any other purchases shall be done outside of the contract (e.g., the Contractor is unable to supply a required part).
16. Q. Why is the checklist available before the invitation closing date?
A. Canada will have access to the bid prices following the closing date. For transparency, the list will be established by PWGSC before the invitation closing date and time.
17. Q. Will the checklist be sent by email or by mail?
A. By email, if that's ok with the Contractors (no contractors objected).
18. Q. Is there a minimum order amount?
A. Yes, \$50.

See amendment to Annex A below

19. Q. Is there a minimum delivery timeframe that must be respected?
A. No, nothing is specified to date, only a statement (Schedule A, item 2. "Resupply procedures") to the effect that "Whenever an item is still pending delivery 30 days after the order date, the contractor shall inform the client. This part of the order may then be cancelled.
***A CHANGE HAS BEEN MADE TO THIS REQUIREMENT OF ANNEX A "REQUIREMENT".
PLEASE SEE AMENDMENT BELOW***
20. Q. Will suppliers be allowed to include catalogues from other manufactures outside of what is stocked and represented in their distribution catalogue?
A. Yes
21. Q. Will Canada require that back ordered items be shipped but be billed complete avoiding multiple invoices for the same transaction?
A. As mentioned in these documents, the items cannot be placed on back order for more than five (5) days. Therefore, there should only be one (1) invoice per order.
22. Q. Concerning "pneumatic and hydraulic hoses": DND ValCartier currently uses Parker products. Will all bidders be required to supply Parker hose and fittings? (for warranty purpose)
A. It was a mistake. The hoses and conduits required are neither pneumatic nor hydraulic; rather, they are rubber and plastic hoses and conduits, such as fuel lines, brake lines, coolant hoses, etc.

See amendments to "Summary" and to Annex A below

23. Q. Should only new storage components be accepted, how will it be determined that the solutions provided as a result of this contract be new and not refurbished?

A. A DND representative will be designated for ensuring the new state of the storage material provided and its compliance with descriptions submitted.

AMENDMENTS TO DOCUMENTS

1. Ref. Part 1, item 2. "Summary"

DELETE:

"Storage material:

Supply, deliver and install all drawers, racks, dispensers and cabinets needed for storing the items described above. A description of the different storage systems and a complete list including the quantities required for each consumption point are included in Appendix 1 of Schedule A - Storage Material and Consumption Points. The contractor must clearly and precisely identify and label all drawers and cabinets for the client in order to facilitate resupply.

All storage material mentioned above will be supplied on a lease-to-purchase basis and will become DND property at the end of this contract. All storage material must be new and comply with the descriptions provided in Appendix 1 of Annex A.

Parts:

Supply and deliver, as and when needed, fasteners and various supplies of all types and sizes, such as bolts, screws, nuts, rods, key stock, washers, rivets, pins, retaining rings, hooks, clamping rings, connectors, terminals, caps, staples, O rings, various fastening devices, electrical wire, pneumatic and hydraulic hoses, various vehicle hardware, etc. (partial list).

Delivery and unloading service, as well as taking inventory, must be provided by the contractor and included in the price of the parts to ensure that consumption points are constantly maintained."

INSERT:

"Storage material:

Supply, deliver and install all drawers, racks, dispensers and cabinets needed for storing the items described **below**. A description of the different storage systems and a complete list including the quantities required for each consumption point are included in Appendix 1 of Schedule A - Storage Material and Consumption Points. The contractor must clearly and precisely identify and label all drawers and cabinets for the client in order to facilitate resupply.

All storage material mentioned above will be supplied on a lease-to-purchase basis and will become DND property at the end of this contract. All storage material must be new and comply with the descriptions provided in Appendix 1 of Annex A.

Parts:

Supply and deliver, as and when needed, fasteners and various supplies of all types and sizes, such as bolts, screws, nuts, rods, key stock, washers, rivets, pins, retaining rings, hooks, clamping rings, connectors, terminals, caps, staples, O rings, various fastening devices, electrical wire, **rubber and plastic hoses and conduits (fuel lines, brake lines, coolant hoses, etc.)**, various vehicle hardware, etc. (partial list). Delivery and unloading service, as well as taking inventory, must be provided by the contractor and included in the price of the parts to ensure that consumption points are constantly maintained."

2. Ref. Part 3, item 1.2.2. "Storage Material"

DELETE:

"The Bidder must be able to provide all the required storage material (see Appendix "1" of Annex "A"). A price must be indicated for each item listed at item 2 of Annex "B" - Basis of Payment."

INSERT:

"The Bidder must be able to provide all the required storage material (see Appendix "1" of Annex "A"). A price must be indicated for each item listed at item 1 of Annex "B" - Basis of Payment."

3. Ref. Annexes A and B, "Requirement" and "Basis of Payment"

DELETE:

Annexes A and B, "Requirement" and "Basis of Payment"

INSERT:

ANNEX A

REQUIREMENT

1. Requirement

Supply and deliver to the Department of National Defence, Valcartier Garrison, different fasteners and various supplies, along with the storage material.

Storage material:

Supply, deliver and install all the storage material needed for storing the items described above. A description of the storage material and a complete list including the quantities required for each consumption point are included in Appendix 1 of Annex A - Storage Material and Consumption Points. The Contractor must reclassify all inventory already in possession of the Department. All storage material will become DND property at the end of the contract. The contractor must clearly and precisely label all drawers and cabinets for the client to allow each type of part to be identified and to facilitate resupply. Labels must include at least a description of the item. **Once emptied, the existing storage material shall be returned to the DND representative on site, who will look after its storage.**

The contractor will have a period of 45 working days to complete the transition with the existing equipment. The Contractor shall install the storage material during normal business hours, i.e. Monday to Friday from 8 a.m. to 4 p.m., except on statutory holidays.

Parts:

Supply and deliver, as and when needed, fasteners and various supplies of all types and sizes, such as bolts, screws, nuts, rods, key stock, washers, rivets, pins, retaining rings, hooks, clamping rings, connectors, terminals, caps, clips, O rings, various fastening devices, electrical wire, **rubber and plastic hoses and conduits (fuel lines, brake lines, coolant hoses, etc.)**, various vehicle hardware, etc. (partial list).

2. Resupply procedures

Resupply can be done two ways: either by the contractor's representative during a regular visit, or through an order from the client. Upon checking the material available on the shelves, the contractor's representative can suggest the amounts the client should order to maintain the inventory at an optimal level. However, the contractor's representative may not order or deliver material without first obtaining an order number and authorization from the client. When requested by the client, the contractor's representative shall also provide an estimate of the total value before obtaining delivery authorization.

Every order must be for a minimum of 50\$.

The contractor must submit a consumption report to the client every six (6) months in order to establish future needs and expenditures and also be able to eliminate material that is not used.

The contractor's representative must make regular visits two (2) to three (3) times a week or following a schedule agreed upon with the client, in order to collect orders, deliver material, and, if requested by the client, put the merchandise in the cabinets. Delivery and placement in the cabinets must always occur in the presence of a DND representative and occur during normal working hours, which are from 8 a.m. to 3 p.m., Monday to Friday, or at a time agreed upon by the client and the supplier's representative. If the contractor's representative cannot come for a period exceeding five (5) working days, the contractor must inform the client and, if necessary, assign another representative.

The Contractor shall be capable of delivering parts orders within a maximum timeframe of five (5) working days following an authorized call-up. Whenever an item is still pending delivery after this timeframe, the Contractor shall inform the client. This part of the order could thus be cancelled.

The contractor must provide an emergency service, at no additional cost, to ensure that a period of no more than 24 hours elapses between an order from the client and the physical receipt of urgent material at the consumption point.

3. Quality of parts

The contractor must guarantee and certify the quality of all the fasteners so as to eliminate any counterfeits or products that do not meet industry SAE standards.

The contractor must ensure that the manufacturer's logo appears on the head of every bolt supplied.

When requested, the contractor must be able to provide the client with a document describing the contractor's quality standards and quality control methods for the products sold.

Solicitation No. - N° de l'invitation

W0106-11R109/A

Client Ref. No. - N° de réf. du client

W0106-11-R109

Amd. No. - N° de la modif.

003

File No. - N° du dossier

QCN-2-35543

Buyer ID - Id de l'acheteur

qcn031

CCC No./N° CCC - FMS No/ N° VME

ANNEX B**BASIS OF PAYMENT****1. STORAGE MATERIAL - FIRM PORTION**

Firm monthly rate for the lease of a unit, in conformance with the description and quantities in Appendix 1 of Annex A - Storage Material and Consumption Points. The price includes delivery and installation.

No	Description	Firm Rate
1	Rack for hose clamps	_____ \$/month, for one rack
2	Rack for wire and hoses	_____ \$/month, for one rack
3	Rack for hoses and wire (minimum 4 rungs)	_____ \$/month, for one rack
4	Rack for rods	_____ \$/month, for one rack
5	Case for drill bits	_____ \$/month, for one case
6	¹ Base for rack with 12, 18, 32, 40, 72 comp.	_____ \$/month, for a set to support one (1) rack
7	Rack with 72 to 80 compartments	_____ \$/month, for one rack
8	Rack with 40 compartments	_____ \$/month, for one rack
9	Rack with 32 compartments	_____ \$/month, for one rack
10	Rack with 18 compartments	_____ \$/month, for one rack
11	Rack with 12 compartments	_____ \$/month, for one rack
12	Rack with 8 compartments	_____ \$/month, for one rack
13	Rack for brake lines	_____ \$/month, for one rack
14	Cabinet for flammable products	_____ \$/month, for one cabinet

No	Description	Firm Rate
15	² Door for cabinet for flammable products	_____ \$/month, for one door
16	Storage drawer (Including frame)	_____ \$/month, for one drawer
17	³ Cabinet for storage drawers (frame)	***Included in price of item 16***
18	All-purpose cabinet with door	_____ \$/month, for one cabinet
19	Open shelf assembly with 3 compartments	_____ \$/month, for one shelf assembly

¹The rack base is not required if the rack already has an integrated base

²The door is not required if the cabinet already has a door.

³**The contractor must provide sufficient number of frames to fit all the drawers (item 16), per consumption point. The price of the frames (item 17) must be included in the price of the drawers (item 16)**

2. PARTS- ON-DEMAND PORTION

Applicable prices

The following discounts apply to the firm prices indicated in the parts catalogue(s) or price list(s) submitted by the contractor before the invitation closing date and time. All parts listed in the catalogue(s) submitted by the contractor are considered to be available as part of this contract. Any catalogues submitted by the contractor before the bid solicitation closing date and time will serve as a reference for establishing prices and are part of this document. The applicable price will be the price in effect at the time of the order.

YEAR		Applicable discount or mark-up
1	2013-2014 (from June 1, 2013 to May 31, 2014)	Firm unit prices indicated in the catalogue(s) or price list: Less a discount of: _____% Or Plus a mark-up of: _____%
2	2014-2015 (from June 1, 2014 to May 31, 2015)	Firm unit prices indicated in the catalogue(s) or price list: Less a discount of: _____% or Plus a mark-up of: _____%
3	2015-2016 (from June 1, 2015 to May 31, 2016)	Firm unit prices indicated in the catalogue(s) or price list: Less a discount of: _____% or Plus a mark-up of: _____%
4	2016-2017 (from June 1, 2016 to May 31, 2017)	Firm unit prices indicated in the catalogue(s) or price list: Less a discount of: _____% or Plus a mark-up of: _____%

Delivery service

Delivery and unloading service, as well as taking inventory, must be provided by the contractor and included in the price of the parts to ensure that consumption points are constantly maintained.

Items in minimum quantity packages

Items sold in a standard package or minimum quantity package and exceeding the quantities requested will be accepted by the client up to an amount of \$20.00 per package. Beyond this amount, the client can ask that the package be split.

Return of material

All returns of material to the contractor must occur after agreement between the contractor and designated user. The following information must be provided to obtain a return authorization: description of the material, reason for return and quantity.

Material must be returned in the original packaging if possible, or else in packaging bearing the product number and quantity returned.

Material to be returned may be given to the contractor's representative during the representative's visit. It may also be returned by prepaid shipping, except in the case of contractor error, namely for deliveries that do not comply with the procedures set out in the preceding paragraphs or in cases where the quantity and/or description of the items requested do not match the material delivered.

Returns will not be authorized in the following cases:

1. Items manufactured or modified especially for the client.
2. Items manufactured or purchased in large quantities specifically to meet a particular request from the client.
3. Outdated items that are no longer listed in the contractor's current catalogue.
4. Items that have been modified or used.

The contractor must take back and credit the full or partial value of any surplus or dormant material that the contractor sold to the client, including in the case of changes in technology or to part of the vehicle fleet, in order to reallocate this credit to the acquisition of useful, necessary supplies. Credits will be applied as follows:

1. 100% of the purchase price for material delivered within the previous two months or less.
2. 80% of the purchase price for material delivered more than two months previously, but less than six months previously.
3. 50% of the purchase price for material delivered more than six months previously, but less than one year previously.

Credits will be applied to subsequent orders under this contract.

4. Ref. Appendix 1 of Annex A

DELETE:

Appendix 1 of Annex A in your possession.

INSERT:

Appendix 1 of Annex A attached.

Solicitation No. - N° de l'invitation

W0106-11R109/A

Client Ref. No. - N° de réf. du client

W0106-11-R109

Amd. No. - N° de la modif.

003

File No. - N° du dossier

QCN-2-35543

Buyer ID - Id de l'acheteur

qcn031

CCC No./N° CCC - FMS No/ N° VME

5. Ref. Images, Storage Material

DELETE:

Document "Images, Storage Material" in your possession.

INSERT:

Document "Images, Storage Material" attached.

ALL OTHERS TERMS AND CONDITIONS OF THE REQUEST FOR PROPOSAL (RFP) REMAIN UNCHANGED.

**Nicolas Champoux
Supply Officer
Public Works and Government Services Canada
Acquisitions Branch
1550, D'Estimauville
Québec (Québec)
G1J 0C7**

**Telephone: (418) 649-2821
Facsimile: (418) 648-2209
E-mail address: nicolas.champoux@pwgsc-tpsgc.gc.ca**

Appendix 1 of Annex A

STORAGE MATERIAL AND CONSUMPTION POINTS

1. Contacts per consumption point

*** Contacts will be insert at contract award***

UNIT	Building	Supervisor	Ext.	Counter	Ext.
12 RBC	363				
EFCC	7				
5 AMB	103				
5 Svc Bn/ Transport Coy	110				
5 RALC	311				
QGET	312				
2R22R	313				
1R22R	314				
5 CER	323				
3R22R	366				
5 Svc Bn/ Service Coy	367				
430 Tac Hel Sqn	621				
5 Svc Bn/ Maint Coy	324				
LFQATC	CSEM-3				
St-Malo	Quebec City				
R&G	6				
5 MPU	276				
Purchasing	188				

Orders for material may also be placed by other Valcartier Garrison clients who do not have the storage material, and also by the St-Malo Armoury. No additional fees may be charged for these orders.

St-Malo Armoury
1020 Vincent-Massé
Quebec City, QC G1N 1M8

2. Description of storage material

Note: The sizes are given in inches (1 inch = 25.4 millimetres). The « " » symbol is used to lighten the text.

2.1 Rack for hose clamps

Made of painted heavy-duty steel rods.

Sizes:

- Between 20" and 24" in length
- Between 16" and 19" in height
- Between 5" and 7" in depth

Two different models to hold 5 or 10 different hose clamp sizes. The quantity required for each model, per supply point, is determined as follows:

Total quantity required for the supply point	Type of model to supply
1	One (1) model for 10 sizes
2	One (1) model for 10 sizes and one (1) model for 5 sizes
3	Two (2) models for 10 sizes and one (1) model for 5 sizes
4	Two (2) models for 10 sizes and two (2) models for 5 sizes

2.2 Rack and dispenser for hoses and wire

Made of painted heavy-duty steel. With a steel rod for inserting hose and/or wire reels. Can hold from 7 to 10 different sizes of hoses and/or wire.

Sizes

- Between 21" and 25" in length
- Between 11" and 14" in height
- Between 7" and 10" in depth

2.3 Rack and dispenser for hoses and wire (minimum 4 rungs)

Made of painted heavy-duty steel. With minimum 4 steel rods for inserting hose and/or wire reels. Can hold reels for different sizes of hoses and/or wire. Can be set on the floor or mounted on the wall.

Sizes

- Between 26" and 30" in width
- Between 36" and 44" in height
- Between 6" and 10" in depth

2.4 Rack for rods or key stock

Made of painted heavy-duty steel. Can hold between 10 and 12 rod sizes or different sizes of key stock up to 12" in length.

Sizes

- Between 12" and 16" in length
- Between 8" and 11" in height
- Between 4½" and 7" in depth

2.5 Case for drill bits

Case with 3 drawers made of painted heavy-duty steel. Can hold drill bits ranging from 1/16" to ½" in fractions by 64ths.

Sizes

- Between 14" and 18" in length
- Between 7" and 10" in height
- Between 7½" and 10" in depth

2.6 Base for rack with compartments*

Universal base for a rack with compartments. Made of painted steel. Can support racks with 12 to 72 compartments. Supplied as a pair or a complete unit to keep the rack at least 4" off the floor.

* Not required if the rack already has an integrated base (min. 4" off the floor)

2.7 Rack with 72 to 80 compartments (or two racks for a total of 72 to 80 compartments - optional)

Painted, welded steel rack with 72 to 80 compartments.

Compartment sizes

- Between 3" and 5" in height
- Between 4" and 5" in width
- Between 11" and 14" in depth

2.8 Rack with 40 compartments

Painted, welded steel rack with 40 compartments.

Compartment sizes

- Between 3" and 5" in height
- Between 4" and 5" in width
- Between 11" and 14" in depth

2.9 Rack with 32 compartments

Painted, welded steel rack with 32 compartments.

Compartment sizes

- Between 4" and 5" in height
- Between 4" and 5" in width
- Between 11" and 14" in depth

2.10 Rack with 18 compartments

Painted, welded steel rack with 18 compartments.

Compartment sizes

- Between 5" and 7" in height
- Between 5" and 7" in width
- Between 11" and 14" in depth

2.11 Rack with 12 compartments

Painted, welded steel rack with 12 compartments.

Compartment sizes

- Between 5" and 8" in height
- Between 6" and 9" in width
- Between 11" and 14" in depth

2.12 Rack with 8 compartments

Painted, welded steel rack with 8 compartments.

Compartment sizes

- Between 8" and 10" in height
- Between 8" and 10" in width
- Between 11" and 14" in depth

2.13 Rack for brake lines

Painted steel rack. Can hold up to 28 to 36 brake lines in sizes of 3/16", 1/4", 5/16" and 3/8".

Sizes

- Between 18" and 22" in length
- Between 8" and 12" in height
- Between 6" and 8" in depth

2.14 Cabinet for flammable products

Open painted steel cabinet. One adjustable shelf. For storing aerosol cans. Can be fitted with a door for closing in front.

Sizes

- Between 35" and 39" in width
- Between 20" and 24" in height
- Between 9" and 15" in depth

2.15 Door for cabinet for flammable products*

Painted steel door. Sizes to fit the cabinet for flammable products in item 14.

* Not required if already included in item 2.14

2.16 Storage drawer

Painted steel drawer with compartments (24 fixed compartments or other fixed configurations or adjustable dividers). Inner plastic or steel dividers. The drawers must be able to be inserted in the cabinet frames in items 17.

Sizes

- Between 18" and 20" in length
- Between 12" and 14" in width
- Between 3" and 4" in depth

Sizes must fit the cabinet frames in items 17.

Note: Upon the award of the contract, the Contractor shall visit each of the consumption points to check and record the various drawer configurations to be supplied, i.e., 24 fixed compartments, certain compartments with specific fixed layouts or with adjustable compartments.

2.17 Cabinet frame for drawers

Painted steel cabinet frame with ball bearing slides. Can hold stacked drawers as described in item 16. Frame sizes to fit the drawer sizes in item 16.

2.18 All-purpose cabinet with door

Painted steel cabinet. Two full-length shelves (3 compartments). Full-length steel door.

Sizes

- Between 20" and 27" in width
- Between 30" and 36" in height
- Between 12" and 15" in depth

2.19 Open shelf assembly with 3 compartments

Painted steel shelf assembly. Three (3) compartments of equal size welded to the frame. Each compartment can hold up to 40 pounds of material. For storing hoses, abrasives, workshop supplies or any other items requiring an open area.

Sizes

- Between 14" and 24" in length
- Between 14" and 22" in width
- Between 16" and 20" in depth


Open front and closed back.

The table below lists the type of storage units required per consumption point


Number depending on the proposed model

Images of the storage material required are for information purposes only.
The items being proposed may vary from those illustrated; however, they must comply with the descriptions contained in Appendix 1 of Schedule A.

1



2



3



4



5




6


Non disponible

Not available


7




8




9




10



11




12




13



14





15



16



17



18



19

