

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 421
Saint John
New Brunswick
E2L 2B9

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works Government Services Canada- Bid
Receiving / Réception des soumissions
189 Prince William Street
Room 421
Saint John
New Bruns
E2L 2B9

Title - Sujet 50 Bed Living Unit, Westmorland Ins	
Solicitation No. - N° de l'invitation EC016-130878/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client R.043929.001	Date 2012-08-21
GETS Reference No. - N° de référence de SEAG PW-\$PWB-020-3101	
File No. - N° de dossier PWB-2-35024 (020)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-09-13	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Donovan, Janine PWB	Buyer Id - Id de l'acheteur pwb020
Telephone No. - N° de téléphone (506) 636-5347 ()	FAX No. - N° de FAX (506) 636-4376
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Cette modification de l'invitation numéro 3 est soumise et comprend la modification numéro 3 suivante.

La modification qui suit apportée aux documents de soumission entre en vigueur dès maintenant. L'addenda fera partie des documents de contrat.

Toutes autres conditions ne changent pas.

Modification numéro 3

Specification

.1 Reference Specification Section 01 50 00 Temporary Facilities:

- 1 Amend Section 1.4.2, Contractors Site Office to read:
".2 Provide office / cabin of sufficient size to accommodate 3-4 people, equipped with one desk and 4 chairs. Provide heat and light to enable the Institutions Commissionaires to monitor movement of site personnel and equipment onto and off the site. Office can be either separate from or co-located with the General Contractors site office. Location to be agreed with Departmental Representative."

.2 Reference Specification Section 04 21 13 Brick Masonry:

- 1 Amend Section 2.1.3, Acceptable Materials to read:
*".3 Acceptable Materials:
 .1 Shaw Brick, Model: Tapestry Blend for field brick & soldier course. (Colour and texture of sample to be confirmed by Departmental Representative)"*

.3 Reference Specification Section 07 46 13 Preformed Metal Cladding / Siding Panels:

- 1 Amend Section 2.1.1.3, Thickness (Metal Cladding and Components) to read:
".3 Thickness: .76mm base metal thickness minimum."
- 2 Amend Section 2.2.3, Thickness (Metal Fascia and Soffit) to read:
".3 Thickness: .76mm base metal thickness minimum."

.4 Reference Specification Section 07 61 00, Sheet Metal Roofing System:

- 1 Amend Section 2.2.1.1, Thickness to read:
".1 Thickness: 0.76mm. "
- 2 Amend Section 2.2.1.3, Panel Width to read:
".3 Panel Width: 400mm"

.5 Reference Specification Section 07 61 00, Sheet Metal Roofing System:

- .1 Delete Section 2.4, Ice Shield & Roof Underlayment entirely and replace text as follows:

"2.4 Ice Shield & Roofing underlayment

- .1 SBS modified bitumen self-adhesive membrane, intended to be used as a roofing underlayment, suitable for service temperatures of -45 to 115C.
 .1 Thickness - 1.0 mm (40 mil)
 .2 Dimension - 22.9 x 0.91 m (75 ft x 36 in)
 .3 Roll weight - 20 kg (44 lb)
 .4 Top face - ..Split-back.. Tri-Laminate Woven Polyethylene*

- .5 Underface - Silicone release ! Im
- .6 Breaking Strength, MD/XD ASTM D1970 11.3 / 15.4 kN/m (64 / 88 lb/in)
- .7 Elongation at Break, MD/XD ASTM D1970 52 / 24 %
- .8 Tear Resistance ASTM D1970 375 / 400 N (84 / 90 lb)
- .9 Static Puncture ASTM D5602 400 N (90 lbf)
- .10 Adhesion to Plywood, 4.5 C ASTM D1970 175 N/m (12 lbf/ft)
- .11 Adhesion to Plywood, 24 C ASTM D1970 575 N/m (39.4 lbf/ft)
- .12 Low Temperature Flexibility ASTM D1970 Pass at -30 C (-22 F)
- .13 Water Vapour Permeance ASTM E96 1.25 ng / Pa.s.m2 (0.022 perm)
- .14 Nail Sealability ASTM D1970 Pass
- .2 Acceptable Materials:
 - .1 Soprema Inc., Model :Lastobond Shield HT
 - .2 Henry Company, Model: Blueskin PE200HT
 - .3 W. R. Grace & Company, Model Grace Ice & Water Shield HT

.6 Reference Specification Section 07 61 00, Sheet Metal Roofing System:

- .1 Amend Section 2.8.1.8, Acceptable Materials to read:
 - .8 Acceptable Materials:
 - .1 Roofers World Inc., Model Snostop LGB-4T, penetrating fixing type.
 - .2 Alpine Snow Guards, Model #117 Pipe-Style Snow Guard for Metal Roof"

.7 Reference Specification Section 07 62 00, Metal Flashing and Trim:

- .1 Amend Section 2.1.1.3, Thickness to read:
 - .3 Thickness: 0.76mm"

.8 Reference Specification Section 08 61 10 Solid Vinyl Frame Windows:

- .1 Amend Section 2.1.3, Description of Unit to read:
 - .3 Frame: extruded PVC, nominal perimeter frame depth of 73mm. Frame components to be steel reinforced. White Colour."

Drawings

.9 Reference Drawing A-306:

- .1 Detail 1/306 revised to show sheet metal backing for Snow Rail support in accordance with attached sketch ASK-01.

