


Location		Door				Fire Rating			Frame			Wall	Remarks	
Door No.	Location	Size (mm)	Type	Mat'l	Finish	Glass	Type	Mat'l	Finish	Glass	Condition	Specialty Hardware	Notes	
Building Service Areas														
0000	Pedestrian Gate	950 x 2150	-	AL	PT1	-	-	-	-	-	7/A1.03	DO, CL, AS	Note #8	
0101	Exit Stair to Outdoors	950 x 2150	A	IHM	PT1	-	45 MIN	A	IHM	PT1	-	6/A6.17	CL, THT	
0102A	Corridor to Exit Stairs	950 x 2150	C	HM	PT1	GW	45 MIN	A	HM	PT1	-	A	CL	
0102B	Corridor to Exit Stairs	950 x 2150	C	HM	WV	GW	45 MIN	A	HM	WD	-	A	CL	
0102C	Exit Stair to Outdoors	950 x 2150	A	IHM	PT1	-	45 MIN	A	IHM	PT1	-	7/A6.17	KT, CL, THT	
0103	Corridor to Corridor	2 x 950 x 2150	B	HM	PT7	-	-	A	HM	PT7	-	A	KT	Note #5
0104	Corridor to Janitor	950 x 2150	B	HM	PT7	-	45 MIN	A	HM	PT7	-	A	KT, CL	
0105	Corridor to Office	950 x 2150	A	HM	PT3	GL	-	A	HM	PT3	-	A	KT	
0106	Meters to Shipping	950 x 2150	A	HM	PT1	-	-	A	HM	PT1	-	A	KT	
0107A	Corridor to Shipping	2 x 950 x 2150	B	HM	PT1	-	-	A	HM	PT1	-	A	KT	Note #5
0107B	Shipping to Outdoors	2 x 950 x 2150	A	IHM	PT1	-	-	A	IHM	PT1	-	6/A6.17	KT, THT	Note #5
0107C	Shipping to Storage Cage	2 x 950 x 2150	F	WM	PT1	-	-	-	-	PT1	-	-	-	Note #2
0107D	Shipping to Storage Cage	2 x 950 x 2150	F	WM	PT1	-	-	-	-	PT1	-	-	-	Note #2
0107E	Garbage Enclosure to Outdoors	2 x 1210 x 2400	F	WM	PT1	-	-	-	-	PT1	-	12/A1.02	-	
0108A	Corridor to Electrical Room	950 x 2150	B	HM	PT1	-	45 MIN	A	HM	PT1	-	A	KT	
0108B	Electrical to Outdoors	2 x 600 x 2150	A	IHM	PT1	-	-	A	IHM	PT1	-	6 & 7/A6.17	THT	Note #5
0109	Corridor to Mail Room	950 x 2150	B	WSC	ST	-	-	A	HM	PT1	-	A	KT	
0110A	Elevator to Corridor	915 x 2134	-	S/S	-	-	-	A	S/S	-	-	-	-	Note #3
0110B	Elevator to Corridor	915 x 2134	-	S/S	-	-	-	A	S/S	-	-	-	-	Note #3
0110C	Elevator Cabinet to Exterior	915 X 2134	A	WSC	WV	-	-	A	WD	WD	-	5/A8.14	-	
0111A	Corridor to Exit Stairs	950 x 2150	C	HM	PT1	GW	45 MIN	A	HM	PT1	-	A	CL	
0111B	Patio to Exit Stairs	950 x 2150	A	IHM	PT1	-	45 MIN	A	IHM	PT1	-	7/A6.17	KT, TGL, SF	
0112A	Corridor to Corridor	950 x 2150	B	HM	PT7	-	-	A	HM	PT7	-	A	KT, CL	
0112B	Corridor to Exit Stairs	950 x 2150	C	HM	PT1	GW	-	A	HM	PT1	-	A	KT, CL	
0113	Janitor to Corridor	950 x 2150	B	HM	PT1	-	45 MIN	A	HM	PT1	-	A	KT, CL	
0114	Equipment Room to Corridor	950 x 2150	A	HM	PT1	-	-	A	HM	PT1	-	A	KT, THA	
0115	Telephone Room to Corridor	950 x 2150	A	HM	PT1	-	-	A	HM	PT1	-	A	KT	
0116	Corridor to Mechanical Room	2 x 950x 2150	B	HM	PT1	-	45 MIN	A	HM	PT1	-	A	KT	
0117A	Corridor to Mechanical Room	950 x 2150	B	HM	WV	-	45 MIN	A	HM	WD	-	A	KT	
0117B	Roof Hatch	762 x 915	B	HM	PT1	-	45 MIN	A	HM	PT1	-	A	KT	
0118	Corridor to Exit Stairs	950 x 2150	C	HM	WV	GW	45 MIN	A	HM	WD	-	A	KT, CL	
0119A	Corridor to Work Area	950 x 2150	B	WSC	WV	-	B	HM	WD	GL	A	KT, CL, SW		
0119B	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0119C	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0119D	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0119E	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0119F	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0119G	Work Area to Storage Cage	762 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120A	Equipment Room to Work Area	950 x 2150	B	HM	PT1	-	-	A	HM	PT1	-	A	KT, CL, SW	
0120B	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120C	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120D	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120E	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120F	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0120G	Equipment Room to Storage Cage	915 x 2134	F	WM	PT1	-	-	-	PT1	-	-	-	-	Note #2
0121	Equipment Room to Equipment Room	950 x 2150	B	HM	PT1	-	-	-	PT1	-	-	-	CL, SW	
0122	Roof to Service Stair	762 x 2438	A	IHM	PT1	-	45 MIN	A	IHM	PT1	-	A	-	Note #6
User 1000 Suite														
1001	Entry to Lobby	950 x 2150	B	HM	WV	-	-	A	HM	WD	-	5/A0.05	KT, CL, SW, THA	STC 46, Note #7, 9
1003	Work Area to Closet	2 x 950 x 2150	A	HM	PT6	-	-	A	HM	PT6	-	A	CL, SW, THA	STC 46, Note #7, 9
1005	Work Area to Lobby	950 x 2150	A	HM	WV	-	-	A	HM	WD	-	A	CL, SW, THA	STC 46, Note #7, 9
1101	Corridor to Business Center	950 x 2150	B	HM	PT6	-	-	A	HM	PT6	-	6/A0.05	-	
1102	Corridor to Meeting Room	950 x 2150	B	HM	PT6	-	-	A	HM	PT6	-	A	CL, SW, THA	STC 46, Note #7, 9
1103	Corridor to Quiet Room	950 x 2150	B	HM	PT3	-	-	A	HM	PT3	-	A	THA	STC 38, Note #7
1104	Corridor to Business Center	950 x 2150	B	HM	PT3	-	-	A	HM	PT3	-	A	CL, SW, THA	STC 46, Note #7
1105	Corridor to Office	950 x 2150	B	HM	PT3	-	-	A	HM	PT3	GL	A	THA	STC 38, Note #7
1106	Corridor to Work Room	950 x 2150	B	HM	PT6	-	-	A	HM	PT6	-	-	AS, CL, SW, THA	STC 54, Note #7
1107	Work Area to Office	950 x 2150	B	HM	PT6	-	-	C	HM	PT6	GL	A	THA	STC 38, Note #7

REBANKS Pepper Littlewood Architects Inc. 402 -1491 Yonge Street, Toronto, Ontario, M4T 1Z4 Tel (416)964-7163 Fax (416)964-5817 mail@rebanks.ca		Project:		Scale:		Project No.:	
		NIAGARA OFFICE ADMINISTRATION FACILITY		Drawn By: KH		Addendum No.: ADD-03	
Client:		Drawing Title:		Date:		Drawing No.:	
 Government of Canada / Gouvernement du Canada		DOOR SCHEDULE - FRAME REVISION DOORS #1103 & #1104		JUNE 7, 2012		<div>ASK-06</div>	
Location:				Reference Drawing:			
NIAGARA-ON-THE-LAKE, ON				1/A0.04			