

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
PO Box 1408, Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3C 2Z1
Bid Fax: (204) 983-0338

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
PO Box 1408, Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3C 2Z1

Title - Sujet Bleachers	
Solicitation No. - N° de l'invitation W0118-130004/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client W0118-130004	Date 2012-07-25
GETS Reference No. - N° de référence de SEAG PW-\$WPG-016-8101	
File No. - N° de dossier WPG-2-35048 (016)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-08-07	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Hall, Marlene	Buyer Id - Id de l'acheteur wpg016
Telephone No. - N° de téléphone (204) 984-6423 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This Amendment #003 is raised to modify Solicitation #W0118-130004/A as follows:

1. Refer to Annex A - Requirement, page 10 of 25 and:

DELETE: Annex A - in it's entirety including the pictures of examples

INSERT:

**ANNEX "A"
REQUIREMENT**

The Department of National Defence (DND) has a requirement for the supply, delivery, assembly and installation of a 10 Row Outdoor Bleacher Unit at the Canadian Forces Base Shilo in Shilo, Manitoba in accordance with the mandatory specifications and the terms and conditions detailed herein.

Delivery, FOB Destination, to:

**Department of National Defence
Base Operations - King OP
Canadian Forces Base Shilo
Shilo, MB. CANADA
ATTN: Captain Sloat, Range Control Officer
Telephone: 204 765-3000 ext 3232**

Please contact Captain Sloat prior to delivery for instructions (204 765-3000 ext 3232)

While delivery and installation is requested by 04 September 2012, the best delivery that could be offered is _____.

Bidders proposal must demonstrate offered bleachers meet the mandatory specifications as detailed herein:

Mandatory Specifications

1. 10 row bleacher unit with seating capacity 300 persons (average weight per individual 180 lbs);
2. Bleacher unit must not exceed 10 tiers;
3. Seat planks and floorboards **MUST** be aluminum.
4. Unit must be rugged design, construction, and finish to withstand Manitoba Canada weather conditions (high winds and heavy snow);
5. Unit must be permanently installed on an existing compacted gravel pad (parking lot) located on a small hill in an open field and must be able to withstand high winds in excess of 60km/hr.
6. Installation must be performed by qualified technicians;
7. All walking surfaces must have anti-slip surfaces or textured surfaces as part of the material;
8. Units must have side and top guard railing systems;
9. All stairs, ramps, access aisles will have hand railings;
10. Must have 1 access aisle with centred railing;
11. Manufacture must be Certified Canadian Welding Bureau CSA W59.
12. Meet CAN/CSA S16.1-94 requirements;
13. Unit must meet NBC requirements;
14. Must not be made of wood.

Solicitation No. - N° de l'invitation

W0118-130004/A

Amd. No. - N° de la modif.

003

Buyer ID - Id de l'acheteur

wpg016

Client Ref. No. - N° de réf. du client

W0118-130004

File No. - N° du dossier

WPG-2-35048

CCC No./N° CCC - FMS No/ N° VME

Bids must include shop drawings and engineer specifications. Submission of shop drawings and engineer specifications must clearly demonstrates to the satisfaction of the evaluation team that the goods and installation offered meet the Mandatory Specifications.

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.