

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./ 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Clothing and Textiles Division / Division des vêtements
et des textiles
11 Laurier St./ 11, rue Laurier
6B1, Place du Portage
Gatineau, Québec K1A 0S5

Title - Sujet HOT WEATHER SAFETY BOOTS	
Solicitation No. - N° de l'invitation W8476-123712/A	Amendment No. - N° modif. 011
Client Reference No. - N° de référence du client W8476-123712	Date 2013-03-25
GETS Reference No. - N° de référence de SEAG PW-\$\$PR-707-61565	
File No. - N° de dossier pr707.W8476-123712	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-04-02	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Elder, Sylvie	Buyer Id - Id de l'acheteur pr707
Telephone No. - N° de téléphone (819) 956-3830 ()	FAX No. - N° de FAX (819) 956-3830
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See Request for Proposal Voir Demande de Proposition	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This amendment is raised to clarify test results at Annex C, Table II, Production and add wicking test at pre-trial.

At the production stage (Annex C, Table II), DND needs test results from boots considered "first-off" production and boots manufactured halfway into production.

To clarify, Annex C (Production), Table II states that test results must be submitted to DND for Weight, CSA Z-195 Protective Toe Cap, Puncture Resistant Sole, and Electric Shock Resistance, and Bond Strength completed on boots considered "first-off" production. As stated in Table II, tests must be submitted to DND for Weight and Bond Strength at a point halfway through production. If there are no changes in equipment, process or components, the requirement to submit testing to DND is complete for the production stage.

If there are changes in equipment, process or components, test results (as outlined in Annex C, Table II) for the Weight and, in the case of components used in attaching the soles, the Bond Strength must be submitted.

Changes in components also need to be supported with technical data and submitted through the DND QAR via a Design Change, Deviation, and Waiver Procedure (in accordance with D-02-006-008/SG-001).

For those boots with changes in supplier of the component(s) or change(s) in colour of the component before or throughout production, test requirements outlined in Annex C, Table III must be submitted for the appropriate component to support DND approval of the change. Depending on the component, the requirement to submit certain tests (as listed in Table III) will be identified by DND to ensure that the boot being manufactured does not vary in performance from the boots that was trialed and DND approved. Upon approval of the changes, test requirements outlined at Annex C, Table II will continue at the frequencies identified.

To confirm, if boots do not have changes in supplier of the component(s) or changes in colour of component(s) before or throughout production, Annex C, Table III will not apply.

Re: Vertical Wicking Test: As stated in Annex H (Pre-Award), Table III, test results are not a requirement. As per Annex C, Table III (Changes in Supplier or Colour), test results for Vertical Wicking are a mandatory requirement at the Production Stage only if there are changes in supplier or in colour, in this specific case, of the material next-to-foot or the footbed.

DND would like to add the requirement for test results to the Vertical Wicking test to be submitted at the Pre-Trial Stage. This decision affects the following:

- Annex J (Pre-Trial Technical Evaluation Requirements), Table II: Add the following to the table:

Solicitation No. - N° de l'invitation

W8476-123712/A

Client Ref. No. - N° de réf. du client

W8476-123712

Amd. No. - N° de la modif.

011

File No. - N° du dossier

pr707W8476-123712

Buyer ID - Id de l'acheteur

pr707

CCC No./N° CCC - FMS No/ N° VME

Material	Reference in Annex B	Requirement and Reference	Testing Requirements
			Trial Stage
Material next-to-foot and the footbed	Paragraph 2.8	Vertical Wicking Test (Annex B, Paragraph 11.4)	Three (3) samples must be tested. Report the distance the water travels as a function of the time for both the length wise and crosswise direction. Test results done by accredited independent laboratory.

All other Terms and Conditions remain the same.