

**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des  
soumissions - TPSGC**  
**11 Laurier St./ 11 rue, Laurier**  
**Place du Portage, Phase III**  
**Core 0A1 / Noyau 0A1**  
**Gatineau, Québec K1A 0S5**  
**Bid Fax: (819) 997-9776**

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

<b>Title - Sujet</b> LABORATORY FRAGMENTER	
<b>Solicitation No. - N° de l'invitation</b> 23240-130266/A	<b>Date</b> 2012-11-05
<b>Client Reference No. - N° de référence du client</b> 23240-130266	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$PV-915-61503	
<b>File No. - N° de dossier</b> pv915.23240-130266	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2012-12-17</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Gosselin, Monique	<b>Buyer Id - Id de l'acheteur</b> pv915
<b>Telephone No. - N° de téléphone</b> (819) 956-3803 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> Natural Resources Canada Canmet Mining 555 Booth Street Ottawa, Ontario K1A 0G1	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Scientific, Medical and Photographic Division / Division de  
l'équipement scientifique, des produits photographiques et  
pharmaceutiques  
11 Laurier St./ 11 rue, Laurier  
6B1, Place du Portage  
Gatineau, Québec K1A 0S5

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	LABORATORY FRAGMENTER IN ACCORDANCE WITH THE MANDATORY SPECIFICATIONS DETAILED IN ANNEX A.	Total		1	Each	\$XXXXXXXXXXXX		

---

## TABLE OF CONTENTS

### PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

### PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

### PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

### PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

### PART 5 - CERTIFICATIONS

1. Code of Conduct Certifications - Certifications Required Precedent to Contract Award
2. Certifications Required with the Bid

### PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses
12. Shipping Instructions - Delivery at Destination

### List of Annexes:

Annex A            Mandatory Specifications for a laboratory scale high voltage pulsed power instrument

---

## PART 1 - GENERAL INFORMATION

### 1. Security Requirement

There is no security requirement associated with the requirement.

### 2. Requirement

The requirement is detailed under the "Line Item Detail".

### 3. Debriefings

After contract award, bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

## PART 2 - BIDDER INSTRUCTIONS

### 1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2012-07-11) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

The text under Subsection 4 of Section 01 - Code of Conduct and Certifications of 2003 referenced above is replaced by:

Bidders should provide, with their bid or promptly thereafter, a complete list of names of all individuals who are currently directors of the Bidder. If such a list has not been received by the time the evaluation of bids is completed, Canada will inform the Bidder of a time frame within which to provide the information. Failure to provide such a list within the required time frame will render the bid non-responsive. Bidders must always submit the list of directors before contract award.

Canada may, at any time, request that a Bidder provide properly completed and Signed Consent Forms (Consent to a Criminal Record Verification form - PWGSC-TPSGC 229) for any or all individuals named in the aforementioned list within a specified delay. Failure to provide such Consent Forms within the delay will result in the bid being declared non-responsive.

The text under Subsection 5 of Section 01 - Code of Conduct and Certifications of 2003 referenced above is replaced by:

The Bidder must diligently maintain the list up-to-date by informing Canada in writing of any change occurring during the validity period of the bid, and must also provide Canada, when requested, with the corresponding Consent Forms. The Bidder will also be required to diligently maintain the list and when requested, provide Consent Forms during the period of any contract arising from this bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days  
Insert: ninety (90) days

#### 1.1 SACC Manual Clauses

B1000T Condition of Material 2007-11-30

### 2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

### 3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

### 4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of Ontario, Canada.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

## **PART 3 - BID PREPARATION INSTRUCTIONS**

### **1. Bid Preparation Instructions**

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (two (2) copies)  
Section II: Financial Bid (one (1) copy)  
Section III: Certifications (one (1) copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement.

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders are encouraged to:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

#### **1.1 Section I: Technical Bid**

The following applies to the Requirement and bidders must provide the following information in the bid where applicable:

### 1.1.1 Installation

On-site installation must be provided and be carried out by a qualified service technician.

Upon installation completion, the instrument must pass the certification of the Ontario Electrical safety Authority (ESA). The supplier must address all the corrective actions mandated by the Ontario Electrical Safety Authority (ESA) that are related to the instrument at no additional cost.

State your best installation schedule. Installation will be carried out within \_\_\_\_\_ calendar days of delivery and be completed within \_\_\_\_\_ calendar days.

### 1.1.2 Training

On-site user training must be provided for up to five (5) users. All costs associated with the on-site training must be included in the price.

On-site training will be completed within \_\_\_\_\_ calendar days of installation. Provide complete details of training e.g. duration, scope, etc.,

---

---

---

### 1.1.3 Service

Purchase of the system must include: technical support; technical phone support; support via the Internet; and support via a fax-back document system. Service cost must be included in the price.

Response for service must be within 72 hours or less.

Also, provide the following with your bid:

- a) Location of available service facilities (after sales service and repair). List the service facilities closest to the destination.

---

---

- b) Locations of available replacement parts from consumables to major components.

---

---

- c) Response time re: service calls, and escalation schedule, i.e. (how many days with no resolution to a problem until a more experienced person is called in, and from which location).

---



---

- d) List the frequency of routine maintenance visits provided by a qualified service technician during the warranty period, if applicable and included in the price.

---



---

#### 1.1.4 Product(s) Offered

The Bidder must indicate the make and model number of the products offered (identify specific components which make up the system):

Name of Manufacturer: \_\_\_\_\_

Model/Part Number: \_\_\_\_\_

Literature attached: Yes (\_\_\_\_) No (\_\_\_\_)

#### 1.1.5 Point of Manufacture/Shipping

The Bidder must state the point of manufacture/shipping of goods:

Location: \_\_\_\_\_

Postal Code: \_\_\_\_\_

#### 1.1.6 Delivery

While delivery is requested by 31st January 2013 (but no later than 31st March 2013), the best delivery that could be offered by the Bidder is \_\_\_\_\_.

#### 1.1.7 Software Upgrades

The Bidder must provide all software updates and new releases to the purchaser for a period of two (2) year following the acceptance, at no additional cost.

Note: The word "updates" means all enhancements, extensions or other modifications to the software. The word "releases" means enhancements or modifications to the software or new modules or supplementary modules that function in conjunction with the software, that represent the next generation of software, and which the Contractor has decided to make available to its customers usually for an additional charge.

#### 1.1.8 Contacts

Bidders are requested to provide the following: Information pertaining to Article 5.3 Contractor Representatives under Part 6, Resulting Contract Clauses.



## 1.2 Section II: Financial Bid

The bidder must quote a firm lot price all inclusive of supply, installation, training and manuals, DDP (Ottawa, Ontario), the Goods and Services Tax (GST) and/or the Harmonized Sales Tax (HST) extra, as applicable. Freight charges to destination and all applicable Customs duties and taxes must be included.

### 1.2.1 Exchange Rate Fluctuation

C3011T

Exchange Rate Fluctuation

2010-01-11

## 1.3 Section III: Certifications

Bidders must submit the certifications required under Part 5.

## PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

### 1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

### 1.1 Technical Evaluation

All proposals submitted must be completed in full and provide all of the information requested in the Request for Proposal (RFP) package to enable a full and complete evaluation. If the requirement is not addressed in the bidder's proposal, the proposal will be considered incomplete or non-responsive and will be rejected. The onus is on the bidder to provide all the information necessary to ensure a complete and accurate assessment.

Factors for Evaluation

- 1. PRICING BASIS (MANDATORY): Prices must be firm, DDP Delivered Duty Paid.
- 2. ABILITY TO MEET THE TECHNICAL REQUIREMENT (MANDATORY):
  - a) For Items Defined by Specifications:

The bidder is requested to cross reference the mandatory technical criteria contained herein to their supporting technical documentation.

b) Provision of Supporting Technical Documentation:

Supporting technical documentation for the stores offered must be provided with the bid at time of bid closing.

Technical brochures or technical data MUST be provided to verify compliancy to the technical mandatory specifications.

3. COMPLIANCE WITH THE TERMS AND CONDITIONS OF THIS REQUEST FOR PROPOSAL (MANDATORY)

4. FOR CANADIAN SUPPLIERS ONLY: Please note that the requirements of the Federal Contractors Program for Employment Equity may apply - see herein. (MANDATORY if applicable)

1.1.1 Mandatory Technical Criteria

See Annex A - Mandatory Specifications for a laboratory scale high voltage pulsed power instrument.

**1.2 Financial Evaluation**

The lowest evaluated price will be established using the following criteria:

- a) prices will be evaluated in Canadian Funds including any applicable Taxes and Canadian Customs Duty (if applicable) and excluding the Goods and Services Tax (GST) or Harmonized Sales Tax (HST). For evaluation purposes, bids received in a foreign currency will be converted to Canadian funds using the appropriate rate of exchange using the rate quoted by the Bank of Canada as being in effect on date of bid closing.
- b) prices will be evaluated on a DDP Ottawa, Ontario.

**2. Basis of Selection**

A0031T

Basis of Selection -  
Mandatory Technical Criteria Only

2010-08-16

**PART 5 - CERTIFICATIONS**

Bidders must provide the required certifications to be awarded a contract. Canada will declare a bid non-responsive if the required certifications are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

## **1. Code of Conduct Certifications - Certifications Required Precedent to Contract Award**

- 1.1 Bidders should provide, with their bids or promptly thereafter, a complete list of names of all individuals who are currently directors of the Bidder. If such a list has not been received by the time the evaluation of bids is completed, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Bidders must submit the list of directors before contract award, failure to provide such a list within the required time frame will render the bid non-responsive.

The Contracting Authority may, at any time, request that a Bidder provide properly completed and Signed Consent Forms (*Consent to a Criminal Record Verification form* - PWGSC-TPSGC 229) for any or all individuals named in the aforementioned list within a specified delay. Failure to provide such Consent Forms within the delay will result in the bid being declared non-responsive.

## **2. Certifications Required with the Bid**

Bidders must submit the following duly completed certifications as part of their bid.

### **2.1 Federal Contractors Program for Employment Equity - Certification**

#### **2.1.1 Federal Contractors Program - \$200,000 or more**

1. The Federal Contractors Program (FCP) requires that some suppliers, including a supplier who is a member of a joint venture, bidding for federal government contracts, valued at \$200,000 or more (including all applicable taxes), make a formal commitment to implement employment equity. This is a condition precedent to contract award. If the Bidder, or, if the Bidder is a joint venture and if any member of the joint venture, is subject to the FCP, evidence of its commitment must be provided before the award of the Contract.

Suppliers who have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any bids from ineligible contractors, including a bid from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

2. If the Bidder does not fall within the exceptions enumerated in 3. (a) or (b) below, or does not have a valid certificate number confirming its adherence to the FCP, the Bidder must fax (819-953-8768) a copy of the signed form LAB 1168, Certificate of Commitment to Implement Employment Equity, to the Labour Branch of HRSDC.
3. The Bidder, or, if the Bidder is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Bidder or the member of the joint venture

- (a) ( ) is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, or temporary employees having worked 12 weeks or more in Canada;
- (b) ( ) is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
- (c) ( ) is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC (having not bid on requirements of \$200,000 or more), in which case a duly signed certificate of commitment is attached;
- (d) ( ) is subject to the FCP, and has a valid certificate number as follows: \_\_\_\_\_  
(e.g. has not been declared an ineligible contractor by HRSDC.)

Further information on the FCP is available on the HRSDC Web site:  
<http://www.hrsdc.gc.ca/eng/labour/equality/fcp/index.shtml>

## 2.2 Standards

The instrument must meet the regulations, guidelines, and standards for design, manufacturing, and installation as outlined in this document. Where there is a conflict between the various regulations, guidelines, and standards, the supplier must comply with the machine specific requirements for that type of machine.

One of the following standard is accepted:

- Canadian \_\_\_\_\_
- US/ NA \_\_\_\_\_
- ISO/ EN \_\_\_\_\_
- CE \_\_\_\_\_

Signature of authorized representative: \_\_\_\_\_. Date: \_\_\_\_\_

---

## PART 6 - RESULTING CONTRACT CLAUSES

### 1. Security Requirement

There is no security requirement associated with the requirement.

### 2. Requirement

#### 2.1 Requirement

The Contractor must provide the items detailed under the Line Item Detail.

#### 2.2 Installation

On-site installation must be provided and be carried out by a qualified service technician.

Upon installation completion, the instrument must pass the certification of the Ontario Electrical safety Authority (ESA). The Contractor must address all the corrective actions mandated by the Ontario Electrical Safety Authority (ESA) that are related to the instrument at no additional cost.

#### 2.3 Manuals

The manufacturer must provide to NRCan, two (2) hard copies and one (1) electronic copy, in PDF format of the manuals which may include, but not limited to:

- Installation and start-up manuals
- Calibration Procedure
- User Manuals
- Maintenance, Troubleshooting & Parts manual

Manuals must be provided to NRCan in English or French.

#### 2.4 Training

On-site user training must be provided for up to five (5) users.

#### 2.5 Service

Purchase of the system must include: technical support; technical phone support; support via the Internet; and support via a fax-back document system. Service cost must be included in the price.

Response for service must be within 72 hours or less.

## 2.6 Software Upgrades

The contractor must provide all software updates and new releases to the purchaser for a period of two (2) year following the acceptance, at no additional cost.

## 3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

### 3.1 General Conditions

2010A (2012-07-16) General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

The text under Subsection 4 of Section 29 - Code of Conduct and Certifications of 2010A referenced above is replaced by:

During the entire period of the Contract, the Contractor must diligently update, by written notice to the Contracting Authority, the list of names of all individuals who are directors of the Contractor whenever there is a change. As well, whenever requested by Canada, the Contractor must provide the corresponding Consent Forms.

## 4. Term of Contract

### 4.1 Delivery Date

All the deliverables must be received on or before \_\_\_\_\_ (to be filled in only at contract award).

## 5. Authorities

### 5.1 Contracting Authority

The Contracting Authority for the Contract is:

Monique Gosselin  
Public Works and Government Services Canada  
Acquisitions Branch  
Commercial Consumer Products Directorate  
11 Laurier Street, 6A2, Phase III  
Place du Portage, Hull, Quebec, K1A 0S5  
Telephone: (819) 956-3803  
Facsimile: (819) 956-3814  
E-mail address: monique.gosselin@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

### 5.2 Technical Authority (to be filled in only at contract award)

The Technical Authority for the Contract is:

Name: \_\_\_\_\_  
Telephone: (\_\_\_\_) \_\_\_\_\_  
Facsimile: (\_\_\_\_) \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 5.3 Contractor's Representative (fill in)

The telephone number of the person responsible for:

#### General enquiries

Name: \_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Facsimile No. \_\_\_\_\_  
E-mail address: \_\_\_\_\_

#### Delivery Follow-up

Name: \_\_\_\_\_  
Telephone No. \_\_\_\_\_  
Facsimile No. \_\_\_\_\_  
E-mail address: \_\_\_\_\_

## 6. Payment

### 6.1 Basis of Payment - Firm Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in the contract for a cost of \$\_\_\_\_\_ (to be filled in only at contract award). Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

### 6.2 SACC Manual Clauses

C2000C	Taxes - Foreign-Based Contractor	2007-11-30
H1000C	Single Payment	2008-05-12

## 7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
  - (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

## 8. Certifications

Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

## 9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of Ontario, Canada.



**10. Priority of Documents**

If there is a discrepancy between the wordings of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2012-07-16) General Conditions - Goods (Medium Complexity);
- (c) Annex A, Mandatory Specifications for a laboratory scale high voltage pulsed power instrument;
- (d) the Contractor's bid dated (to be filled in at contract award).

**11. SACC Manual clause**

B1501C	Electrical Equipment	2006-06-16
A9068C	Government Site Regulations	2010-01-11
A2000C	Foreign Nationals (Canadian Contractor)	2006-06-16
A2001C	Foreign Nationals (Foreign Contractor)	2006-06-16

**12. Shipping Instructions - Delivery at Destination**

1. Goods must be consigned to the destination specified in the Contract and delivered:  
  
Delivered Duty Paid (DDP) Ottawa, Ontario Incoterms 2000 for shipments from a commercial contractor.
2. The Contractor will be responsible for all delivery charges, administration, costs and risk of transport and customs clearance, including the payment of customs duties and taxes.

---

## ANNEX A

### MANDATORY SPECIFICATIONS FOR A LABORATORY SCALE HIGH VOLTAGE PULSED POWER INSTRUMENT

Natural Resources Canada - Minerals and Metals Sector - CANMETMining has a need to procure a high voltage (HV) pulsed power instrument for the selective fragmentation of mineral ores and other material. A batch laboratory unit is required.

**Vendors must cross reference the mandatory technical criteria in a concise format by using page, paragraph(s) & sub-paragraphs as applicable to their supporting technical documentation.**

#### 1.0 GENERAL

- 1.1** The instrument must be equipped with a processing vessel of at least 4 liters that is capable of processing about 1 kg of material per batch and can accept a material block of a maximum size of 5cm<sup>3</sup>;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.2** The instrument must include as integrated features the following operator safety features:

- i. Fully interlocked
- ii. Provide for immediate and automatic grounding of capacitors and electrodes, and
- iii. Perform emergency stops

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.3** The electrical system must accommodate on-site power service which is 600 VAC/ 3PH/ 60 Hz;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.4** The instrument must have a processing vessel of at least 4 liters plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.5** The instrument must have the capacity to process 1 kg of solid material per batch plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.6** The instrument must have the capacity to process feed block of 5 cm<sup>3</sup> plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 
- 1.7** The instrument must have an integrated computer and appropriate programs to allow changing the processing voltage from 90-200 kV plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.8** The instrument must have an integrated computer and appropriate programs to allow changing the processing pulse frequency from 1-5 Hz plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.9** The instrument must have an integrated computer and appropriate programs to allow changing the processing electrode gap from 10 mm to 40 mm plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.10** The instrument must have an integrated computer and appropriate programs to display the selected processing parameters, electrode gap, pulse frequency, voltage and the number of processing pulses applied;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.11** The instrument must have an electrically driven lifting table controllable by the integrated computer for positioning the processing vessel;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.12** The instrument must have an integrated computer and appropriate programs to store in the digital memory all the processing data;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.13** The instrument must have an integrated computer and appropriate programs to allow the calibration of the electrode gap;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.14** The instrument must have an integrated computer with a port to be connected to a LAN socket and appropriate program to allow for remote diagnosis;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.15** The instrument must be self-contained having integrated sound insulation to reduce the processing noise to 80 dB plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 
- 1.16** The instrument electromagnetic emission must be class B for usage in a laboratory. During processing the instrument must not generate High Frequency fields exceeding 60 dB $\mu$ V/m at a distance of 3 m at frequencies of 40-80 MHz plus or minus 10%;

**Reference in Contractors Proposal:** \_\_\_\_\_

- 1.17** The instrument must be electrically insulated in itself without the use on an external Faraday cage.

**Reference in Contractors Proposal:** \_\_\_\_\_

## **2.0 CONTROL**

- 2.1** The instrument must be equipped with a controller with a LCD operator interface module, which can be programmed to display and to modify the process parameters including the voltage, the pulse frequency and the electrode gap.

**Reference in Contractors Proposal:** \_\_\_\_\_

## **3.0 ELECTRICAL**

- 3.1** The instrument must conform to Canadian Standards with visible markings. Electrical service available is 600 V, 3 Phase, 60 Hz. Please note that Canadian standard 3 phase voltage is 600 volts.

**Reference in Contractors Proposal:** \_\_\_\_\_