

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Ship Refits and Conversions / Radoubss et
modifications de navires and / et
11 Laurier St. / 11, rue Laurier
6C2, Place du Portage
Gatineau, Québec K1A 0S5

Title - Sujet CCGS MARTHA L. BLACK DRYDOCKING	
Solicitation No. - N° de l'invitation F3012-13R469/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client F3012-13R469	Date 2013-05-14
GETS Reference No. - N° de référence de SEAG PW-\$\$MD-018-23749	
File No. - N° de dossier 018md.F3012-13R469	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-05-22	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Vandal, Paul	Buyer Id - Id de l'acheteur 018md
Telephone No. - N° de téléphone (819) 956-0645 ()	FAX No. - N° de FAX (819) 956-0897
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

F3012-13R469/A

Client Ref. No. - N° de réf. du client

F3012-13R469

Amd. No. - N° de la modif.

001

File No. - N° du dossier

018mdF3012-13R469

Buyer ID - Id de l'acheteur

018md

CCC No./N° CCC - FMS No/ N° VME

QUESTIONS & ANSWERS

Question 1

Ref spec Item HD-22 Asbestos Abatement

Para 21.16 identifies "Site Conditions"; Please forward by return email a copy of this document.

Answer 1

See Attached

Question 2

Ref spec Item HD-22 Asbestos Abatement

Para 21.18 identifies "Part 3 Execution"; Please forward by return email a copy of this document.

Answer 2

See Attached

Answer 1

SITE CONDITIONS

Location	Floor	System	Materiel	Item	Covering	Condition, quantity & action					
						Good		Fair		Poor	
Control Cabin	Navigation Deck	Structure	Texture Coat	Surface		320	(5)	10	(5)		
	Result & type	Friability	Hazard	Units	Sample	Access	Visible	(5) Proactive removal			
	0.1-1% Chrysotile	Friable	Confirmed Asbestos	SF	S0005	Good	Y	(3) Asbestos removal			

Location	Floor	System	Materiel	Item	Covering	Condition, quantity & action					
						Good		Fair		Poor	
Wire Leads Comp	Main Deck	Walls	Texture Coat	Surface	Paint	800	(5)	40	(5)	10	(3)
	Result & type	Friability	Hazard	Units	Sample	Access	Visible	(5) Proactive removal			
	1-5% Chrysotile	Friable	Confirmed Asbestos	SF	S0032	Good	Y	(3) Asbestos removal			

- 1.1 All landings, stairs, emergency equipment and exits must be accessible at all times during the work.
- 1.2 All piping and heating systems will not be in operation during asbestos abatement work.
- 1.3 The Asbestos Work Areas have hot water and electricity.
- 1.4 The space available to carry out the work is limited.
- 1.5 The Asbestos Work Areas have live electrical conduits and boxes.
- 1.6 The following equipment in the Asbestos Work Areas must be protected with polyethylene sheeting:
 - lights and lighting fixtures;
 - emergency lights;
 - exit signs;
 - loudspeakers;
 - switches;
 - plates or covers of wall or ceiling outlets; and
 - any other equipment fixed to the ceiling or walls.
- 1.7 The Contractor is responsible for validating worksite conditions as well as the presence, location and quantity of ACMs before submitting a tender.

Answer 2

PART 3 - EXECUTION

Low Risk	Work involving non-friable materials that remain in their current state (including during removal) and drywall joint compound.
Moderate Risk	Work involving friable materials containing any type of asbestos that generate from 0 to 1 ft ³ of debris, using the glove-bag or work-enclosure method.
	Work involving friable materials containing chrysotile, without limit to volume, using the glove-bag method.
High Alleviated Risk	Work involving friable materials containing any type of asbestos that generate from 1 to 10 ft ³ of debris.
High Risk	Work involving friable materials containing any type of asbestos that generate more than 10 ft ³ of debris.

The level of risk will depend on the amount of contaminated debris generated from the work: Moderate Risk for work generating less than 1 ft³ of contaminated debris; High Alleviated Risk for work generating between 1 ft³ and 10 ft³ of contaminated debris, and High Risk for work generating 10 ft³ or more of contaminated debris.

Any work to be completed on the aforementioned material needs to be completed respecting the regulations outlined in the Safety Code for the construction industry, S-2.1, 4.6, art. 3.23.

The article for Elevated risk: S-2.1, 4.6, art. 3.23.16