

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3
Bid Fax: (613) 545-8067

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3

Title - Sujet Fencing Installation		
Solicitation No. - N° de l'invitation W0114-12P012/B		Date 2013-02-12
Client Reference No. - N° de référence du client W0114-12-P012		Amendment No. - N° modif. 001
File No. - N° de dossier KIN-2-38192 (508)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$KIN-508-6070		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2013-02-04
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-03-18		Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
Address Enquiries to: - Adresser toutes questions à: Weaver, Tammy		Buyer Id - Id de l'acheteur kin508
Telephone No. - N° de téléphone (613) 545-8059 ()	FAX No. - N° de FAX (613) 545-8067	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

W0114-12P012/B

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

kin508

Client Ref. No. - N° de réf. du client

W0114-12-P012

File No. - N° du dossier

KIN-2-38192

CCC No./N° CCC - FMS No/ N° VME

Replace Annex “B” with the attached document.

Annex “B”

Year 1 01 April 2013 to 31 March 2014

Year 2 01 April 2014 to 31 March 2015

Item	Description	Unit of Issue	Est. usage	Unit Price Year 1	Unit Price Year 2
1.	Supply and install chain link fencing C/W applicable line posts and hardware for various heights. Fencing will be 9 gauge Galvanized with a 2 inch mesh. a. 1830mm Fencing b. 2440mm Fencing	M M	200 200		
2.	Supply and install intermediate Post C/W all hardware for various heights of fencing. Posts will be schedule 40, galvanized with O.D. 2 ³ / ₈ inch. All posts will be 2 ½ feet longer than the fence fabric. a. 1830mm Fencing b. 2440mm Fencing	Ea Ea	100 100		
3.	Supply and install Corner Post C/W all hardware for various heights of fencing. Posts will be schedule 40, galvanized with O.D. 3 ½ inch. All posts will be 3½ feet longer than the fence fabric. a. 1830mm Fencing C/W bracing posts and hardware for 3 ½ inch posts. b. 2440mm Fencing C/W bracing posts and hardware for 3 ½ inch posts.	Ea Ea	50 50		
4.	Supply and install End Post C/W all hardware for various heights of fencing. Posts will be schedule 40, galvanized with O.D. 3 ½ inch. All posts will be 3½ feet longer than the fence fabric. a. 1830mm Fencing C/W bracing posts and hardware for 3 ½ inch posts.	Ea Ea	50		

Annex “B”

Year 1 01 April 2013 to 31 March 2014

Year 2 01 April 2014 to 31 March 2015

	b. 2440mm Fencing C/W bracing posts and hardware for 3 ½ inch posts.		50		
5.	Supply and install Gate Post C/W all hardware for various heights of fencing. Posts will be schedule 40, galvanized with O.D. 3 ½ inch. All posts will be 3½ feet longer than the fence fabric. a. 1830mm Fencing C/W bracing posts and hardware for 3 ½ inch posts. b. 2440mm Fencing C/W bracing posts and hardware for 3 ½ inch posts.	Ea Ea	10 10		
6.	Supply and install top rail C/W all hardware for various heights of fencing. Top rail will be schedule 40, galvanized with O.D. 1 11/16 a. 1830mm Fencing b. 2440mm Fencing	 Ea Ea	 200 200		
7.	Supply and install a 0.9144 meter Personnel Gate C/W all hardware for various heights of fencing. All gate frames will be schedule 40, galvanized O.D. 1 11/16 , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	 Ea Ea	 2 2		
8.	Supply and install a 1.2192 meter Personnel Gate C/W all hardware for various heights of fencing. All gate frames will be schedule 40, galvanized O.D. 1 11/16 , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	 Ea Ea	 2 2		

Annex “B”

Year 1 01 April 2013 to 31 March 2014

Year 2 01 April 2014 to 31 March 2015

9.	Supply and install Single Gate C/W all hardware for various heights of fencing, X 2.4384 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 ¹¹ / ₁₆ , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	Ea Ea	15 15		
10	Supply and install Single Gate C/W all hardware for various heights of fencing, X 3.048 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 ¹¹ / ₁₆ , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	Ea Ea	5 5		
11.	Supply and install Double Gate C/W all hardware for various heights of fencing, X 2.4384 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 ¹¹ / ₁₆ , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	Ea Ea	6 6		
12.	Supply and install Double Gate C/W all hardware for various heights of fencing, X 3.048 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 ¹¹ / ₁₆ , gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2440mm Fencing	Ea Ea	5 5		
13.	Supply and install Double Gate C/W all hardware for various heights of fencing, X 4.8768 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 ¹¹ / ₁₆ ,				

Annex “B”

Year 1 01 April 2013 to 31 March 2014

Year 2 01 April 2014 to 31 March 2015

	gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. b. 1830mm Fencing d. 2440mm Fencing	Ea Ea	10 10		
14.	Supply and install Double Gate C/W all hardware for various heights of fencing, X 6.096 meter in length. All gate frames will be schedule 40, galvanized O.D. 1 11/16, gauge 9, 2 inch mesh and the hardware will be for 3 ½ inch posts. a. 1830mm Fencing b. 2130 mm Fencing c. 2440mm Fencing	Ea Ea Ea	1 1 1		
15.	Supply and install Bared Wire C/W all mounting hardware. To include gates a. Single Strand	M	1000		
16.	Supply and install anchor post C/W all hardware and bracing. Anchor post will be 8 inch top X 8 feet machine peeled cedar. Hardware includes all spikes and brace wire. Bracing will be machine peeled cedar, 4 inch top X 10 feet	Ea	10		
17.	Supply and install steel intermediate post C/W all hardware including tie wires. Intermediate post will be heavy grade 8 feet long “T” rail style	Ea	200		
18.	Digging/ drilling a fence hole when having to pass through concrete, pavement or large foreign matter must be authorized by Technical Authority	Ea	50		
19.	Trenching to a depth of 1 foot for burying fence	LM	4		