

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3
Bid Fax: (613) 545-8067

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Master Standing Offer (RMSO)

Offre à commandes maître régionale (OCMR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3

Title - Sujet Flooring Contractor Services		
Solicitation No. - N° de l'invitation E6TOR-12RM13/A		Date 2012-12-09
Client Reference No. - N° de référence du client E6TOR-12-RM13		Amendment No. - N° modif. 003
File No. - N° de dossier KIN-2-38198 (710)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$KIN-710-5987		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2012-11-19
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-12-17		Time Zone Fuseau horaire Eastern Standard Time EST
Address Enquiries to: - Adresser toutes questions à: Dunphy, Ken		Buyer Id - Id de l'acheteur kin710
Telephone No. - N° de téléphone (613) 545-8060 ()	FAX No. - N° de FAX (613) 545-8067	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Government Departments in the Ontario Region for the geographical areas specified in the Pricing Basis, Annex B		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

This amendment is being issued to extend the solicitation close date and to respond to Bidder's questions and Canada's responses.

Q1. Item 2 - What kind of floor covering will it be - Carpet, Ceramic, Vinyl, etc.

A1. All types

Q2. Item 3 - What kind of underlay? chip form, cork; Glue down or floating

A2. The underlay to be removed can be all types, and may be floating, glue down or nail down. Please refer to amended Annex B Basis of Payment, Pricing Basis A and Pricing Basis B included herein.

Q3. Item 7 - Is this carpet to be installed on top of chip form underlay? If yes, who will supply the underlay?

A3. The carpet is not normally installed on top of chip form underlay. The contractor will be responsible to supply any required underlayment.

Q4. Items 7 to 15 - Installation on wood substrate is different from Concrete substrate. Is it possible to make provision for two different prices for each item, i.e. (1) price for wood substrate & (2) price for concrete substrate

A4. Yes, please refer to amended Annex B Basis of Payment, Pricing Basis A and Pricing Basis B included herein.

Q5. Item 15 - Rubber floor comes in many different thickness. Installation price is based on the thickness. What thickness you want us to price.

A5. 1/8" (3.17 mm). Please refer to amended Annex B Basis of Payment, Pricing Basis A and Pricing Basis B included herein.

Q6. Item 18 - Salvaging the installed base is not practical, as most of it will be damaged while removing.

A6. Yes, Canada is aware of this fact, but wants the capability to salvage.

Q7. Item 19 - You mean the quantity in M (Meter) and M2 (square Meter)?

A7. Item 19 should read M (meter). Please refer to amended Annex B Basis of Payment, Pricing Basis A and Pricing Basis B included herein.

Q8. Item 20 - Quarter round to be MDS or wood?

A8. It should be wood. Please refer to amended Annex B Basis of Payment, Pricing Basis A and Pricing Basis B included herein.

Annex "B"**BASIS OF PAYMENT**

Delete Pricing Basis "A", High Usage Areas, Labour, Material in its entirety and replace with;

Item	Description	Unit of Issue	Yearly Estimated Usage	Unit Price Year 1	Unit Price Year 2
1	Relocation of furniture in the preparation of floor repairs or installations.	HRS	55	\$ / hr	\$ / hr
2	Removal of existing floor covering and all associated trims	M ²	1050	\$ / M ²	\$ / M ²
3	Removal of underlay. The underlay to be removed can be all types, and may be floating, glue down or nail down.	M ²	535	\$ / M ²	\$ / M ²
4	Supply and install new underlay ¼" mahogany	M ²	5	\$ / M ²	\$ / M ²
5	Supply and install new underlay ¼ Fir GIS	M ²	130	\$ / M ²	\$ / M ²
6	Supply and install new underlay ½ Fir GIS	M ²	130	\$ / M ²	\$ / M ²
7a	Installation of carpet, Smooth edge including heat welded seams and minor filling of concrete substrate	M ²	140	\$ / M ²	\$ / M ²
7b	Installation of carpet, Smooth edge including heat welded seams and minor filling of wood substrate	M ²	140	\$ / M ²	\$ / M ²
8a	Installation of carpet, Glue down including minor filling of concrete substrate	M ²	310	\$ / M ²	\$ / M ²
8b	Installation of carpet, Glue down including minor filling of wood substrate	M ²	310	\$ / M ²	\$ / M ²
9a	Installation of Ceramic Tile (floors and walls) including minor filling of concrete substrate	M ²	75	\$ / M ²	\$ / M ²
9b	Installation of Ceramic Tile (floors and walls) including minor filling of wood substrate	M ²	75	\$ / M ²	\$ / M ²
10a	Installation of Porcelain Tile including minor filling of concrete substrate	M ²	20	\$ / M ²	\$ / M ²
10b	Installation of Porcelain Tile including minor filling of wood substrate	M ²	15	\$ / M ²	\$ / M ²
11a	Installation of Hardwood Flooring including minor filling of concrete substrate	M ²	95	\$ / M ²	\$ / M ²
11b	Installation of Hardwood Flooring including minor filling of wood substrate	M ²	95	\$ / M ²	\$ / M ²
12a	Installation of Laminate Flooring including minor filling of concrete substrate	M ²	95	\$ / M ²	\$ / M ²
12b	Installation of Laminate Flooring including minor filling of wood substrate	M ²	95	\$ / M ²	\$ / M ²
13a	Installation of Sheet Vinyl including minor filling of concrete substrate	M ²	95	\$ / M ²	\$ / M ²

13b	Installation of Sheet Vinyl including minor filling of wood substrate	M ²	95	\$ / M ²	\$ / M ²
14a	Installation of Vinyl composition floor tile 12" x 12" x 1/8" including minor filling of concrete substrate	M ²	155	\$ / M ²	\$ / M ²
14b	Installation of Vinyl composition floor tile 12" x 12" x 1/8" including minor filling of wood substrate	M ²	155	\$ / M ²	\$ / M ²
15a	Installation of 1/8" (3.17 mm) Rubber Flooring including minor filling of concrete substrate	M ²	235	\$ / M ²	\$ / M ²
15b	Installation of 1/8" (3.17 mm) Rubber Flooring including minor filling of wood substrate	M ²	235	\$ / M ²	\$ / M ²
16	Labor & material to repair welded seams	M	50	\$ / M	\$ / M
17	Sealing & waxing of new resilient flooring including all materials & equipment	M ²	430	\$ / M ²	\$ / M ²
18	Remove and reinstall existing wood base and paint one coat semi-gloss to existing color or black as directed by the Technical Authority	M	200	\$ / M	\$ / M
19	Remove old and install new wood base ¾ x 3" white pine with primer and one coat of semi-gloss to existing color or black as directed by the Technical Authority	M	200	\$ / M	\$ / M
20	Supply & install new wooden quarter round painted to match existing	M	70	\$ / M	\$ / M
21	Remove existing 6" rubber base, clean surface of debris and glue and install new 6" rubber base	M	130	\$ / M	\$ / M
22	Remove existing 4" rubber base, clean surface of debris and glue and install new 4" rubber base	M	130	\$ / M	\$ / M
23	Remove existing 6" vinyl base, clean surface of debris and glue and install new 6" vinyl base	M	85	\$ / M	\$ / M
24	Remove existing 4" vinyl base, clean surface of debris and glue and install new 4" vinyl base	M	85	\$ / M	\$ / M
25	Remove existing 6" carpet base, clean surface of debris and glue and install new 6" carpet base	M	85	\$ / M	\$ / M
26	Remove existing 4" carpet base, clean surface of debris and glue and install new 4" carpet base	M	80	\$ / M	\$ / M
27	Remove metal moldings (threshold and stairnose)	EA	5	\$ / EA	\$ / EA
28	Supply and install new metal moldings (threshold and stairnose) a minimum of 50 mm wide	EA	10	\$ / EA	\$ / EA
29	Supply & install new door metals aluminum flat bar or nap-loc	M	45	\$ / M	\$ / M
30	Cutting and fitting doors	EA	10	\$ / EA	\$ / EA
31	Water closet lifting: The lifting of the water closet and reinstallation using new wax seal,	EA	5	\$ / EA	\$ / EA

Solicitation No. - N° de l'invitation

E6TOR-12RM13/A

Amd. No. - N° de la modif.

003

Buyer ID - Id de l'acheteur

kin710

Client Ref. No. - N° de réf. du client

E6TOR-12-RM13

File No. - N° du dossier

KIN-2-38198

CCC No./N° CCC - FMS No/ N° VME

	closet hold-down bolts, hold-down bolt caps and wood screws (brass F.H. No. 10 x 31.8 mm)				
For similar items not covered above					
32	Tradesperson hourly rate when authorized by the Technical Authority	HR	85	\$ / hr	\$ / hr
33	Helper hourly rate when authorized by the Technical Authority	HR	85	\$ / hr	\$ / hr
34	Miscellaneous materials and supplies not listed will be at contractors cost plus mark-up of _____%	\$	\$41,000.00	%	%

Delete Pricing Basis "B", Low Usage Areas, Labour, Material in its entirety and replace with;

Item	Description	Unit of Issue	Yearly Estimated Usage	Unit Price Year 1	Unit Price Year 2
1	Relocation of furniture in the preparation of floor repairs or installations.	HRS	25	\$ / hr	\$ / hr
2	Removal of existing floor covering and all associated trims	M ²	450	\$ / M ²	\$ / M ²
3	Removal of underlay. The underlay to be removed can be all types, and may be floating, glue down or nail down.	M ²	230	\$ / M ²	\$ / M ²
4	Supply and install new underlay ¼" mahogany	M ²	5	\$ / M ²	\$ / M ²
5	Supply and install new underlay ¼ Fir GIS	M ²	60	\$ / M ²	\$ / M ²
6	Supply and install new underlay ½ Fir GIS	M ²	60	\$ / M ²	\$ / M ²
7a	Installation of carpet, Smooth edge including heat welded seams and minor filling of concrete substrate	M ²	60	\$ / M ²	\$ / M ²
7b	Installation of carpet, Smooth edge including heat welded seams and minor filling of wood substrate	M ²	60	\$ / M ²	\$ / M ²
8a	Installation of carpet, Glue down including minor filling of concrete substrate	M ²	135	\$ / M ²	\$ / M ²
8b	Installation of carpet, Glue down including minor filling of wood substrate	M ²	130	\$ / M ²	\$ / M ²
9a	Installation of Ceramic Tile (floors and walls) including minor filling of concrete substrate	M ²	35	\$ / M ²	\$ / M ²
9b	Installation of Ceramic Tile (floors and walls) including minor filling of wood substrate	M ²	30	\$ / M ²	\$ / M ²
10a	Installation of Porcelain Tile including minor filling of concrete substrate	M ²	10	\$ / M ²	\$ / M ²
10b	Installation of Porcelain Tile including minor filling of wood substrate	M ²	5	\$ / M ²	\$ / M ²
11a	Installation of Hardwood Flooring including minor filling of concrete substrate	M ²	40	\$ / M ²	\$ / M ²
11b	Installation of Hardwood Flooring including minor filling of wood substrate	M ²	40	\$ / M ²	\$ / M ²
12a	Installation of Laminate Flooring including minor filling of concrete substrate	M ²	40	\$ / M ²	\$ / M ²
12b	Installation of Laminate Flooring including minor filling of wood substrate	M ²	40	\$ / M ²	\$ / M ²
13a	Installation of Sheet Vinyl including minor filling of concrete substrate	M ²	40	\$ / M ²	\$ / M ²
13b	Installation of Sheet Vinyl including minor filling of wood substrate	M ²	40	\$ / M ²	\$ / M ²
14a	Installation of Vinyl composition floor tile 12" x	M ²	70	\$ / M ²	\$ / M ²

	12" x 1/8" including minor filling of concrete substrate				
14b	Installation of Vinyl composition floor tile 12" x 12" x 1/8" including minor filling of wood substrate	M ²	65	\$ / M ²	\$ / M ²
15a	Installation of 1/8" (3.17 mm) Rubber Flooring including minor filling of concrete substrate	M ²	100	\$ / M ²	\$ / M ²
15b	Installation of 1/8" (3.17 mm) Rubber Flooring including minor filling of wood substrate	M ²	100	\$ / M ²	\$ / M ²
16	Labor & material to repair welded seams	M	20	\$ / M	\$ / M
17	Sealing & waxing of new resilient flooring including all materials & equipment	M ²	185	\$ / M ²	\$ / M ²
18	Remove and reinstall existing wood base and paint one coat semi-gloss to existing color or black as directed by the Technical Authority	M	85	\$ / M	\$ / M
19	Remove old and install new wood base ¾ x 3" white pine with primer and one coat of semi-gloss to existing color or black as directed by the Technical Authority	M	85	\$ / M	\$ / M
20	Supply & install new wooden quarter round painted to match existing	M	30	\$ / M	\$ / M
21	Remove existing 6" rubber base, clean surface of debris and glue and install new 6" rubber base	M	60	\$ / M	\$ / M
22	Remove existing 4" rubber base, clean surface of debris and glue and install new 4" rubber base	M	60	\$ / M	\$ / M
23	Remove existing 6" vinyl base, clean surface of debris and glue and install new 6" vinyl base	M	35	\$ / M	\$ / M
24	Remove existing 4" vinyl base, clean surface of debris and glue and install new 4" vinyl base	M	35	\$ / M	\$ / M
25	Remove existing 6" carpet base, clean surface of debris and glue and install new 6" carpet base	M	35	\$ / M	\$ / M
26	Remove existing 4" carpet base, clean surface of debris and glue and install new 4" carpet base	M	30	\$ / M	\$ / M
27	Remove metal moldings (threshold and stairnose)	EA	1	\$ / EA	\$ / EA
28	Supply and install new metal moldings (threshold and stairnose) a minimum of 50 mm wide	EA	3	\$ / EA	\$ / EA
29	Supply & install new door metals aluminum flat bar or nap-loc	M	20	\$ / M	\$ / M
30	Cutting and fitting doors	EA	3	\$ / EA	\$ / EA
31	Water closet lifting: The lifting of the water closet and reinstallation using new wax seal, closet hold-down bolts, hold-down bolt caps and wood screws (brass F.H. No. 10 x 31.8 mm)	EA	2	\$ / EA	\$ / EA

Solicitation No. - N° de l'invitation

E6TOR-12RM13/A

Amd. No. - N° de la modif.

003

Buyer ID - Id de l'acheteur

kin710

Client Ref. No. - N° de réf. du client

E6TOR-12-RM13

File No. - N° du dossier

KIN-2-38198

CCC No./N° CCC - FMS No/ N° VME

For similar items not covered above					
32	Tradesperson hourly rate when authorized by the Technical Authority	HR	35	\$ / hr	\$ / hr
33	Helper hourly rate when authorized by the Technical Authority	HR	35	\$ / hr	\$ / hr
34	Miscellaneous materials and supplies not listed will be at contractors cost plus mark-up of %	\$	\$17,500.00	%	%