

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
800 Burrard Street, 2nd floor
800,rue Burrard, 2e étage
Vancouver
British Columbia
V6Z 2V8
Bid Fax: (604) 775-9381

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Pacific Region
800 Burrard Street, 12th floor
800, rue Burrard, 12e étage
Vancouver
British C
V6Z 2V8

| | |
|---|---|
| Title - Sujet Airport Foreshore Erosion Protectio | |
| Solicitation No. - N° de l'invitation EZ899-140005/A | Amendment No. - N° modif. 004 |
| Client Reference No. - N° de référence du client | Date 2013-05-08 |
| GETS Reference No. - N° de référence de SEAG PW-\$PWY-025-6977 | |
| File No. - N° de dossier PWY-3-36005 (025) | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-05-13 | Time Zone Fuseau horaire Pacific Daylight Saving Time PDT |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Fung, Donna(PWY) | Buyer Id - Id de l'acheteur pwy025 |
| Telephone No. - N° de téléphone (604) 666-9835 () | FAX No. - N° de FAX (604) 775-6633 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: TC - Sandspit Airport, Sandspit, BC | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

Solicitation No. - N° de l'invitation

EZ899-140005/A

Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.

004

File No. - N° du dossier

PWY-3-36005

Buyer ID - Id de l'acheteur

pw025

CCC No./N° CCC - FMS No/ N° VME

This Amendment 004 is raised to incorporate Addendum No. 3.

Please see the attached Addendum No. 3.

All other terms and conditions remain unchanged.

The following changes in the tender documents are effective immediately. This addendum will form part of the contract documents.

QUESTIONS AND ANSWERS

Q1: There is substantial reinforced concrete that is blended in with the existing armour rock. Is there a place Public Works have to dispose of this material?

A1: The concrete is to remain in place. The new revetment face is further seaward than the existing face- any concrete within this area is to be buried beneath the new construction.

Q2: How do we get paid for removal of old concrete?

A2: The old concrete is not to be removed.

Q3: Who is responsible for assessing the existing armour to see if it meets the type 2a armour specification? Is the out of spec armour paid for under backfill?

A3: The Departmental Representative will assess the existing armour.

Q4: Will section 01 11 55 1.15 Time of Completion be amended to correlate with the fisheries open Sept 01st to Oct 31?

A4: Construction works are to proceed in accordance with Addendum No. 1.

Q5: There seems to be a conflict between DFO permit item 9 "The beach fronting the spit is under constant wave action and has no vegetation" and page 2 of hpac-pa4-00033 page 2, "Access to the site should be kept to one identified access lane in order to protect riparian vegetation".

Can we work at the top of the new slope including the 10 meters of upland area (riparian area)?

A5: Work can be done from the top of the new slope.

Q6: Is the specification for armour and underlay based on weight?

A6: Specifications reference both nominal size in millimetres and mass in kilograms for armour and underlayer. Quality assurance testing will be based on actual measurements of material produced, and measurements will take precedence over weight.

Q7: What is the under run limit on item 8 before the contractor can submit a claim for additional costs (i.e. if materials are barged to site and we require more than 20% of any given item)?

A7: It is expected at this time that the quantities will remain fixed, and the extent of revetment armouring will lengthen or shorten to match the volume tendered. If there are quantity variations, these will be handled in accordance with contract general conditions, specifically Clause GC6.4.3.

Q8: Geotextile Spec. 31 32 19 01 item 3.2.4 – could you please clarify the spacing required along the seam? If the seam was 15 meters in length how many pins would be required?

A8: As specified under *Section 3.2 Installation*

Q9: Geotextile Spec. 31 32 19 01 item 2.1.2.4 burst strength. My suppliers are unable to find any fabric that can achieve the desired burst strength. Could you please verify the specification for burst strength?

A9: This requirement is unnecessary. See *Changes and Clarifications* below.

CHANGES AND CLARIFICATIONS

SPECIFICATIONS

31 32 19 01 GEOTEXTILE

2.1.2 PHYSICAL PROPERTIES

Change: Delete Item .4 Bursting Strength

END OF ADDENDUM No. 3