

## NOTIFICATION OF REVISION

Public Works and Government  
Services Canada

### Addendum No. 7

---

Solicitation Name: Government of Canada, Office Facility.  
Solicitation Number: 1322.003

Date: Monday, June 25, 2012

---

## 1. ARCHITECTURAL

### 1.1 SPECIFICATIONS

- .1 Volume 2 - Section 00 01 10 – Table of Contents:
  - .1 Add section 32 94 43 Tree Grates (4 pages)
- .2 Refer to Section 08 44 14 Aluminum Curtain Wall, Windows and Skylights
  - .1 Revise Clause 1.2.3.2 to read 'R-Value: 5 or greater.'
  - .2 Add the following to the end of the first sentence in Clause 2.2.16 'or alternative insulating glass unit construction as required to meet intended performance characteristics.'
  - .3 Revise the third sentence in Clause 2.2.16 to read as follows: 'Overall thickness of unit to be 53 mm thick or as required to meet intended performance characteristics.'
  - .4 Add the following to the end of the first sentence in Clause 2.2.18.1 'or alternative insulating glass unit construction as required to meet intended performance characteristics.'
- .3 Refer to Section 10 28 00 Manufactured Specialties
  - .1 Add sub-section 2.12 BICYCLE RACK as follows:  
'BICYCLE RACKS:
    - .1 Provide rolling ribbon type bicycle rack as shown on Contract Drawings.
    - .2 Bicycle rack to conform to ASTM A53/A500 and be fabricated from Schedule 40 steel pipe, mechanically bent.
    - .3 Finish: Hot-dipped galvanized to ASTM 123
    - .4 Installation: In-ground anchor mount.
    - .5 Configuration: Size and style as indicated on Contract Documents.
    - .6 Capacity: 11 bicycles.'

### 1.2 DRAWINGS

- .1 No items.

## 2. LANDSCAPE

### 2.1 SPECIFICATIONS

- .1 Add section 32 94 43 Tree Grates (4 pages).

## **2.2 DRAWINGS**

- .1 Refer to drawing 3/L2.1 Landscape Details.
  - .1 Delete: Specifications: Materials – custom welded aluminum.
  - .2 Add: Refer to specification 32 94 43 Tree Grates.

## **3. STRUCTURAL**

### **3.1 SPECIFICATIONS**

- .1 No items.

### **3.2 DRAWINGS**

- .1 Refer to drawing S2.0 Second Floor Framing Plan
  - .1 For typical support details of second floor trimmer angles refer to SSK1.0 (see attached).
- .2 Refer to drawing S2.1 Roof Framing Plan
  - .1 For typical support details of roof trimmer angles refer to SSK1.1 (see attached).
- .3 Refer to drawing S3.0 and S3.1 Schematic Framing Elevations
  - .1 Revised notes to include specified vertical dead load of glazing system in the design of the steel studs, refer to SSK1.2 (see attached).

\*\*\*END OF ADDENDUM\*\*\*