

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Public Works and Government Services Canada
Telus Plaza North/Plaza Telus Nord
10025 Jasper Ave./10025 ave. Jaspe
5th floor/5e étage
Edmonton
Alberta
T5J 1S6
Bid Fax: (780) 497-3510

INVITATION TO TENDER APPEL D'OFFRES

**Tender To: Public Works and Government Services
Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Soumission aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
 Telus Plaza North/Plaza Telus Nord
 10025 Jasper Ave./10025 ave Jasper
 5th floor/5e étage
 Edmonton
 Alberta
 T5J 1S6

Title - Sujet Digital Imaging System	
Solicitation No. - N° de l'invitation W2671-11E026/A	Date 2012-02-29
Client Reference No. - N° de référence du client W2671-11-E026	GETS Ref. No. - N° de réf. de SEAG PW-\$EDM-183-9310
File No. - N° de dossier EDM-1-34671 (183)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2012-04-10	
Time Zone Fuseau horaire Mountain Daylight Saving Time MDT	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Tikhonovitch, Alex	Buyer Id - Id de l'acheteur edm183
Telephone No. - N° de téléphone (780) 497-3541 ()	FAX No. - N° de FAX (780) 497-3510
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE DND/AETE 4 WING COLD LAKE BLDG 171 TIMBERLINE DR COLD LAKE ALBERTA T9M2C6 CANADA	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Communications Notification
4. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Certifications Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

List of Annexes:

- | | |
|---------|------------------|
| Annex A | Requirement |
| Annex B | Basis of Payment |

PART 1 - GENERAL INFORMATION**1. Security Requirement**

There is no security requirement associated with the requirement.

2. Requirement

Department of National Defence, Cold Lake, Alberta, has a requirement for the supply, delivery and offloading of one (1) a Long-record High-Speed Digital Imaging System meeting the Minimum Performance Specifications

3. Communications Notification

As a courtesy, the Government of Canada requests that successful bidders notify the Contracting Authority in advance of their intention to make public an announcement related to the award of a contract.

4. Debriefings

After contract award, bidders may request a debriefing on the results of the bid solicitation. Bidders should make the request to the Contracting Authority within 15 working days of receipt of notification that their bid was unsuccessful. The debriefing may be provided in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2011-05-16) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy);

Section II: Financial Bid (1 hard copy);

Section III: Certifications (1 hard copy).

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Goods and Services Tax (GST) or Harmonized Sales Tax (HST) must be shown separately, if applicable.

1.1 SACC Manual Clauses

C3011T (2010-01-11), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Financial Evaluation

SACC Manual Clause A0220T (2007-05-25), Evaluation of Price

2. Basis of Selection - Highest Combined Rating of Technical Merit and Price

- 1. To be declared responsive, a bid must:

- (a) comply with all the requirements of the bid solicitation;
- (b) meet all mandatory criteria; and
- (c) obtain the required minimum of 25 points overall for the technical evaluation criteria which are subject to point rating.

The rating is performed on a scale of 100 points.

- 2. Bids not meeting (a), (b) and (c)" will be declared non-responsive.
- 3. The evaluation will be based on the highest responsive combined rating of technical merit and price. The ratio will be 60 % for the technical merit and 40 % for the price.
- 4. To establish the technical merit score, the overall technical score for each responsive bid will be determined as follows: total number of points obtained / maximum number of points available multiplied by the ratio of 60 % .
- 5. To establish the pricing score, each responsive bid will be prorated against the lowest evaluated price and the ratio of 40%.
- 6. For each responsive bid, the technical merit score and the pricing score will be added to determine its combined rating.
- 7. Neither the responsive bid obtaining the highest technical score nor the one with the lowest evaluated price will necessarily be accepted. The responsive bid with the highest combined rating of technical merit and price will be recommended for award of a contract.

The table below illustrates an example where all three bids are responsive and the selection of the contractor is determined by a 60/40 ratio of technical merit and price, respectively. The total available points equals 135 and the lowest evaluated price is \$45,000 (45).

Basis of Selection - Highest Combined Rating Technical Merit (60%) and Price (40%)

	Bidder		
	Bidder 1	Bidder 2	Bidder 3
Overall Technical Score	115/135	89/135	92/135
Bid Evaluated Price	\$55,000.00	\$50,000.00	\$45,000.00
Calculations			
Technical Merit Score	$115/135 \times 60 = 51.11$	$89/135 \times 60 = 39.56$	$92/135 \times 60 = 40.89$
Pricing Score	$45/55 \times 40 = 32.73$	$45/50 \times 40 = 36.00$	$45/45 \times 40 = 40.00$
Combined Rating	83.84	75.56	80.89
Overall Rating	1st	3rd	2nd

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications to be awarded a contract. Canada will declare a bid non-responsive if the required certifications are not completed and submitted as requested. Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

1. Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

1.1 Federal Contractors Program - Certification

Federal Contractors Program - over \$25,000 and below \$200,000

Suppliers who are subject to the Federal Contractors Program (FCP) and have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive federal government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any bids from ineligible contractors, including a bid from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

The Bidder, or, if the Bidder is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Bidder or the member of the joint venture

- (a) () is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, or temporary employees having worked 12 weeks or more in Canada;
- (b) () is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
- (c) () is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC, having not bid on requirements of \$200,000 or more;
- (d) () has not been declared an ineligible contractor by HRSDC, and has a valid certificate number as follows: _____.

Further information on the FCP is available on the HRSDC Web site.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement associated with the requirement.

2. Requirement

The Contractor must provide items in accordance with the Requirement at Annex A.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2011-05-16), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Delivery Date

All the deliverables must be received on or before_____.

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Alex Tikhonovitch
Public Works and Government Services Canada
Acquisitions Branch
Western Region
5th Floor Telus Plaza North
10025 Jasper Avenue
Edmonton, Alberta T5J 1S6

Telephone: (780) 497-3541
Facsimile: (780) 497-3510
E-mail address: alex.tikhonovitch@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority

The Project Authority for the Contract is: **To be determined**

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone : _____

Facsimile: _____

E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone: _____ - _____ - _____

Facsimile: _____ - _____ - _____

E-mail address: _____

6. Payment

6.1 Basis of Payment - Firm Lot Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in Annex B - Basis of Payment for a cost of \$_____. Customs duties are included, and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.3 Terms of Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

6.4 SACC Manual Clauses

C2000C (2007-11-30), Taxes - Foreign-based Contractor

7. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

8. Certifications

Compliance with the certifications provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification or it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of Alberta.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2011-05-16), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____

11. SACC Manual Clauses

B7500C (2006-06-16), Excess Goods

G1005C (2008-05-12), Insurance

ANNEX A**REQUIREMENT**

Department of National Defence, Cold Lake, Alberta, has a requirement for the supply, delivery and offloading of one (1) a Long-record High-Speed Digital Imaging System meeting the Minimum Performance Specifications herein.

One complete long record high-speed camera system (including one camera, lenses, and associated support equipment) must be provided. Additional cameras must be provided only in the event that the technical requirements stated in this document cannot be met with one camera per system.

Any interface units or storage arrays must be portable and operable by one person. The entire system must be compact enough to fit inside the CH146 for aerial imagery missions. The camera must have the ability to be tri-pod mounted. The camera system must be self-contained – i.e. no physical connection to aircraft power.

Minimum Performance Specifications (Mandatory Criteria)

Bidders must address each Minimum Performance Specification listed below whether the product offered "Meets" or "Doesn't Meet" and provide supporting documentation for each item where applicable. Bidders are requested to cross reference by item number on their supporting documentation where it clearly shows the specification meets each minimum specification and "N/A" if documentation is not available.

Item	Description	Meets	Doesn't Meet	Pg #
	Size and Weight			
1	The camera must be no larger than 10" in either dimension to allow the flexibility to be hand-held.			
2	The camera must be no heavier than 12lbs to allow the flexibility to be hand-held.			
	Environment			
3	The camera system must not be a source of or be affected by electro-magnetic interference when operating in and around CF aircraft.			
4	The camera system must be operable in temperatures ranging from 0°C to +35°C.			
	Ergonomics			
5	The camera must have the ability to be tri-pod mountable or hand-held. While mounted on a tri-pod it must have the ability to be steered.			
	Power			
6	The camera system must have its own power source. If the camera can be turned on and off without losing settings and data, then the power source must be sufficient to operate the camera system for a minimum of 30 minutes. If the camera system cannot be turned on and off without losing settings or			

	data (i.e. volatile memory), then the minimum continuous operational time must be 4 hours.			
	Viewing and Aiming			
7	Imagery must be streamed live to either a laptop or a display screen or both. If imagery is streamed only to a display screen, it must be at least 4"x5" with a minimum of SXGA standard (1280x1024) screen resolution.			
	Trigger			
8	The trigger must be located such that it can be activated by the thumb or index finger during normal operations. The trigger time must be saved along with the image data. The trigger must operate in accordance with all of the following operating options:			
8a	<u>Start-stop</u> . The operator will press and release the trigger to start recording, and press and release the trigger to stop recording. If the duration of the recording exceeds the camera memory buffer, the camera must save the portion of the sequence up to the stop trigger event. A press-hold-release trigger is also acceptable. The operator would press the trigger and hold to record and release to stop. This mode must be repeatable after data download or deletion.			
8b	<u>Post-trigger recording</u> . The operator will press the trigger. The camera must record a predetermined number of frames (or seconds of data) up to the maximum number of frames and stop automatically. This mode must be repeatable after data download or deletion.			
8c	<u>Pre-trigger recording</u> . The operator will set the camera in a waiting-for-trigger mode. The camera must record in a circular memory buffer. Upon triggering, the camera must save a predetermined number of frames (or seconds of data) that were recorded just prior to the trigger point, up to the maximum number of frames. This mode must be repeatable after data download or deletion.			
8d	<u>Mid-trigger</u> . This is a combination of post-trigger recording and pre-trigger recording. The operator will set the camera in a waiting-for-trigger mode. The camera must record in a circular memory buffer. Upon triggering, the camera must save a predetermined number of frames (or seconds of data) that were recorded just prior the trigger point, and save a predetermined number of frames recorded after the trigger point, up to the maximum number of frames. This mode must be repeatable after data download or deletion.			
	Storage Capacity			
9	The storage capacity must be 60 minutes of 1000 frames per second of 1024 x 1024 resolution minimum. The time to			

	save a sequence to a storage unit (either on-board or external units) must be less than 2 minutes			
	Exposure Control			
10	Electronic aperture control and shutter gain is required. The images will be considered appropriately exposed if an 8-bit monochrome image has highlights in the 225-255 digital count range and shadow in the 0-30 digital count range. This can be accomplished by automatically adjusting the exposure time for a correct exposure, adjust the sensor gain, downsampling from a higher dynamic range sensor (10 or 12-bit sensor) or adjusting the lens aperture. The camera system must be integrated such that if the viewing and aiming display is properly exposed, then the images will be properly exposed. If automatic exposure control is provided, a manual override method must be provided. A dial for exposure adjustment is also acceptable.			
	Lenses			
11	The camera system must be compatible with C-mount or F-mount lenses or adapters must be provided.			
	Sensitivity			
12	The camera system must have an equivalent film speed of 3000 mono and 1000 colour.			
	Dynamic Range			
13	The camera sensor must have a minimum of 8 bits of dynamic range.			
	Resolution			
14	The camera system must generate frames with a minimum of 1024 x 1024 pixels at an adjustable frame rate of up to 1000 frames per second.			
	File Formats			
15	The camera or data transfer interface must generate files in accordance with the current industry standard high definition format (i.e. H264). The amount of compression used (if any) must be controllable by the operator. If a RAW or proprietary format is used, software must be provided that allows conversion to one of the above-mentioned formats. If metadata (such as frame rate, shutter speed, aperture setting, or time) is saved with each image, software allowing the extraction of the metadata must be provided.			
	Software			
16	The camera system must be delivered with the software necessary to set-up, playback, download and archive the images. The software must operate on a PC and be compatible with the Microsoft Windows 7/X64 operating system. Software updates and upgrades must be provided as they are available to be compatible with current operating systems.			
	Operator Control and Feedback			
17	The camera system must provide a real-time indication of how much storage capacity is left, the battery life remaining,			

	and an indication of the camera status (standby, ready to shoot, recording, downloading, writing to non-volatile memory) on the laptop receiving live streaming of imagery data. If the camera has an automatic timed shutdown, then the camera must have an option to turn this feature off. All automatic settings must have an override so that the Imagery Technician can manually adjust any setting to suit the test conditions and objectives.			
	Timing			
18	The camera system must have the capability to synchronize an internal clock to an Inter-Range Instrumentation Group (IRIG) or Global Positioning System (GPS) signal. With this option, the time would be saved with each image in an open format.			
	Colour			
19	The camera system must generate Red-Green-Blue (RGB) colour images by default but must also be capable of generating monochrome frames if selected by the operator.			
	Manuals			
20	The camera must be provided with operator manuals, maintenance manuals, and any electromagnetic compatibility reports available. Software version of the manuals and reports must be provided along with one hardcopy per piece of equipment purchased. Any updates to provided manuals must be provided as they are available.			
	Technical Support			
21	Technical support must be provided for the operation and maintenance of the camera system for a minimum of 5 years.			

POINT RATED REQUIREMENTS:

Note: In all cases, a minimum rating of 1 is required in order to meet the performance requirements.

Design Considerations

	WEIGHT	RATING	SCORE
<u>Viewing and Aiming.</u> Preference will be given to systems with the capability to stream live to a laptop. 4=live streaming to a laptop and camera display. The camera display is greater than 4"x5", 3 = live streaming to a laptop and camera display. The camera display is 4"x5", 2=live streaming to a laptop only, 1=live streaming to a camera display screen only, 0=no live streaming to laptop or camera display screen.	5		
<u>Weight.</u> Preference will be given to a lightweight camera for portability and ease of use. 4=less than 5 lbs, 3=5-8 lbs, 2=8-12 lbs, 1=12 lbs, 0=greater than 12 lbs.	1		
<u>Ergonomics.</u> Preference will be given to systems allowing one-handed camera operation. 4=One hand required on the bottom of the camera, 3=One hand required on the right side of the camera, 2=Two hands required, 1=One hand & shoulder support is required, 0=Camera requires more than 1 hand and shoulder support.	4		
<u>Number of Sub-Systems.</u> Preference will be given to systems comprised of the fewest number of components in order to meet the requirements. 4=One camera, one storage device, and one lens required, 3=One camera, one lens, and multiple storage devices required, 2=One camera, multiple lenses and storage devices required, 1=Multiple cameras, lenses, or storage devices required. 0=No combination of cameras, lenses, and storage devices meets the minimum requirements.	3		
Maximum points available			52
Minimum points acceptable			13
Points awarded			

Technical Specifications

	WEIGHT	RATING	SCORE
<u>Frame Rate and Resolution.</u> Preference will be given to the highest frame rate available without compromising the required 1024x1024 resolution. 4=2000 fps or greater, 3=1500 fps, 2=100 fps, 1=500 fps, 0=less than 500 fps.	5		
<u>Dynamic Range.</u> Preference will be given to the best dynamic range without compromising the required 60 minutes of storage capacity. 4=greater than 12 bits, 3=12 bits, 2=10 bits, 1=8 bits, 0=less than 8 bits.	2		
<u>Storage.</u> Preference will be given to systems high storage capacity for high resolution (1280x1024 minimum) and high frame rates. 4=90 min storage with 1280x1024 resolution at min of 500 fps, 3= 60 min storage with 1280x1024 resolution and min 1000 fps, 2=60 min storage with 1280 x1024 resolution at min 500 fps, 1=60 min storage with 1024x1024 resolution at min 1000 fps, 0= 30 min or less storage with less than 1280x1024 resolution at any frame rate.	5		
Maximum points available			48
Minimum points acceptable			12
Points awarded			

Overall Evaluation

Does the bid meet all mandatory requirements?	Yes / No
Total points from Design Considerations.	
Total point from Technical Specifications.	
Total points awarded.	

Make and Model Number of Product(s) Offered: _____

If your literature/specification is not enclosed with your tender at solicitation closing, your literature/specification must be received within ten (10) working days of request by the Contracting Authority.

If upon delivery and acceptance, the product is found not to meet the Minimum Performance Specifications, the product will be returned at the Suppliers expense and the Contract terminated for default.

ANNEX B**BASIS OF PAYMENT**

- The Firm Unit Prices must be FOB Destination and include all delivery and off-loading charges to the Department of National Defence (DND), Cold Lake, Alberta.
- Firm Unit Prices do not include GST, however GST will be added as a separate line item to any invoice issued as a result of a Contract.
- All prices must be in Canadian dollars.

Item	Description	Qty.	Firm Unit Price	Extended Price
1	Supply and delivery of the Long-record High-Speed Digital Imaging System in compliance with the Requirement and the Minimum Performance Specifications outlined in Annex "A"	1 lot	\$_____/lot	\$_____
Total Assessed Bid Price:				\$_____