

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
Pacific Region  
401 - 1230 Government Street  
Victoria, B.C.  
V8W 3X4  
Bid Fax: (250) 363-3344

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada -  
Pacific Region  
401 - 1230 Government Street  
Victoria, B. C.  
V8W 3X4

<b>Title - Sujet</b> STRUCTURE PREFABRICATED MISC	
<b>Solicitation No. - N° de l'invitation</b> EZ108-130571/A	<b>Amendment No. - N° modif.</b> 003
<b>Client Reference No. - N° de référence du client</b> EZ108-130571	<b>Date</b> 2012-09-21
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$VIC-222-6007	
<b>File No. - N° de dossier</b> VIC-2-35069 (222)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2012-10-09</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Pacific Daylight Saving Time PDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Campbell, Deborah	<b>Buyer Id - Id de l'acheteur</b> vic222
<b>Telephone No. - N° de téléphone</b> (250) 363-3612 ( )	<b>FAX No. - N° de FAX</b> (250) 363-3344
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> PWGSC-TPSGC Engineering Assets Esquimalt Graving Dock 825 Admirals Road Victoria, B.C. V9A 2P1	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

---

**THE FOLLOWING ARE CLARIFICATIONS TO QUERIES MADE AT MANDATORY SITE VISIT HELD ON SEPTEMBER 11, 2012 AT 1:00 P.M.**

- Q1)** Dimensions in written technical specification are different from the dimensions on drawing.  
**A1)** Dimensions are correct on the drawing, bidders will refer to the drawing for correct measurements.

Successful supplier will be responsible for final measurements of fabricated structure roof to ensure proper fit.

- Q2)** Concerns regarding snow on the right side of building. If the snow comes off the shelter roof it will go onto the roof of the building to the right of the sea containers.  
**A2)** End user has advised that this is OK and contractors should not be concerned about this.

- Q3)** In Annex A - Specifications it states under #4 that corner posts may be required at the two extension corners. (right front and back left corners)  
**A3)** I-Beams will be required at the right front corner and the left rear corner (see drawing for measurements), these two corners are set back.

The front right corner must be squared to match the opposite site. It is set further back than the rest of the sea containers.

On the back left side of sea containers, stair location, roof structure must be squared off so that the roof structure runs from the corner back end of sea container straight out to the railing of the stair structure, so that the door is covered.

Note: Does not have to cover the stairs.

- Q4)** Is an eve required? If not, how much of an overlap is required?  
**A4)** The overlap must have over hang and should be no less than 6". The over hang will be just the fabric material only. It must hang over the edge of the outer edge of the sea container. Overlap of material will be watertight.

- Q5)** Are the sea containers level? And if not can they be leveled?  
**A5)** End user will level the sea containers.

- Q6)** Site access. Will successful supplier have access to the area around the sea containers? Supplier will require the area for materials as well as set up.  
**A6)** End user will require at least one week's notice to prepare the site for supplier. End user will be able to clean up the inside area of the sea containers and the back of sea containers.

End user has advised that the two pieces of equipment on the left hand side will not be moved. Supplier will have to provide the proper equipment to get access to the sea containers.

Equipment at the back of the sea containers will be moved.

- Q7)** Will supplier be able to utilize the area in front of the sea containers up to the yellow road line on the road way?  
**A7)** Supplier will be able to utilize up to 12' onto the roadway.

- 
- Q8)** On the right side of the sea containers the building roof beside is so close that suppliers may need to either walk on the roof or possibly rig scaffolding to sea containers.
- A8)** Successful supplier will not be able to walk on the roof, they will have to provide scaffolding or boom lift, as required.
- Q9)** Will successful supplier have access to Esquimalt Graving Dock (EGD) cranes for the installation of fabricated roof structure?
- A9)** A EGD mobile crane will be available with 24 hours notice from supplier.

The successful supplier will be responsible for providing all other equipment required to supply and install shelter roof.

**ALL OTHER TERMS AND CONDITIONS SHALL REMAIN THE SAME.**