

ROOM DATA SHEET

Correctional Service Canada

24/10/11

General Information		Room/ Functions	Meeting Room Large
Building	GO BUILDING		

Area & Volume				
Area Requirements	60.0m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements	RC 25-30			

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless			
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT			
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security			
	<input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT	<input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input type="checkbox"/> Drywall/painted <input checked="" type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other			
	<input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x1		<input checked="" type="checkbox"/> 915 x1	<input type="checkbox"/> 1100 x
	<input type="checkbox"/> 2 x 915 x		<input type="checkbox"/> 1 x 600&1 x 915 x	
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x		<input checked="" type="checkbox"/> 915 x1	<input type="checkbox"/> 1100 x
	<input type="checkbox"/> 2 x 915 x		<input type="checkbox"/> 1 x 600&1 x 915 x	
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities	White Boards x 2			

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 8 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 8 <input type="checkbox"/> Intercom x
	<input checked="" type="checkbox"/> Public Address
	<input checked="" type="checkbox"/> Audio Video Presentation equipment <input checked="" type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

24/10/11

General Information		Room/ Functions	Meeting Room Large
Building	GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input checked="" type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 4 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input checked="" type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input checked="" type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	40	Maximum	60
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x8	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other Plumbing is for future development only			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements	Plumbing drain and vent rough-in for future sink.			

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

24/10/11

General Information		Room/ Functions	Staff Locker Room
Building	GO BUILDING		

Area & Volume				
Area Requirements	28-42m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input type="checkbox"/> Vinyl Tile <input checked="" type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other			
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input checked="" type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other			
Special Reqts	<input checked="" type="checkbox"/> Other water resistant drywall			
Ceiling	<input checked="" type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT <input type="checkbox"/> Structure			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x1 <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input checked="" type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Second is Inner door of privacy vestibule no lock.			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities	184 and 120 Half metal Lockers as per drawings			
	Benches x 4 per room			

Communications	
Outlets	<input type="checkbox"/> Voice x <input type="checkbox"/> Intercom (phone feature) <input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input checked="" type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

24/10/11

General Information		Room/ Functions	Staff Locker Room
Building	GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input checked="" type="checkbox"/> Regular (15 AMP)	QTY 2	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY 6	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input checked="" type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	20	Maximum	30
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Exhaust to outside			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
		<input type="checkbox"/> In counter	<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free	<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand	<input type="checkbox"/> Other:		
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input checked="" type="checkbox"/> Mirror and shelf x1			
	<input checked="" type="checkbox"/> Garbage Can x 2		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x	<input type="checkbox"/> Clothes hooks x		
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Warehouse
Building	GO BUILDING		

Area & Volume				
Area Requirements	325m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input checked="" type="checkbox"/> other
Special Requirements	Partial open 2 storey with 120 m2 on second floor			

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure					
Floor	<input type="checkbox"/> Vinyl Tile	<input type="checkbox"/> Sheet vinyl seamless			
	<input checked="" type="checkbox"/> Concrete/sealed	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT	<input type="checkbox"/> Other	
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self	<input type="checkbox"/> Wood	
Special Reqts	<input type="checkbox"/> Slip Resistant	<input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block	<input type="checkbox"/> Security	
	<input type="checkbox"/> Other				
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT	<input type="checkbox"/> Other	
Special Reqts	<input type="checkbox"/> Other				
Ceiling	<input type="checkbox"/> Drywall/painted	<input type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other		
	<input checked="" type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other				
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input checked="" type="checkbox"/> Other	
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x1	<input type="checkbox"/> 915 x1	<input checked="" type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135	<input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input checked="" type="checkbox"/> Electronic/Swipe	
Special reqts	<input checked="" type="checkbox"/> Other This door is considered man door near front canopy				

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other	
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> Other H	
Width	<input type="checkbox"/> 860 x	<input type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135	<input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe	
Special reqts	<input checked="" type="checkbox"/> Other Second door is loading dock overhead door of 3000*3650 There are also two access points into main building of 915*2135 HM paint Type B, one per level.				
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 3.66m ²	<input type="checkbox"/> Operable		
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF		
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other	
Exterior Glazing	<input type="checkbox"/> Security Protection Level				
Special reqts	exterior windows refer to drawings				
Millwork	Use elevations reference Drawing #				
Specialities					

Communications		
Outlets	<input checked="" type="checkbox"/> Voice x TBD	<input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x TBD	<input checked="" type="checkbox"/> Intercom x 1
	<input checked="" type="checkbox"/> Public Address	
	<input type="checkbox"/> Audio Video Presentation equipment	<input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Minimum of 4 voice 4 data. Intercom to exterior loading area .	

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Warehouse
Building	GO BUILDING		

Electrical	Total Number of elements to meet Code			
General Power	120V Receptacles(duplex)			
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas			
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room			
	<input type="checkbox"/> Regular (15 AMP)	QTY		
	<input type="checkbox"/> Regular (20 AMP)	QTY		
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 4 QUAD		
	<input checked="" type="checkbox"/> Printer(dedicated)	QTY 1		
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 2		
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted	
Lighting	Lighting Level (lumens)			
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input checked="" type="checkbox"/> 540	<input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
	<input checked="" type="checkbox"/> General Lighting to have dual levels controlled by switching			
	<input type="checkbox"/> General lighting to have multiple zones and controls			
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750	<input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special	
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk		

Mechanical and HVAC			
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred	
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)	
Air Conditioning	<input type="checkbox"/> Required	<input checked="" type="checkbox"/> Other (list)	
	<input type="checkbox"/> Not Required		
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.		

Number of Occupants	Normal	2	Maximum	10
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x4	<input type="checkbox"/> Small Xerox	
	<input checked="" type="checkbox"/> Printers	x1	<input type="checkbox"/> Large Xerox	
	<input checked="" type="checkbox"/> Other			
Special Requirements	Fork lift, style and type to be determined. HVAC to suit warehouse environment.			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input checked="" type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input checked="" type="checkbox"/> single x		<input type="checkbox"/> double x	<input checked="" type="checkbox"/> deep
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input checked="" type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input checked="" type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	<input checked="" type="checkbox"/> Hose bibb connect x 1
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Staff Shower Room
Building	GO BUILDING		

Area & Volume				
Area Requirements	10m ²	or	L =	W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile	<input checked="" type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT	<input type="checkbox"/> Other
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant	<input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block	<input type="checkbox"/> Security
	<input type="checkbox"/> Other			
Finish	<input type="checkbox"/> Paint	<input checked="" type="checkbox"/> Epoxy	<input type="checkbox"/> CT	<input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other water resistant drywall			
Ceiling	<input type="checkbox"/> Drywall/painted	<input checked="" type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other	
	<input type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input type="checkbox"/> LAT	
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C
Width	<input type="checkbox"/> 860 x	<input type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Toilet enclosure			
Millwork	Use elevations reference Drawing #			
Specialities	Shower curtian and rod			

Communications		
Outlets	<input type="checkbox"/> Voice x	<input type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x	<input type="checkbox"/> Intercom x
<input type="checkbox"/> Public Address		
Special Requirements	<input type="checkbox"/> Audio Video Presentation equipment	<input type="checkbox"/> Ceiling Mount
		<input type="checkbox"/> Floor Connection
		<input type="checkbox"/> Wall connection

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Staff Shower Room
Building	GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input checked="" type="checkbox"/> Regular (15 AMP)	QTY	1 GFI at sink
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input checked="" type="checkbox"/> special Sink
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC	
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	4	Maximum	4
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Shower room exhaust to outside.			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input checked="" type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input checked="" type="checkbox"/> ceramic	
	Type	<input checked="" type="checkbox"/> single x 1	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
	<input type="checkbox"/> In counter		<input checked="" type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input checked="" type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input checked="" type="checkbox"/> Toilet x 1		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input checked="" type="checkbox"/> Shower x 2			
Accessories	<input checked="" type="checkbox"/> Soap Dispenser x 1			
	<input checked="" type="checkbox"/> Paper Towel Dispenser x 1			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input checked="" type="checkbox"/> Mirror and shelf x1			
	<input checked="" type="checkbox"/> Garbage Can x 1		<input checked="" type="checkbox"/> Sanitary Disposal x 1	
	<input type="checkbox"/> Towel Bars x		<input checked="" type="checkbox"/> Clothes hooks x 2	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input checked="" type="checkbox"/> Special drain for specific equipment			
Special Requirements	Showers commercial grade acrylic Sanitary Disposal In female only.			

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Corridors
Building	GI or GO BUILDING		

Area & Volume				
Area Requirements	m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input checked="" type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile	<input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT	
	<input type="checkbox"/> Other			
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant	<input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block	<input type="checkbox"/> Security
	<input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT	<input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input type="checkbox"/> Drywall/painted	<input type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other	
	<input type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input checked="" type="checkbox"/> LAT	
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input checked="" type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x TBD	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input checked="" type="checkbox"/> 300x2135
	<input type="checkbox"/> 860x1100			
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input checked="" type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Final number and location of corridor doors TBD.			

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input checked="" type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135
	<input type="checkbox"/> 860x1100			
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Insulated weather protected steel , final number of Exit doors as required			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications		
Outlets	<input type="checkbox"/> Voice x	<input checked="" type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x	<input type="checkbox"/> Intercom x
	<input checked="" type="checkbox"/> Public Address	
	<input type="checkbox"/> Audio Video Presentation equipment	<input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Intercoms/phones to be placed outside each suite for controlled access.	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

General Information		Room/ Functions	Corridors
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1 per 7.5m length	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	0	Maximum	0
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x		<input type="checkbox"/> double x <input type="checkbox"/> deep	
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Electrcial, Telecom and LAN
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	12.0m ²	or	L = W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	Telecom and LAN functions to be physically separated		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	Isolate noise to surrounding rooms		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT		
	<input checked="" type="checkbox"/> Otherstatic resistant		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input checked="" type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input checked="" type="checkbox"/> Security		
	<input checked="" type="checkbox"/> Other Plywood as required by code. Also Secure type wall.		
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other		
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input type="checkbox"/> A <input type="checkbox"/> B	<input type="checkbox"/> C <input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Alarmed		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input type="checkbox"/> Voice x <input type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount
	<input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Secure Cabinet for LAN, divisable for multiple systems Separate Secure Cabinet/Panel for Securiy systems

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Electrcial, Telecom and LAN
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY TBD	
	<input type="checkbox"/> Regular (20 AMP)	QTY TBD	
	<input type="checkbox"/> Computer(Surge Protected)	QTY TBD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC			
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred	
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)	
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
	<input type="checkbox"/> Not Required		
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.		

Number of Occupants	Normal	1	Maximum	1
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	HVAC to suit loads from all systems			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free	<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input checked="" type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x 1		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Janitor Closet
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	2.0m ²	or	L = W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements			

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements			

Structure			
Floor	<input type="checkbox"/> Vinyl Tile <input checked="" type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input checked="" type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other		
Finish	<input type="checkbox"/> Paint <input checked="" type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other		
Special Reqts	<input checked="" type="checkbox"/> Other water resistant drywall		
Ceiling	<input type="checkbox"/> Drywall/painted <input checked="" type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT Structure		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input checked="" type="checkbox"/> C <input type="checkbox"/> Other
Width	<input checked="" type="checkbox"/> 860 x1 <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities	Mop rack wallmount above sink			
	Storage shelving wall mount			

Communications	
Outlets	<input type="checkbox"/> Voice x <input type="checkbox"/> Intercom (phone feature) <input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Janitor closet
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching <input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC			
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred	
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)	
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
	<input type="checkbox"/> Not Required		
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.		

Number of Occupants	Normal	1	Maximum	1
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Room exhaust to outside.			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x		<input type="checkbox"/> double x <input type="checkbox"/> deep	
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input checked="" type="checkbox"/> other floor mount mop sink			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input checked="" type="checkbox"/> extra water quick disconnect	
	<input checked="" type="checkbox"/> spray wand		<input checked="" type="checkbox"/> Other: Vacuum breaker	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Kitchen
Building	GI BUILDING		

Area & Volume				
Area Requirements	10.0m ²	or	L =	W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input checked="" type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other			
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other			
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input checked="" type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x1 <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			1E
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 1 <input type="checkbox"/> Intercom (phone feature) <input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Kitchen
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input checked="" type="checkbox"/> Regular (15 AMP)	QTY Refrigerator	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540
	<input type="checkbox"/> 750		
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
	<input type="checkbox"/> 1100		
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	2	Maximum	5
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input checked="" type="checkbox"/> Other Refrigerator, Microwave			
Special Requirements	Separated Kitchen exhaust to outside.			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input checked="" type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input checked="" type="checkbox"/> double x	<input type="checkbox"/> deep
	<input type="checkbox"/> custom size stainless steel sink x			
	<input checked="" type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input checked="" type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free	<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input type="checkbox"/> Shower x			
Accessories	<input checked="" type="checkbox"/> Soap Dispenser x 1			
	<input checked="" type="checkbox"/> Paper Towel Dispenser x 1			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input checked="" type="checkbox"/> Garbage Can x 1		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	MAIN Vestiuble , Stair
Building	GI or GO BUILDING		

Area & Volume				
Area Requirements	m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input checked="" type="checkbox"/> other
Special Requirements	To suit stair			

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input type="checkbox"/> Vinyl Tile	<input checked="" type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT	
	<input type="checkbox"/> Other			
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block	<input type="checkbox"/> Security
	<input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT	<input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input type="checkbox"/> Drywall/painted	<input type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other	
	<input checked="" type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input type="checkbox"/> LAT	
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input checked="" type="checkbox"/> Other
Style	<input checked="" type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x1	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Steel, Insualted and weather protection			

Second Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input checked="" type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> Other H
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x2	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input checked="" type="checkbox"/> 860x2135
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input checked="" type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other 1 door per level, Access control on both coordinate with second access door in cooridor			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 3.66m ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Exterior windows to suit stairwell design and views for enhanced dynamic supervision.			
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input type="checkbox"/> Voice x <input checked="" type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input checked="" type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Intercoms/phones may be placed outside on second level for controlled access.

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	MAIN Vestiuble , Stair
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code			
General Power	120V Receptacles(duplex)			
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas			
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room			
	<input type="checkbox"/> Regular (15 AMP)	QTY		
	<input type="checkbox"/> Regular (20 AMP)	QTY		
	<input type="checkbox"/> Computer(Surge Protected)	QTY		
	<input type="checkbox"/> Printer(dedicated)	QTY		
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1 per 7.5m length		
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted	
Lighting	Lighting Level (lumens)			
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching			
	<input type="checkbox"/> General lighting to have multiple zones and controls			
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750	<input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special	
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk		

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	0	Maximum	0
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input checked="" type="checkbox"/> Other			
Special Requirements	Area space heater			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
		<input type="checkbox"/> In counter	<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free	<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand	<input type="checkbox"/> Other:		
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x	<input type="checkbox"/> Sanitary Disposal x		
	<input type="checkbox"/> Towel Bars x	<input type="checkbox"/> Clothes hooks x		
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

General Information		Room/ Functions	Meeting Room Small
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	15m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements			

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements	RC 25-30			

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless			
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT			
Cove/Base	<input checked="" type="checkbox"/> Rubber <input type="checkbox"/> Carpet <input type="checkbox"/> self <input type="checkbox"/> Wood			
	Special Reqts <input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security			
	<input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other			
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other			
	<input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD <input checked="" type="checkbox"/> HM/paint <input type="checkbox"/> Alum <input type="checkbox"/> Other			
	Style <input type="checkbox"/> A <input checked="" type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other			
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135 Side Lights <input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100			
Hardware	<input checked="" type="checkbox"/> Lock set <input type="checkbox"/> Passage <input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe			
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD <input type="checkbox"/> HM/paint <input type="checkbox"/> Alum <input type="checkbox"/> Other			
	Style <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other			
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135 Side Lights <input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100			
Hardware	<input type="checkbox"/> Lock set <input type="checkbox"/> Passage <input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe			
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior		Min Area 2.5m ²	
	<input type="checkbox"/> Interior		Min Area m ² Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds <input checked="" type="checkbox"/> H-Blinds <input type="checkbox"/> Curtains <input type="checkbox"/> Other			
	Exterior Glazing <input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 4 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 4 <input type="checkbox"/> Intercom x
<input type="checkbox"/> Public Address	
<input checked="" type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input checked="" type="checkbox"/> Wall connection	
Special Requirements	

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Meeting Room Small
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 2 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540
	<input type="checkbox"/> 750		
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
	<input type="checkbox"/> 1100		
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	5	Maximum	8
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x4	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep	
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	
	<input type="checkbox"/> Shower x		<input type="checkbox"/> Hose bibb connect x	
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Multi Purpose Room (1)
Building	GI BUILDING		

Area & Volume			
Area Requirements	60m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	CAPABLE TO ADAPT TO MULTIPLE TRAINING FORMATS		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security		
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input checked="" type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input checked="" type="checkbox"/> A	<input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x		
	<input checked="" type="checkbox"/> 2 x 915 x1 <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input checked="" type="checkbox"/> 860x2135
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Sidelights on both sides of double doors		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input checked="" type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 5.26m ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 8 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 8 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input checked="" type="checkbox"/> Audio Video Presentation equipment <input checked="" type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Certain data drops may be set for inmate system only. Outlets may left non functional based on final room occupancy.

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Multi Purpose Room (1)
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 4 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY 1	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input checked="" type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC	
Dedicated Thermostat	<input type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input checked="" type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	12	Maximum	50
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers x8	<input type="checkbox"/> Small Xerox		
	<input type="checkbox"/> Printers x1	<input type="checkbox"/> Large Xerox		
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x		<input type="checkbox"/> double x <input type="checkbox"/> deep	
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	MULTI PURPOSE ROOM (2)
Building	GI BUILDING		

Area & Volume			
Area Requirements	40-45m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	CAPABLE TO ADAPT TO MULTIPLE TRAINING FORMATS		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other		
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input checked="" type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 2.88m ²	<input type="checkbox"/> Operable	
	<input checked="" type="checkbox"/> Interior	Min Area 1.44m ²	Sill Height AFF 1100	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Interior windows to corridor for dynamic supervision			
Millwork	Use elevations reference Drawing #			
Specialties	Large white boards x 3			

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 8 <input type="checkbox"/> Intercom (phone feature) <input checked="" type="checkbox"/> Data x 8 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input checked="" type="checkbox"/> Audio Video Presentation equipment <input checked="" type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Certain data drops may be set for inmate system only. Outlets may left non-functional based on final room occupancy.

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	MULTI PURPOSE ROOM (2)
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 4 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY 1	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input checked="" type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC	
Dedicated Thermostat	<input type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input checked="" type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	12	Maximum	25
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x8	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Office (1)
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	11.0m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements			

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security		
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C <input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 2.5m ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 4 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 4 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Office (1)
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 2 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	1	Maximum	4	
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x4	<input type="checkbox"/> Small Xerox		
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox		
	<input type="checkbox"/> Other				
Special Requirements					
Plumbing	Total Number of Fixtures to meet Code				
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW		
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve		
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic		
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep	
		<input type="checkbox"/> custom size stainless steel sink x			
		<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=	
	<input type="checkbox"/> other				
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck		
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles		
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect		
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:		
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x		
	<input type="checkbox"/> Shower x				
Accessories	<input type="checkbox"/> Soap Dispenser x				
	<input type="checkbox"/> Paper Towel Dispenser x				
	<input type="checkbox"/> Soap Dispenser (hands free) x				
	<input type="checkbox"/> Mirror and shelf x				
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x		
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x		
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain		
	<input type="checkbox"/> Special drain for specific equipment				
Special Requirements					

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Office (2)
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	15.0m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements			

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other		
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT <input type="checkbox"/> Structure		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 2.5m ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 4 <input type="checkbox"/> Intercom (phone feature) <input checked="" type="checkbox"/> Data x 4 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Office (2)
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 2 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	2	Maximum	6
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x4	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep	
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

General Information		Room/ Functions	Open Workstations
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	25-180m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	Planning of approximately 1workstation /10m2gross area with each station set at 5.9m2		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile	<input type="checkbox"/> Sheet vinyl seamless	
	<input type="checkbox"/> Concrete/painted	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT
	<input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant	<input type="checkbox"/> Other	
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted	<input type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other
	<input type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input checked="" type="checkbox"/> LAT
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x	<input type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x	
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C <input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x	<input type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area TBDm ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Exterior windows to suit building and layout of the open area			
	Refer to drawings for minimums			
Millwork	Use elevations reference Drawing #	1D		
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x TBD <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x TBD <input type="checkbox"/> Intercom x
	<input checked="" type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Minimum 2 Voice 2 Data per Workstaion as per drawing 1 Data for printers per 10 workstations Minimum 2 Voice and 2 Data at copy and print alcove above counter 1 Data for copier

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Open Workstations
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY TBD, 4 per station	
	<input checked="" type="checkbox"/> Printer(dedicated)	QTY 1 per 10 staff	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1/20m2	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540
	<input type="checkbox"/> 750		
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
	<input type="checkbox"/> 1100		
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input checked="" type="checkbox"/> desk	

Mechanical and HVAC	
Dedicated Thermostat	<input type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	2	Maximum	20
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x TBD	<input checked="" type="checkbox"/> Small Xerox	
	<input checked="" type="checkbox"/> Printers	x TBD	<input checked="" type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Final numbers to suit final layout of workstations. Central printer and copy areas to be set up in key locations. Must include 50% spare capacity for Voice ,Data and electrical outlets.			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
Type	<input type="checkbox"/> single x		<input type="checkbox"/> double x	
	<input type="checkbox"/> deep			
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	
	<input type="checkbox"/> Shower x		<input type="checkbox"/> Hose bibb connect x	
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	PROGRAM ROOM (1)
Building	GI BUILDING		

Area & Volume			
Area Requirements	48 m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	CAPABLE TO ADAPT TO MULTIPLE TRAINING FORMATS		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security		
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 2.88m ²	<input type="checkbox"/> Operable	
	<input checked="" type="checkbox"/> Interior	Min Area 1.44m ²	Sill Height AFF 1100	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Interior windows to corridor for dynamic supervision			
Millwork	Use elevations reference Drawing #			
Specialities	Large white boards x 3			

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 8 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 8 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input checked="" type="checkbox"/> Audio Video Presentation equipment <input checked="" type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Certain data drops may be set for inmate system only. Outlets may left non-functional based on final room occupancy.

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	PROGRAM ROOM (1)
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 4 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY 1	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input checked="" type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC	
Dedicated Thermostat	<input type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	12	Maximum	25
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x8	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Program room (2)
Building	GI BUILDING		

Area & Volume			
Area Requirements	25-35m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements	CAPABLE TO ADAPT TO MULTIPLE TRAINING FORMATS		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements	RC 25-35		

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security		
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT Structure		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 2.88m ²	<input type="checkbox"/> Operable	
	<input checked="" type="checkbox"/> Interior	Min Area 1.44m ²	Sill Height AFF 1100	
Covering	<input type="checkbox"/> V-Blinds	<input checked="" type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	Interior windows to corridor for dynamic supervision			
Millwork	Use elevations reference Drawing #			
	DWG 1A, Lockbable storage units			
Specialities	Large white boards x 2 only 1 in the smaller rooms			

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 6 <input type="checkbox"/> Intercom (phone feature)
	<input checked="" type="checkbox"/> Data x 6 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input checked="" type="checkbox"/> Audio Video Presentation equipment <input checked="" type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Certain data drops may be set for inmate system only. Outlets may left non functional based on final room occupancy.

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Program Room 2
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 3 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY 1	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input checked="" type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	10	Maximum	16
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x6	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x1	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements				
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
	<input type="checkbox"/> custom size stainless steel sink x			
	<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x	
	<input type="checkbox"/> Shower x		<input type="checkbox"/> Hose bibb connect x	
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	SECONDARY Stair
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	m ²	or	L = W =
Minimum Height	<input type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input checked="" type="checkbox"/> other
Special Requirements	To suit stair		

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements			

Structure			
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless		
	<input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other		
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security		
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other		
Special Reqts	<input type="checkbox"/> Other		
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other		
	<input checked="" type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT		
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input checked="" type="checkbox"/> Other
	Style	<input type="checkbox"/> A	<input type="checkbox"/> B <input type="checkbox"/> C <input checked="" type="checkbox"/> Other D
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x		
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Steel, Insulated and weather protection		

Second Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input checked="" type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x2 <input type="checkbox"/> 1100 x			
	<input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x2135
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other 1 door AT TOP OF STAIR			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input type="checkbox"/> Voice x <input checked="" type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	SECONDARY Stair
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input type="checkbox"/> Computer(Surge Protected)	QTY	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input checked="" type="checkbox"/> Housekeeping(dedicated)	QTY 1 per 7.5m length	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	0	Maximum	0
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input checked="" type="checkbox"/> Other			
Special Requirements	Area space heater			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic	
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
		<input type="checkbox"/> In counter	<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles	
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x	
	<input type="checkbox"/> Shower x			
Accessories	<input type="checkbox"/> Soap Dispenser x			
	<input type="checkbox"/> Paper Towel Dispenser x			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input type="checkbox"/> Mirror and shelf x			
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x	
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x	
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements				

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Storage and Support
Building	GI or GO BUILDING		

Area & Volume				
Area Requirements	10-25m ²	or	L =	W =
Minimum Height	<input type="checkbox"/> 2400	<input checked="" type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input type="checkbox"/> 40-50	<input checked="" type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input checked="" type="checkbox"/> Vinyl Tile <input type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other			
Cove/Base	<input checked="" type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other			
Special Reqts	<input type="checkbox"/> Other			
Ceiling	<input type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open Structure <input type="checkbox"/> LAT Vinyl tile <input checked="" type="checkbox"/> LAT			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input checked="" type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x1 <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input checked="" type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x <input type="checkbox"/> 915 x <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input checked="" type="checkbox"/> Exterior	Min Area 1.44m ²	<input type="checkbox"/> Operable	
	<input type="checkbox"/> Interior	Min Area m ²	Sill Height AFF	
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts	When located on exterior walls , include exterior windows			
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input checked="" type="checkbox"/> Voice x 4 <input type="checkbox"/> Intercom (phone feature) <input checked="" type="checkbox"/> Data x 4 <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	Rooms that are 10m2 or smaller will only require 2 voice and 2 data

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Storage and Support
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code		
General Power	120V Receptacles(duplex)		
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas		
	<input checked="" type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room		
	<input type="checkbox"/> Regular (15 AMP)	QTY	
	<input type="checkbox"/> Regular (20 AMP)	QTY	
	<input checked="" type="checkbox"/> Computer(Surge Protected)	QTY 2 QUAD	
	<input type="checkbox"/> Printer(dedicated)	QTY	
	<input type="checkbox"/> Housekeeping(dedicated)	QTY 1	
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted
Lighting	Lighting Level (lumens)		
General	<input type="checkbox"/> 110	<input type="checkbox"/> 320	<input checked="" type="checkbox"/> 540 <input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching		
	<input type="checkbox"/> General lighting to have multiple zones and controls		
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750 <input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk	

Mechanical and HVAC		
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required	<input checked="" type="checkbox"/> Other (list)
	<input type="checkbox"/> Not Required	
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.	

Number of Occupants	Normal	2	Maximum	2	
Heat producing Equipment (list number of devices)	<input checked="" type="checkbox"/> Computers	x2	<input type="checkbox"/> Small Xerox		
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox		
	<input type="checkbox"/> Other				
Special Requirements					
Plumbing	Total Number of Fixtures to meet Code				
Water Supply	<input type="checkbox"/> DCW		<input type="checkbox"/> DHW		
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve		
Sinks	<input type="checkbox"/> stainless steel sink		<input type="checkbox"/> ceramic		
	Type	<input type="checkbox"/> single x	<input type="checkbox"/> double x	<input type="checkbox"/> deep	
		<input type="checkbox"/> custom size stainless steel sink x			
		<input type="checkbox"/> In counter		<input type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=	
	<input type="checkbox"/> other				
Faucet Set	<input type="checkbox"/> basic		<input type="checkbox"/> goose neck		
	<input type="checkbox"/> single lever		<input type="checkbox"/> double lever <input type="checkbox"/> wing handles		
	<input type="checkbox"/> Hands free		<input type="checkbox"/> Shower		
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect		
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:		
Other fixtures	<input type="checkbox"/> Toilet x		<input type="checkbox"/> Urinal x <input type="checkbox"/> Hose bibb connect x		
	<input type="checkbox"/> Shower x				
Accessories	<input type="checkbox"/> Soap Dispenser x				
	<input type="checkbox"/> Paper Towel Dispenser x				
	<input type="checkbox"/> Soap Dispenser (hands free) x				
	<input type="checkbox"/> Mirror and shelf x				
	<input type="checkbox"/> Garbage Can x		<input type="checkbox"/> Sanitary Disposal x		
	<input type="checkbox"/> Towel Bars x		<input type="checkbox"/> Clothes hooks x		
Drainage	<input type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain		
	<input type="checkbox"/> Special drain for specific equipment				
Special Requirements					

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Washroom 1
Building	GI or GO BUILDING		

Area & Volume			
Area Requirements	3.5-5.0m ²	or	L = W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000 <input type="checkbox"/> other
Special Requirements			

Noise Attenuation & Vibration Control			
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input checked="" type="checkbox"/> 40-50	<input type="checkbox"/> 45-50 <input type="checkbox"/> 55
Special Requirements			

Structure			
Floor	<input type="checkbox"/> Vinyl Tile	<input checked="" type="checkbox"/> Sheet vinyl seamless	
	<input type="checkbox"/> Concrete/painted	<input type="checkbox"/> Carpet	<input type="checkbox"/> CT/QT
	<input type="checkbox"/> Other		
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self <input type="checkbox"/> Wood
Special Reqts	<input checked="" type="checkbox"/> Slip Resistant <input type="checkbox"/> Other		
Walls	<input checked="" type="checkbox"/> Drywall	<input type="checkbox"/> Plywood	<input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security
	<input type="checkbox"/> Other		
Finish	<input checked="" type="checkbox"/> Paint	<input type="checkbox"/> Epoxy	<input type="checkbox"/> CT <input type="checkbox"/> Other
Special Reqts	<input checked="" type="checkbox"/> Other water resistant drywall		
Ceiling	<input checked="" type="checkbox"/> Drywall/painted	<input type="checkbox"/> Drywall/epoxy	<input type="checkbox"/> Other
	<input type="checkbox"/> Open Structure	<input type="checkbox"/> LAT Vinyl tile	<input type="checkbox"/> LAT
Special Reqts	<input type="checkbox"/> Other		
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum <input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C <input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x	<input checked="" type="checkbox"/> 915 x1	<input type="checkbox"/> 1100 x
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x	
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No <input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input checked="" type="checkbox"/> Passage	<input type="checkbox"/> Security <input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Staff washrooms to include keyless lockset		

Second Door	<input type="checkbox"/> SCWD	<input type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> Other
Width	<input type="checkbox"/> 860 x	<input type="checkbox"/> 915 x	<input type="checkbox"/> 1100 x	
	<input type="checkbox"/> 2 x 915 x	<input type="checkbox"/> 1 x 600&1 x 915 x		
Height	<input type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input type="checkbox"/> Other			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input type="checkbox"/> Voice x <input type="checkbox"/> Intercom (phone feature)
	<input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount
	<input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Washroom 1
Building	GI or GO BUILDING		

Electrical	Total Number of elements to meet Code			
General Power	120V Receptacles(duplex)			
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas			
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room			
	<input type="checkbox"/> Regular (15 AMP)	QTY		
	<input type="checkbox"/> Regular (20 AMP)	QTY		
	<input type="checkbox"/> Computer(Surge Protected)	QTY		
	<input type="checkbox"/> Printer(dedicated)	QTY		
	<input type="checkbox"/> Housekeeping(dedicated)	QTY		
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted	
Lighting	Lighting Level (lumens)			
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
Type	<input checked="" type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching			
	<input type="checkbox"/> General lighting to have multiple zones and controls			
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750	<input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special	
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk		

Mechanical and HVAC	
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference <input type="checkbox"/> Preferred <input type="checkbox"/> Required <input type="checkbox"/> Other (list)
Heating	<input checked="" type="checkbox"/> 21-23°C (normal) <input type="checkbox"/> Other (list)
Air Conditioning	<input checked="" type="checkbox"/> Required <input checked="" type="checkbox"/> Other (list) <input type="checkbox"/> Not Required
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.

Number of Occupants	Normal	1	Maximum	1
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Washroom exhaust to outside			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input checked="" type="checkbox"/> ceramic	
	Type	<input checked="" type="checkbox"/> single x 1	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
	<input type="checkbox"/> In counter		<input checked="" type="checkbox"/> wall mount	
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input checked="" type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input checked="" type="checkbox"/> Toilet x 1		<input type="checkbox"/> Urinal x	<input type="checkbox"/> Hose bibb connect x
	<input type="checkbox"/> Shower x			
Accessories	<input checked="" type="checkbox"/> Soap Dispenser x 1			
	<input checked="" type="checkbox"/> Paper Towel Dispenser x 1			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input checked="" type="checkbox"/> Mirror and shelf x1			
	<input checked="" type="checkbox"/> Garbage Can x 1		<input checked="" type="checkbox"/> Sanitary Disposal x 1	
	<input type="checkbox"/> Towel Bars x		<input checked="" type="checkbox"/> Clothes hooks x 1	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements	Sanitary Disposal in female designated only.			

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Washroom 2
Building	GI BUILDING		

Area & Volume				
Area Requirements	10m ²	or	L =	W =
Minimum Height	<input checked="" type="checkbox"/> 2400	<input type="checkbox"/> 2700	<input type="checkbox"/> 3000	<input type="checkbox"/> other
Special Requirements				

Noise Attenuation & Vibration Control				
Room Acoustic Rating	<input type="checkbox"/> 35-40	<input checked="" type="checkbox"/> 40-50	<input type="checkbox"/> 45-50	<input type="checkbox"/> 55
Special Requirements				

Structure				
Floor	<input type="checkbox"/> Vinyl Tile <input checked="" type="checkbox"/> Sheet vinyl seamless <input type="checkbox"/> Concrete/painted <input type="checkbox"/> Carpet <input type="checkbox"/> CT/QT <input type="checkbox"/> Other			
Cove/Base	<input type="checkbox"/> Rubber	<input type="checkbox"/> Carpet	<input checked="" type="checkbox"/> self	<input type="checkbox"/> Wood
Special Reqts	<input checked="" type="checkbox"/> Slip Resistant <input type="checkbox"/> Other			
Walls	<input checked="" type="checkbox"/> Drywall <input type="checkbox"/> Plywood <input type="checkbox"/> Concrete/Block <input type="checkbox"/> Security <input type="checkbox"/> Other			
Finish	<input checked="" type="checkbox"/> Paint <input type="checkbox"/> Epoxy <input type="checkbox"/> CT <input type="checkbox"/> Other			
Special Reqts	<input checked="" type="checkbox"/> Other water resistant drywall			
Ceiling	<input checked="" type="checkbox"/> Drywall/painted <input type="checkbox"/> Drywall/epoxy <input type="checkbox"/> Other <input type="checkbox"/> Open <input type="checkbox"/> LAT Vinyl tile <input type="checkbox"/> LAT Structure			
Special Reqts	<input type="checkbox"/> Other			
Primary Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input checked="" type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Staff washrooms to include keyless lockset.			

Second Door	<input type="checkbox"/> SCWD	<input checked="" type="checkbox"/> HM/paint	<input type="checkbox"/> Alum	<input type="checkbox"/> Other
Style	<input type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input checked="" type="checkbox"/> Other E
Width	<input type="checkbox"/> 860 x <input checked="" type="checkbox"/> 915 x1 <input type="checkbox"/> 1100 x <input type="checkbox"/> 2 x 915 x <input type="checkbox"/> 1 x 600&1 x 915 x			
Height	<input checked="" type="checkbox"/> 2135	Side Lights	<input type="checkbox"/> No	<input type="checkbox"/> 300x2135 <input type="checkbox"/> 860x1100
Hardware	<input type="checkbox"/> Lock set	<input checked="" type="checkbox"/> Passage	<input type="checkbox"/> Security	<input type="checkbox"/> Electronic/Swipe
Special reqts	<input checked="" type="checkbox"/> Other Second door is for BF toilet area this can be developed with typical washroom partitions			
Windows	<input type="checkbox"/> Exterior	Min Area	m ²	<input type="checkbox"/> Operable
	<input type="checkbox"/> Interior	Min Area	m ²	Sill Height AFF
Covering	<input type="checkbox"/> V-Blinds	<input type="checkbox"/> H-Blinds	<input type="checkbox"/> Curtains	<input type="checkbox"/> Other
Exterior Glazing	<input type="checkbox"/> Security Protection Level			
Special reqts				
Millwork	Use elevations reference Drawing #			
Specialities				

Communications	
Outlets	<input type="checkbox"/> Voice x <input type="checkbox"/> Intercom (phone feature) <input type="checkbox"/> Data x <input type="checkbox"/> Intercom x
	<input type="checkbox"/> Public Address
	<input type="checkbox"/> Audio Video Presentation equipment <input type="checkbox"/> Ceiling Mount <input type="checkbox"/> Floor Connection <input type="checkbox"/> Wall connection
Special Requirements	

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.

ROOM DATA SHEET

Correctional Service Canada

01/01/12

General Information		Room/ Functions	Washroom 2
Building	GI BUILDING		

Electrical	Total Number of elements to meet Code			
General Power	120V Receptacles(duplex)			
	<input type="checkbox"/> Minimum regular receptacles is 1 /per1 m at above counter areas			
	<input type="checkbox"/> Minimum regular receptacles is 1 per 3 metres around room			
	<input type="checkbox"/> Regular (15 AMP)	QTY		
	<input type="checkbox"/> Regular (20 AMP)	QTY		
	<input type="checkbox"/> Computer(Surge Protected)	QTY		
	<input type="checkbox"/> Printer(dedicated)	QTY		
	<input type="checkbox"/> Housekeeping(dedicated)	QTY		
Room Power Supply	<input checked="" type="checkbox"/> Standard	<input type="checkbox"/> Emergency	<input type="checkbox"/> Uninterrupted	
Lighting	Lighting Level (lumens)			
General	<input type="checkbox"/> 110	<input checked="" type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> General Lighting to have dual levels controlled by switching			
	<input type="checkbox"/> General lighting to have multiple zones and controls			
Task	<input type="checkbox"/> 320	<input type="checkbox"/> 540	<input type="checkbox"/> 750	<input type="checkbox"/> 1100
Type	<input type="checkbox"/> Fluorescent		<input type="checkbox"/> Dimmable	
	<input type="checkbox"/> Incandescent/LED		<input type="checkbox"/> Dimmable	
Task Light Location	<input type="checkbox"/> ceiling	<input type="checkbox"/> bulk head	<input type="checkbox"/> special	
	<input type="checkbox"/> below cupboards	<input type="checkbox"/> desk		

Mechanical and HVAC			
Dedicated Thermostat	<input checked="" type="checkbox"/> No Preference	<input type="checkbox"/> Preferred	
	<input type="checkbox"/> Required	<input type="checkbox"/> Other (list)	
Heating	<input checked="" type="checkbox"/> 21-23°C (normal)	<input type="checkbox"/> Other (list)	
Air Conditioning	<input checked="" type="checkbox"/> Required	<input checked="" type="checkbox"/> Other (list)	
	<input type="checkbox"/> Not Required		
Smudging /Smoke Extraction	<input type="checkbox"/> Required, dedicated to this room. Controls within room with time limit setting and isolation from building HVAC systems.		

Number of Occupants	Normal	4	Maximum	4
Heat producing Equipment (list number of devices)	<input type="checkbox"/> Computers	x	<input type="checkbox"/> Small Xerox	
	<input type="checkbox"/> Printers	x	<input type="checkbox"/> Large Xerox	
	<input type="checkbox"/> Other			
Special Requirements	Washroom exhaust to outside			
Plumbing	Total Number of Fixtures to meet Code			
Water Supply	<input checked="" type="checkbox"/> DCW		<input checked="" type="checkbox"/> DHW	
	<input type="checkbox"/> Temperature Control Valve		<input type="checkbox"/> Flow Valve	
Sinks	<input type="checkbox"/> stainless steel sink		<input checked="" type="checkbox"/> ceramic	
	Type	<input checked="" type="checkbox"/> single x 2	<input type="checkbox"/> double x	<input type="checkbox"/> deep
		<input type="checkbox"/> custom size stainless steel sink x		
		<input type="checkbox"/> In counter		<input checked="" type="checkbox"/> wall mount
Special/custom Size	<input type="checkbox"/> No	L=	W=	D=
	<input type="checkbox"/> other			
Faucet Set	<input type="checkbox"/> basic		<input checked="" type="checkbox"/> goose neck	
	<input type="checkbox"/> single lever	<input type="checkbox"/> double lever	<input type="checkbox"/> wing handles	
	<input checked="" type="checkbox"/> Hands free		<input type="checkbox"/> Shower	
Other features	<input type="checkbox"/> grease trap		<input type="checkbox"/> extra water quick disconnect	
	<input type="checkbox"/> spray wand		<input type="checkbox"/> Other:	
Other fixtures	<input checked="" type="checkbox"/> Toilet x 1		<input checked="" type="checkbox"/> Urinal x 2	
	<input type="checkbox"/> Shower x		<input type="checkbox"/> Hose bibb connect x	
Accessories	<input checked="" type="checkbox"/> Soap Dispenser x 2			
	<input checked="" type="checkbox"/> Paper Towel Dispenser x 2			
	<input type="checkbox"/> Soap Dispenser (hands free) x			
	<input checked="" type="checkbox"/> Mirror and shelf x2			
	<input checked="" type="checkbox"/> Garbage Can x 2		<input checked="" type="checkbox"/> Sanitary Disposal x 2	
	<input type="checkbox"/> Towel Bars x		<input checked="" type="checkbox"/> Clothes hooks x 2	
Drainage	<input checked="" type="checkbox"/> Floor Drain		<input type="checkbox"/> Funnel Floor Drain	
	<input type="checkbox"/> Special drain for specific equipment			
Special Requirements	Variation on this washroom is to replace 2 urinals with on toilet stall.			

Note: All Above listed details are minimum CSC functional requirements. The final design and quantities of elements/fixtures must meet all applicable codes and standards.