

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3
Bid Fax: (613) 545-8067**

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Custom Stainless Steel Table	
Solicitation No. - N° de l'invitation 21120-133617/A	Date 2013-06-07
Client Reference No. - N° de référence du client 21120-13-3617	
GETS Reference No. - N° de référence de SEAG PW-\$KIN-620-6129	
File No. - N° de dossier KIN-3-40032 (620)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-07-22	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Porter, Marta M.	Buyer Id - Id de l'acheteur kin620
Telephone No. - N° de téléphone (613) 547-7587 ()	FAX No. - N° de FAX (613) 545-8067
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: CORRECTIONAL SERVICE OF CANADA 340 LAURIER AVE W. OTTAWA Ontario K1A0P9 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services / Travaux publics et
services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award
2. Additional Certifications Precedent to Contract Award and Certifications Required with the Bid

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

List of Annexes:

Annex A	Requirement
Annex B	Basis of Payment
Annex C	Drawings Bath and Millhaven Institutions/Bath and Millhaven Equipment List

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is a security requirement associated with the requirement. For additional information, consult Part 6 - Resulting Contract Clauses.

2. Requirement

For the supply, delivery and installation of various lengths Custom Stainless Steel Work Tables, with and without sinks, for kitchens at Bath and Millhaven Institutions, Correctional Service Canada.

The requirement is subject to the provisions of the Agreement on Internal Trade (AIT), the North American Free Trade Agreement (NAFTA) AND Canada-Peru/FTA Canada-Colombia/FTA.

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days

Insert: one hundred and twenty (120) days

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Exchange Rate Fluctuation

C3011T (2010-01-11), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

Any bid which fails to meet the mandatory technical criteria will be declared non-responsive. Each mandatory technical criterion should be addressed separately and the Bidder must provide the necessary documentation to support compliance with this requirement.

1.1.1 Mandatory Technical Criteria

#	DESCRIPTION
1	<p>The Manufacturer and/or Distributor must demonstrate that they have a minimum of 5 years experience within 10 years from the RFP's closing date, selling custom and commercial off the shelf stainless steel work tables for use in commercial food industry.</p> <p>As proof of compliance, at a minimum, the Bidder must provide details of two (2) Major Sales Projects for which similar work was completed and where a Major Sales Project must have a minimum dollar value range of \$25,000 - \$50,000 (taxes not included).</p> <p>The Bidder must include, as a minimum, for each project submitted:</p> <ul style="list-style-type: none"> • Project description • The start and end dates of the project • The total dollar value of the sale • Number of units produced • A contact person of reference that can verify the work <p>The Major Sales Projects must have been completed within ten (10) years, from the RFP's closing date.</p> <p>The Bidder must demonstrate compliance in written format which does not exceed one (1) page per project.</p>

1.2 Financial Evaluation

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, Delivered Duty Paid, Canadian Customs Duties and Excise Taxes included.

- (a) To be responsive the Bidder must:

- 1) Provide unit pricing for all items in the Annex B - Basis of Payment, and

2) Not alter the format of the Basis of Payment in Annex B.

(b) The Bidder's unit pricing will be multiplied by the quantity to calculate the extended pricing. The extended pricing for all pricing periods will be added to calculate the Bidder's total evaluated price.

2. Basis of Selection

2.1 A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and related documentation to be awarded a contract. Canada will declare a bid non-responsive if the required certifications and related documentation are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications, to provide the related documentation or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

1. Mandatory Certifications Required Precedent to Contract Award

1.1 Code of Conduct and Certifications - Related documentation

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are, in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Bid of Standard Instructions 2003. The related documentation therein required will assist Canada in confirming that the certifications are true.

2. Additional Certifications Precedent to Contract Award and Certifications Required with the Bid

Bidders must submit the certifications as provided below:

2.1 Additional Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

2.2 Federal Contractors Program - \$200,000 or more

1. The Federal Contractors Program (FCP) requires that some suppliers, including a supplier who is a member of a joint venture, bidding for federal government contracts, valued at \$200,000 or more (including all applicable taxes), make a formal commitment to implement employment equity. This is a condition precedent to contract award. If the Bidder, or, if the Bidder is a joint venture and if any member of the joint venture, is subject to the FCP, evidence of its commitment must be provided before the award of the Contract.

Suppliers who have been declared ineligible contractors by Human Resources and Skills Development Canada (HRSDC) are no longer eligible to receive government contracts over the threshold for solicitation of bids as set out in the Government Contracts Regulations. Suppliers may be declared ineligible contractors either as a result of a finding of non-compliance by HRSDC, or following their voluntary withdrawal from the FCP for a reason other than the reduction of their workforce to less than 100 employees. Any bids from ineligible contractors, including a bid

from a joint venture that has a member who is an ineligible contractor, will be declared non-responsive.

2. If the Bidder does not fall within the exceptions enumerated in 3.(a) or (b) below, or does not have a valid certificate number confirming its adherence to the FCP, the Bidder must fax (819-953-8768) a copy of the signed form LAB 1168, Certificate of Commitment to Implement Employment Equity, to the Labour Branch of HRSDC.

3. The Bidder, or, if the Bidder is a joint venture the member of the joint venture, certifies its status with the FCP, as follows:

The Bidder or the member of the joint venture

- a. () is not subject to the FCP, having a workforce of less than 100 full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada;
 - b. () is not subject to the FCP, being a regulated employer under the Employment Equity Act, S.C. 1995, c. 44;
 - c. () is subject to the requirements of the FCP, having a workforce of 100 or more full-time or part-time permanent employees, and/or temporary employees having worked 12 weeks or more in Canada, but has not previously obtained a certificate number from HRSDC (having not bid on requirements of \$200,000 or more), in which case a duly signed certificate of commitment is attached;
 - d. () is subject to the FCP, and has a valid certificate number as follows: _____ (e.g. has not been declared an ineligible contractor by HRSDC).
- Further information on the FCP is available on the HRSDC Web site.

3. Additional Certifications Required with the Bid

Bidders must submit the following duly completed certifications with their bid.

For all proposed electrical equipment CSA certification must be provided.

Canadian Standards Association (CSA)

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

Prior to admittance to the Institutions, the Contractor's personnel, subcontractor(s) or trades people shall submit to a local verification of identity / information in the form of a criminal record check through an authorized Canadian Police Information Centre (CPIC) agency. All personnel will be escorted while on site.

Correctional Service Canada reserves the right to deny access at any time.

2. Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Delete: 2010A 09 (2010-01-11) Warranty, 12 months

Insert: 2010A 09 (2010-01-11) Warranty, 24 months

4. Term of Contract

4.1 Delivery Date

Delivery of Carts is required approximately 6 weeks from date of Project Authority request.

4.2 Shipping Instructions - Free on Board Destination and Delivered Duty Paid

Incoterms 2000 "DDP Delivered Duty Paid" to Bath, Ontario in accordance with Annex "A" - Requirement.

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Marta Porter
Title: Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch

Address: 86 Clarence Street
 Kingston, ON K7L 1X3
 Telephone: 613-547-7587
 Facsimile: 613-545-8067
 E-mail address: marta.porter@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority *(To be completed at time of Contract Award by PWGSC)*

The Project Authority for the Contract is:

Name: _____
 Title: _____
 Organization: _____
 Address: _____

Telephone : _____
 Facsimile: _____
 E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative *(To be completed by Bidder at time of Bid Submission)*

Name: _____
 Title: _____
 Organization: _____
 Address: _____

Telephone : _____
 Facsimile: _____
 E-mail address: _____

6. Payment

6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit prices, as specified in Annex B for a cost of \$ _____ ***(insert the amount at contract award)***. Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.3 Multiple Payments

SACC Manual clause H1001C (2008-05-12) Multiple Payments

7. Invoicing Instructions

Contractor must submit an invoice in accordance with the section entitled "Invoice Submission" of the general conditions. Invoice cannot be submitted until all work is completed.

8. Certifications

8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract;
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) Annex C, Drawings Bath and Millhaven Institutions/Bath and Millhaven Equipment List;
- (f) the Contractor's bid dated _____

11. SACC Manual Clauses

G1005C

Insurance

2008-05-12

ANNEX "A"**REQUIREMENT****Item #1 Custom Stainless Steel Work Tables Various Length (Bath Institution)****General:**

Unit shall be custom fabricated per depiction/sketch "S/S WORK TABLES, ITEMS #:21, 30, 35, 37, 39, 41, 52 AND 56".

Drawing #:

F210 Equipment List # 21, 30, 35, 37, 39, 41, 52 and 56.

Quantity and Overall Dimension:

- Equipment List # 21 and 37: Quantity 8, must be 60"L x 30"W x 36"H (1524mm x 762mm x 914mm)
- Equipment List # 30 and 41: Quantity 2, must be 84"L x 30"W x 36"H (2134mm x 762mm x 914mm)
- Equipment List # 35 and 39: Quantity 2, must be 120"L x 30"W x 36"H (3050mm x 762mm x 914mm)
- Equipment List # 52 and 56: Quantity 2, must be 48"L x 30"W x 36"H (1219mm x 762mm x 914 mm), secured

Construction:

All welded and polished stainless steel, square corner construction, 16 gauge top, 14 gauge all channels, back and sides bracing.

Electrical and Utility Plugs:

- Equipment List # 21: 120/60/1, 15 amps, 7 utility plugs and 1 utility pole with 2 plugs
- Equipment List # 30: 120/60/1, 15 amps, 1 utility plug
- Equipment List # 35: 120/60/1, 15 amps, 2 utility plugs, 1 on pole
- Equipment List # 37: 120/60/1, 15 amps, 1 utility plug
- Equipment List # 39: 120/60/1, 15 amps, 2 utility plugs
- Equipment List # 41: 120/60/1, 15 amps, 1 utility plug

Legs: 1 5/8" (41 mm) diameter stainless steel tubular legs welded to channels

Feet:

- Stainless steel adjust bullet feet for Equipment List # 21, 30, 35, 37, 39, and 41;
- Stainless steel adjustable flanged feet secured to the floor for Equipment List # 52 and 56.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

Item #2. Custom Stainless Steel Work Table with Single Sink and Faucet 120 Inches (Bath Institution)**General:**

Stainless Steel Work Table with Single Sink and Faucet must be custom fabricated as per depiction/sketch supplied "S/S HD TABLE WITH SINK ITEM: 81".

Drawing#: F210 Equipment List # 81

Quantity: 1

Overall Dimension:

Must be 120"L x 30"W x 34"H (3048mm x 762mm x 864mm).

Construction:

- All welded and # 4 polished 304 stainless steel;
- 16 gauge top and under shelves;
- 14 gauge all visible and non visible channels;
- Square corner construction.

Electrical and Utility Plugs: 120/60/1, 15 amps, 2 utility plugs, and 2 utility poles.

Sink:

Welded in sink must be 20" x 20" x 10"H (508mm x 508mm x 254mm) with center crumb cup drain.

Backsplash:

4" (102mm) height and 1" (25mm) thick open back.

Faucet:

2 holes, 8" deck-mounted faucet, single point connection.

Leg:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet: Stainless steel adjustable bullet feet.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

Item #3. Custom Stainless Steel Work Table with Single Sink and Faucet 144 Inches (Bath Institution)**General:**

Stainless Steel Work Table with Single Sink and Faucet must be custom fabricated as per depiction/sketch supplied "S/S Heavy Duty Table With Sink Item: 4".

Drawing # & Quantity:

F210 Equipment List# 4, qty 1.

Overall Dimension:

Must be 144"L x 30"W x 34"H (3658 mm x 762 mm x 864mm).

Construction:

- All welded and # 4 polished 304 stainless steel
- 16 gauge top and under shelves
- 14 gauge all visible and non-visible channels
- Square corner construction

Electrical and Utility Plugs:

120/60/1, 15 amps, 2 utility plugs

Sink:

- Welded in sink sized of 20" x 20" x 10"H (508mm x 508mm x 254mm)
- Center crumb cup drain

Backsplash:

4" (102mm) height and 1" (25mm) thick open back.

Faucet:

2 holes, 8" deck-mounted faucet, single point connection.

Leg:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet:

Stainless steel adjust bullet feet.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

Item #4. Stainless Steel Single Sink Wall Mount (Bath Institution)**General:**

Unit must be custom fabricated per depiction/sketch "S/S WALL SINK #45" with all secure type screws.

Drawing#:

F210 Equipment List # 45

Quantity: 1**Overall Dimension:**

Must be 75"L x 17"W x 8"H (1905mm x 454mm x 203mm).

Construction

- All welded and polished # 4 304 stainless steel
- 16 gauge basin
- 12 gauge all wall brackets

Sink

- Central crumb cup drain
- Sink bottom to slope towards drain
- 2" square rim on 3 sides

Faucet: 4 splash mount fill faucets, single point connection.

Backsplash: 8" (203mm) height with open back.

Certifications

National Sanitation Foundation (NSF) listed.

Item #5. Stainless Steel Single Pot Sink (Bath Institution)**General:**

Unit must be custom fabricated per depiction/sketch "S/S SINGLE POT SINK ITEM: 80" and to be connected to grease trap.

Drawing#: F210 Equipment List# 80

Quantity: 1

Overall Dimension:

Must be 27"L x 27"W x 36"H (686mm x 708mm x 914mm).

Construction:

- All welded and polished stainless steel,
- 16 gauge top,
- 14 gauge for all channels and brackets;
- Square corner construction.

Sink:

- Well size shall be 23½"L x 23"W x 14"H (597mm x 606mm x 356mm),
- Welded 1½" (38mm) corner drain, stand pipe and corner guard;
- 2" (51mm) roll rim on 3 sides;
- Radius front and back only.

Faucet:

2 holes for 8" wall mount faucet, single point connection.

Backsplash:

6" (152mm) height and 2" (51mm) thick open back.

Legs:

- Stainless steel legs brackets
- 1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs

Feet:

Stainless steel adjustable bullet feet.

Certification: National Sanitation Foundation (NSF) listed.

Item #6. Stainless Steel Double Pot Sink with Drain-board (Bath Institution)**General:**

- Unit must be custom fabricated per depiction/sketch "DOUBLE POT SINK AND DRAINBOARD" and to be connected to grease trap.
- The double port sink must be located in the middle, and two (2) drain-boards to be placed on each end of the port sink, with bull nose on 3 sides and backsplash on the back side.

Drawing#: F210 Equipment List # 29

Quantity: 2

Overall Dimension:

Must be 96"L x 27"W x 36"H (2438mm x 708mm x 914mm).

Construction:

All welded and # 4 polished 304 stainless steel, 16 gauge top, and 14 gauge all channels and brackets.

Sink:

2 wells with bull nose in front side, total 48" (1219mm) in length, with 1½" (38mm) corner drain and overflow for each well.

Drain-board:

2 drain-boards with bull nose, total 48" (1219mm) in length.

Faucet:

2 holes for 8" wall mount faucet, single point connection.

Backsplash:

6" (152mm) height and 2" (51mm) thick open back.

Legs:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet:

Stainless steel adjustable bullet feet.

Certifications:

National Sanitation Foundation (NSF) listed.

Item #7. Stainless Steel Triple Pot Sink with Drain-board and Garbage Chute (Bath Institution)

General:

- Unit must be custom fabricated per depiction/sketch "TRIPLEE POT SINK AND DRAINBOARD AND GARBAGE DHUTE #62" and to be connected to grease trap.
- Unit shall consist of: A triple port sink (located in the middle), two (2) drain-boards with rubber scrap block chutes (placed on each end of the port sink), with bull nose on 3 sides and backsplash on the back side to form an integrated triple port sink.

Drawing#:

F210 Equipment List# 62.

Quantity: 1

Overall Dimension: Must be 120"L x 27"D x 36"H (3048mm x 708mm x 914mm).

Construction:

All welded and # 4 polished 304 stainless steel, 16 gauge top, 14 gauge all channels and brackets.

Sink:

3 wells with bull nose in front side, total 68¼" (1733mm) in length, with 1½" (38mm) corner drains and overflows for each well.

Drain-board:

2 drain-boards with bull nose, total 51¾" (1314mm) in length, with solid rubber scrap block chute on each.

Faucet:

Two (2) 8" deck-mounted or wall mount faucet, single point connection.

Backsplash:

6" (152mm) height and 2" (51mm) thick open back

Legs:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet:

tainless steel adjustable bullet feet.

Garbage Container:

- Garbage Can shall be all-plastic, heavy-duty, no rust, chip or peel, resists dents with reinforced rim, built-in handles and double-ribbed base (Equipment List # 69).
- Height and diameter must fit under drain-boards.
- NSF listed.

Certification: National Sanitation Foundation (NSF) listed.

Item #8. Custom Stainless Steel Work Tables 48 Inches (Millhaven Institution)**General:**

Unit shall be custom fabricated per depiction/sketch "S/S WORK TABLES ITEMS #: 21".

Drawing#:

F211 Equipment List # 21.

Quantity: 1**Overall Dimension:**

Must be 48"L x 30"W x 36"H (1219mm x 762mm x 914mm).

Construction:

- All welded and # 4 polished 304 stainless steel
- 16 gauge top and under shelves
- 14 gauge visible and non visible channels
- Square corner construction

Electrical and Utility Plugs:

120/60/1, 15 amps, 1 utility pole with 1 utility plug

Leg:

1 5/8" (41 mm) diameter stainless steel tubular legs welded to channels.

Bracing:

Stainless steel back and sides bracing.

Feet:

Stainless steel adjustable bullet feet.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

Item #9. Stainless Steel Stand for Griddle (Millhaven Institution)**General:**

Unit shall be custom fabricated per depiction/sketch "HEAVY DUTY STAND ITEM: #10". It must be compatible with 72" Gas Griddle (drawing# F211 Equipment List# 9).

Drawing #: F211 Equipment List # 10

Quantity: 1

Overall Dimension:

Must be 72"L x 30"W x 20"H (1829 mm x 762 mm x 508 mm).

Construction:

- All welded and # 4 polished 304 stainless steel
- 16 gauge reinforced top
- 16 gauge under shelves
- 12 gauge galvanized hat channels
- Square corner construction

Leg:

1 5/8" (41 mm) diameter stainless steel tubular legs welded to channels.

Lip:

1" (25mm) high all around reinforced top.

Feet:

Stainless steel adjustable bullet feet.

Certifications:

National Sanitation Foundation (NSF) listed.

Item #10. Custom Stainless Steel Work Table with Single Sink and Faucet 144 Inches (Millhaven Institution)

General:

Stainless Steel Work Table with Single Sink and Faucet must be custom fabricated as per depiction/sketch supplied "S/S HEAVY DUTY TABLE WITH SINK ITEM: 4".

Drawing# & Quantity: F211 Equipment List # 4

Quantity: 1

Overall Dimension:

Must be 144"L x 30"W x 34"H (3658 mm x 762 mm x 864mm).

Construction:

- All welded and # 4 polished 304 stainless steel
- 16 gauge top and under shelves
- 14 gauge all visible and non-visible channels
- Square corner construction

Electrical and Utility Plugs:

120/60/1, 15 amps, 2 utility plugs.

Sink:

Welded in sink must be 20" x 20" x 10"H (508mm x 508mm x 254mm) with center crumb cup drain.

Backsplash:

4" (102mm) height and 1" (25mm) thick open back.

Faucet:

2 holes, 8" deck-mounted faucet, single point connection.

Leg:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet:

Stainless steel adjustable bullet feet.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

Item #11. Custom Work Table with Single Sink and Faucet 186 Inches (Millhaven Institution)**General:**

Unit must be custom fabricated as per depiction/sketch supplied "S/S HEAVY DUTY TABLE WITH SINK ITEM: 8".

Drawing #: F211 Equipment List # 8

Quantity: 1

Overall Dimension:

Must be 186"L x 30"W x 34"H (4724mm x 762mm x 854mm).

Construction:

- All welded and # 4 polished 304 stainless steel
- 16 gauge top and under shelves
- 14 gauge all visible and non visible channels
- Square corner construction

Electrical and Utility Plugs:

120/60/1, 15 amps, 3 utility plugs

Sink: Welded in sink must be 20" x 20" x 10"H (508mm x 508mm x 254mm) with center crumb cup drain.

Backsplash:

4" (102mm) height and 1" (25mm) thick open back.

Faucet:

2 holes, 8" deck-mounted faucet, single point connection.

Leg:

1 5/8" (41 mm) diameter 14 gauge stainless steel tubular legs.

Feet:

Stainless steel adjustable bullet feet.

Certification:

Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) listed.

12. Drawing Submittals

12.1 Preliminary Drawings

- The preliminary drawings must be supplied after contract award and on a date agreed upon between the Project Authority and the Contractor.
- The preliminary drawings must be supplied detailing the dimensions and features from the performance specification.
- Preliminary drawings must be supplied in PDF file format.

12.2 Final Drawings

- Upon contract award, and after approval of the preliminary drawings by the Project Authority, the Contractor will provide final detailed drawings in a 3 CAD format for each table.
- Manufacturing of the Custom Stainless Steel Work Tables will only begin once the final drawings have been approved by the Project Authority.

13. Delivery and Installation for all items:

- Unit to be shipped in one piece;
- Unit to be delivered, uncrated and set in place;
- All packing material to be removed from jobsite.

14. Pre-Commencement Meeting

Upon award of the contract and prior to commencing any work, the Contractor must report to the Project Authority. This initial post award meeting will serve to permit the contractor to acquaint himself with all conditions that may affect his work prior to beginning manufacturing. Meeting to be held through the use of teleconference or WebEx. Details will be arranged upon award of the Contract.

ANNEX "B"**BASIS OF PAYMENT****Pricing Instructions:**

Bidders will provide firm, all-inclusive unit prices (exclusive of GST and HST). G.S.T. or H.S.T., if applicable, is extra to the prices herein and shall be shown on any invoice as a separate item. Customs duties are included.

Incoterms 2000 "DDP Delivered Duty Paid" Bath, Ontario, firm unit prices for the following items:

Item #1 - Custom Stainless Steel Work Tables Various Length (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #21 and 37: Must be 60"L x 30"W x 36"H (1524mm x 762mm x 914mm)	8	\$ _____	\$ _____
Equipment List #30 and 41: Must be 84"L x 30"W x 36"H (2134mm x 762mm x 914mm)	2	\$ _____	\$ _____
Equipment List #35 and 39: Must be 120"L x 30"W x 36"H (3050mm x 762mm x 914mm)	2	\$ _____	\$ _____
Equipment List #52 and 56: Must be 48"L x 30"W x 36"H (1219mm x 762mm x 914mm), secured	2	\$ _____	\$ _____

Item #2 - Custom Stainless Steel Work Table with Single Sink and Faucet 120 inches (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #81: Must be 120"L x 30"W x 34"H (3048mm x 762mm x 864mm)	1	\$ _____	\$ _____

Item #3 - Custom Stainless Steel Work Table with Single Sink and Faucet 144 inches (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)

Equipment List #4: Must be 144"L x 30"W x 34"H (3658mm x 762mm x 864mm)	1	\$ _____	\$ _____
---	---	----------	----------

Item #4 - Stainless Steel Single Sink Wall Mount (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #45: Must be 75"L x 17 7/8"W x 8"H (1905mm x 454mm x 203mm)	1	\$ _____	\$ _____

Item #5 - Stainless Steel Single Pot Sink (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #80: Must be 27"L x 27 7/8"W x 36"H (686mm x 708mm x 914mm)	1	\$ _____	\$ _____

Item #6 - Stainless Steel Double Pot Sink with Drain Board (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #29: Must be 96"L x 27 7/8"W x 36"H (2438mm x 708mm x 914mm)	2	\$ _____	\$ _____

Item #7 - Stainless Steel Triple Pot Sink with Drain Board and Garbage Chute (Bath Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #62: Must be 120"L x 27 7/8"W x 36"H (3048mm x 708mm x 914mm)	1	\$ _____	\$ _____

Item #8 - Custom Stainless Steel Work Tables 48 inches (Millhaven Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #21: Must be 48"L x 30"W x	1	\$ _____	\$ _____

Solicitation No. - N° de l'invitation

21120-133617/A

Amd. No. - N° de la modif.

Client Ref. No. - N° de réf. du client

21120-13-3617

Buyer ID - Id de l'acheteur

kin620

File No. - N° du dossier

KIN-3-40032

CCC No./N° CCC - FMS No/ N° VME

36"H (1219mm x 762mm x 914mm)		—	
-------------------------------	--	---	--

Item #9 - Stainless Steel Stand for Griddle (Millhaven Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #10: Must be 72"L x 30"W x 20"H (1829mm x 762mm x 508mm)	1	\$ —	\$ —

Item #10 - Custom Stainless Steel Work Table with Single Sink and Faucet 144 inches (Millhaven Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #4: Must be 144"L x 30"W x 34"H (3658mm x 762mm x 864mm)	1	\$ —	\$ —

Item #11 - Custom Work Table with Single Sink and Faucet 186 inches (Millhaven Institution)

Description	Quantity	DDP Unit Price (CAD)	Extended Unit Price (CAD)
Equipment List #8: Must be 186"L x 30"W x 34"H (4724mm x 762mm x 864mm)	1	\$ —	\$ —

Solicitation No. - N° de l'invitation

21120-133617/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

kin620

Client Ref. No. - N° de réf. du client

21120-13-3617

File No. - N° du dossier

KIN-3-40032

CCC No./N° CCC - FMS No/ N° VME

ANNEX "C"

**DRAWINGS BATH AND MILLHAVEN INSTITUTIONS/BATH MILLHAVEN EQUIPMENT LIST
(attached)**

BATH INSTITUTION - EQUIPMENT LIST

#	Qty	Equipment	Phase	Amps	Kw	Volts	H.P.	Height	Symbols	c.w	HW	Drain	Gastinel	B.T.U/hr	Remarks
1		Storage system on rails, chrome shelving (610 x 1829) *													* (6) shelves per section
2		Storage system on rails, chrome shelving (457 x 1829) *													(3) shelves per section
3		Lot of Durnage racks													
4		Lot of Durnage racks													
5		Combination walk-in Cooler and Freezer, air cooled													
		Cooler section with floor and ramp *	comp.	3	18.8	208	3					1"			* (2) Unit cooler 1.8 amps each
5A		Freezer section with floor, ramp and sliding door *	comp.	3	32.6	208	4					1"			*Fan 208 Volts, 1 PH 1.8amps /Defrost 230 Volts 3PH
6		Walk-in Dairy cooler (3000 x 3500) *	comp.	1	6.8	208	0.75					1"			* Evaporator: 115 Volts, 1 PH, 0.9 amps
7		Combi transport carts													
8		Walk-in cooler with 2 sliding doors, air cooled *	comp.	3	27	208	5					1"			*Unit cooler 208 Volts, 3PH / Heater 13 amps, 1PH / Fan 1.8 amps, 1PH
			comp.	3	13.7	208	2.25								* (s) Fans 1.35 amps each, m(2) Heaters 13 amps each
9		Roll-in Blast chillers, compressors to be located on the roof (Equipment to be supplied by client)		3	15	208/120	4*					1"			* Air cooled condensing unit
10	3	Cook-chill tilting kettle 100 gal, with non-tilt-out agitator		3	7.8	208			3/4"	3/4"	3/4"				* Connected to grease trap / steam 1"
11	1	Utility raceways to support Cook Kettles and pump stations													* All electrical, water, steam and air to run up the floor into the utility column of the utility chase
12	1	Kettle control panel on pedestal		3	30	208									position of pedestal will be in front of the middle kettle
13		Walk-in Cooler w/ (1) door & (1) sliding door, air cooled*		3	7.5	208	2					1"			* Evaporator: 115 Volts, 1 PH, 2.7 amps
14		Walk-in Cooler w/ (1) door & (1) sliding door, air cooled*		3	7.5	208	2					1"			* Evaporator: 115 Volts, 1 PH, 2.7 amps
15		Walk-in Cooler w/ (1) door & (1) sliding door, air cooled*		3	7.5	208	2					1"			* Evaporator: 115 Volts, 1 PH, 2.7 amps
16		Walk-in Cooler w/ (1) door + (1) sliding door, air cooled*		3	9.1	208	2.5					1"			* Evaporator: 115 Volts, 1 PH, 2.7 amps
17		Gas roll-in full combi oven		15	120	120			3/4"	2"	2"	1"	215,000		* Water filter system recommended
18		Single gas Combi-oven/steamer with stand		20	120	120			3/4"	2"	2"	3/4"	115,000		* Water filter system recommended
19		Heavy duty gas range w/hood on oven base 36"										3/4"	105,000		* Rear gas connection
20		gas range w/hood top on open base										3/4"	70,000		* Rear gas connection
21		Stainless steel work table 1524 x 762 x 914 h		15	120	120		48"				1"			(7) Utility plug total(1) utility pole w/2 plugs
22		Step-in Cooler with floor, air cooled (OVR33)				208/120									
23		Chill crates													
24		Roll-in insulated hot food holding cabinet, sized for Combi Ovens			30	4	120/208								
25															
26		Rapid product chiller/cook tank 100 gallons		3	20	208			3/4"	3/4"	2"				* Steam 3/4" - 90 lbs, connected to outside (item #40) remote compressor
27		Mid volume rapid product chiller 5100 gal		3	20	208	48"					3"			* Remote compressor
28		Saled dryer		1	2.5	120	48"		3/4"						
29		Stainless steel double pot sink w/drainboard 610 each side c/w faucet							3/4"	3/4"	1 3/4"				* Connected to grease trap
30		Stainless steel work table 2134 x 763 x 914		15	120	120		46"							(1) Utility plug
31		Vegetable processor		5.3	208	208	4								* Plug/NEUALIS-20
32	2	Mobile pump/fill station		1	10	208		46"				2"			* H* compress air inlet - 8 CFM & 90 PSI
33		Vacuum pump/fill station													
34		Automatic wrapping machine				120		48"							* (2) Utility plugs, (1) on pole
35		Stainless steel work table 3050 x 762 x 914				1	14	120							* (1) Utility plug
36		Refrigerated stainless steel ingredient table				1	15	120							* (1) Utility plug
37		Stainless steel work table 1524 x 762 x 914		15	120	120		46"							* (1) Utility plug
38		80 quarts mixer		15	120	120		46"							* (2) Utility plugs
39		Stainless steel work table 3050 x 762 x 914		1	15	120		46"							* RLA 60 amps, MFS125 amps - located outside
40		Air cooled remote refrigeration package for chill tanks		3	*	208									* (1) Utility plug
41		Stainless steel work table 2134 x 762 x 914		1	15	120		46"							* Located in basement
42		Air Compressor		1	30	208	4								* Connected to grease trap
43		Grated floor trench with floor drain (1 existing, 1 new)													
44															
45		Stainless steel sink wall mount 1803 x 451 w/ (4) infrared faucets							3/4"	3/4"	1 3/4"				
46		Locker section, (3) 8 K door per section, (2) 4 K door per section													
47		Lot of lockers for inmates (by Milwork)													
48		Lot of bench (by Milwork)													
49															
50		Shelving (5) 42" X 18" (10) 60" X 18"													
51		Juice dispenser, bag-in-a box, (4 flavors)		1		120						3/4"			* With shut off valve
52		Stainless steel work table 1219 x 914, secured													
53		Rotary toaster		1	19.4	4	208								
54		Milk dispenser 2 spigots		1	1.3	120	Xnl								
55		Hot food table w/ wry pick-up section, squeeze guard and tray rail *		1	20	4.8	208					**3/4"			* With thermostatic controls ** With shut off valve
56		Stainless steel work table 1219 x 914, secured													
57		Rotary toaster		1	19.4	4	208								

[illegible]

Hand sink 1/2" CW, 1/2" HW, 1 1/2" drain / W/shut off valve

Hand sink 1/2" CW, 1/2" NW, 1 1/2" drain / - W/shut off valve

*** Connected to grease trap**

Evaporator: 115 Volts, 1 PH, 2.7 amps

* Evaporator 208V 1 PH. 1.8 amps/Defrost 208V 1Ph 17.4 amps

* Evaporator 208V 1 PH. 1.8 amps/Defrost 208V 1Ph 17.4 amps

--	--

* Connected to grease trap

* Connected to grease trap

Booster 70 degree 67 amps

--	--

--	--

--	--

[illegible]

(2) Utility plugs


--	--


Connected to grease trap

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible][illegible]


[illegible][illegible]





DOUBLE POT SINK WITH DRAINBOARD AND GARBAGE CHUTE #62


REVISION: REV.1 23-04-2012




MILLHAVEN INSTITUTION

HEAVY DUTY STAND
ITEM: #10

QTY: 1



QTY: 1 REQUIRED



NOTES:
-REINFORCEMENTS REQUIRED FOR HEAVY EQUIPMENT
-ALL WELDED AND POLISHED
-TOP 16GA: ALL SHIELDS 16GA.
-NON VISIBLE CHANNELS 16GA GALV
-ALL S/S MATERIAL:
MATERIAL:

