

**PART 1 - GENERAL**

- 1.1 RELATED REQUIREMENTS .1 Section 01 00 10 - General Instructions.
- 1.2 PROJECT PROCEDURES .1 Materials: As specified in Product sections.  
.2 Employ skilled and experienced installers to perform alteration and removal work.  
.3 Remove, cut, and patch Work in a manner to minimize damage and to provide means of restoring Products and finishes to original or specified condition.  
.4 Finish surfaces as specified in individual Product sections.  
.5 During removal process prevent debris from entering the chilled water and condenser pipes.  
.6 Protect adjacent areas against demolition work. Maintain dust partitions to localize dust within area of work. Protect equipment from demolition work until completion.
- 1.3 REGULATORY REQUIREMENTS .1 Conform to applicable code for demolition work, dust control, and products requiring electrical disconnection.  
.2 Obtain required permits from authorities.  
.3 Do not close or obstruct egress width to any building or site exit.  
.4 Conform to procedures applicable when hazardous or contaminated materials are discovered.
- 1.4 PROJECT CONDITIONS .1 Conduct demolition and removals to minimize interference with adjacent and occupied building areas.  
.2 Cease operations immediately if structure appears to be in danger and notify Departmental Representative. Do not resume operations until directed.
-

**PART 2 - PRODUCTS**

2.1 NOT USED .1 Not Used.

**PART 3 - EXECUTION**

3.1 PREPARATION .1 Inspect site with Departmental Representative and verify extent and location of items designated for removal, disposal, alternative disposal, recycling, salvage and items to remain.

.2 Locate and protect utilities. Preserve active utilities traversing site in operating condition.

.3 Protect existing materials, which are not to be removed or demolished, or which are to be removed temporarily and re-installed following construction.

.4 Prevent movement of structure; provide bracing and shoring.

.5 Provide appropriate temporary signage including signage for exit or building egress.

.6 Provide protection and dust control plan as identified in Section 01 00 10 - General Instructions.

3.2 DEMOLITION AND REMOVALS .1 Unless indicated otherwise removed materials become contractor's property.

.2 Demolish in an orderly and careful manner. Protect existing supporting structural members.

.3 Remove demolished materials from site except where specifically noted otherwise. Do not burn or bury materials on site.

.4 Remove materials as Work progresses. Upon completion of Work, leave areas in clean condition.

.5 Remove temporary Work.

.6 Remove contaminated or dangerous materials defined by authorities having jurisdiction, relating to environmental protection, from site and dispose of in safe manner to minimize danger at site or during disposal.

3.3 OPENINGS .1 Refer to architectural, mechanical and electrical drawings and to shop drawings of all trades for exact location and extent of openings required but not shown on the structural drawings.

.2 Obtain the approval of the Departmental Representative for openings required but not shown On the structural drawings. Do not core drill, sawcut or otherwise produce openings of Any size, in any structural member without prior written approval of the Departmental Representative.