



NOTE:

- EXCAVATION TO LINE INDICATED ON DRAWING OR AS REQUIRED FOR SAFETY
- SUB-EXCAVATE AS REQUIRED TO SOLID FOUNDATION AS REQUIRED
- USE SUB-BASE MATERIAL FOR CULVERT BEDDING
- COMPACT 100% STANDARD PROCTOR
- USE ANY SUITABLE ROCK EXCAVATED MATERIAL TO REPLACE ROCK BORROW.

**SECTION B - B
TYPICAL CULVERT INSTALLATION**
SCALE: HOR. 1:200
VERT. 1:50

0	ISSUED FOR TENDER	MAR/11 2013
revisions		date
project		projet

**CULVERT REPLACEMENT
TRANS CANADA HIGHWAY
TERRA NOVA NATIONAL PARK**

drawing dessin

**SECTION B - B
TYPICAL CULVERT
INSTALLATION**

designed B. Sheppard conçu

date July 2012

drawn T. Monard dessiné

date July 2012

approved B. Sheppard approuvé

date March 11, 2013

Tender *B. Sheppard* March 11, 2013 Soumission

PWGC Project Manager Administrateur de projets TPSGC

project number no. du projet

R.062426.001

drawing no. no. du dessin

C3