







OPENING NO.	TYPE	THICKNESS	WIDTH	HEIGHT	MATERIAL	FINISH	GLAZED PANEL	GRILLE	W/COPLATES INTERIOR ONLY	FIRE RATED U/L LABEL	FRAME TYPE	FRAME FINISH	BUTTS	DOOR STRIKE	PANIC HARDWARE	CLOSER	CYLINDER	PULL CYLINDER LATCH	LOCKSET	ASTREGAL	FLUSH BOLTS - SURFACE	WEATHERSTRIPPING	TOP BOTTM WEATHERSTRIP	REMARKS	
101A	D4	45	896	2108	IFG	PT	YES	N/A	YES	N/A	F2	PT	1-1/2 PR	YES	YES	YES	YES	YES	N/A	N/A	N/A	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
101B	D6	41	±5460	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
101C	D6	41	±6515	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
101D	D6	41	±6515	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
101E	D1	45	901	2096	IFG	PT	N/A	N/A	N/A	N/A	F2	PT	1-1/2 PR	YES	YES	YES	YES	YES	N/A	N/A	N/A	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
101F	D1	45	901	2096	IFG	PT	N/A	N/A	N/A	N/A	F2	PT	1-1/2 PR	YES	YES	YES	YES	YES	N/A	N/A	N/A	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
101G	D6	41	±6515	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
101H	D6	41	±6515	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS REPLACE POWER DOOR OPENER WITH NEW OPENER TO MATCH EXISTING	
101I																									
102																									
103																									
104																									
105																									
106																									
107																									
108																									
109																									
110																									
111																									
112																									
113																									
114																									
115																									
116	D5	45	1492	2108	IFG	PT	YES	N/A	N/A	N/A	F2	PT	3 PR	N/A	YES	YES x 2	YES	YES	N/A	YES	YES RHS	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
117																									
118																									
119	D2	45	1784	2082	IFG	PT	N/A	N/A	N/A	N/A	F2	PT	1-1/2 PR	N/A	N/A	YES x 2	N/A	N/A	YES	YES	YES RHS	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
120A																									
120B																									
121																									
122A																									
122B																									
123																									
124																									
125																									
126																									
127A																									
127B																									
128																									
129																									
130A	D6	41	±4875	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
130B	D6	41	±4875	±4370	MET	PF	YES	N/A	N/A	N/A	F5	PT	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	YES	YES	INSTALL SECURITY FILM TO GLAZING, PROVIDE LARGE NUMERALS TO IDENTIFY BAY NUMBERS	
132A	D3	45	892	2072	IFG	PT	YES	N/A	N/A	N/A	F2	PT	1-1/2 PR	YES	YES	YES	YES	YES	N/A	N/A	N/A	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
133	D3	45	901	2072	IFG	PT	YES	N/A	YES	N/A	F2	PT	1-1/2 PR	YES	YES	YES	YES	YES	N/A	N/A	N/A	YES	YES	CONTRACTOR TO SITE CONFIRM EXISTING FIRE RATING AND MATCH.	
201A																									
201B																									
202																									
203																									
204																									
205																									
206																									
207																									
208A																									
208B																									
209																									

GENERAL NOTES

- ALL DIMENSIONS, ELEVATIONS, DOOR SIZES AND WINDOW SIZES ARE ASSUMED TO BE APPROXIMATE. ACTUAL MEASUREMENTS ARE TO BE CONFIRMED ON SITE BY THE CONTRACTOR. NOTIFY DEPARTMENTAL REPRESENTATIVE OF ANY DISCREPANCIES BEFORE SUBMITTING TENDER.
- ALL MULLION DIMENSIONS TO MATCH EXISTING. CONTRACTOR TO SITE CONFIRM ALL DIMENSIONS.

WINDOW TYPES



ABBREVIATIONS

AL - ALUMINUM	PT - PAINT
IFG - INSULATED FIBRE GLASS	REP - REPAIR
HB - HARDBOARD	SCW - SOLID CORE WOOD
HCM - HOLLOW CORE METAL	SF - SECURITY FILM
HCW - HOLLOW CORE WOOD	SGL - SAFETY GLASS
IOHD - INSULATED OVER HEAD DOOR	ST - STAIN/WARNISH
IFG - INSULATED FIBREGLASS	WAR - WARESH (NATURAL)
MET - METAL	WGL - WROD GLASS
PF - PRESSED STEEL FRAME	

ISSUED FOR TENDER	13.02.15
ISSUED FOR TENDER	12.01.16
ISSUED FOR 98% CLIENT REVIEW	11.12.20
ISSUED FOR 66% CLIENT REVIEW	11.11.08
ISSUED FOR 33% CLIENT REVIEW	11.10.11

TRANSPORT CANADA

**SANDSPIT, B.C.
COMBINED SERVICES
BUILDING ENVELOPE
REFURBISHING**

Consultant Signature Only
Designed by/Concepé par P. PARKER P.Eng., BCP, MRICS, LEED® AP
Drawn by/Dessiné par D. MOWER
PWSC Project Manager/Administrateur de Projets TPSC T. DUNPHY, P.ENG.
Regional Manager, Architectural and Engineering Services / Gestionnaire régionale, Services d'architectural et de génie, TPSC P. PAUL, P.ENG.

DOOR SCHEDULE & WINDOW SCHEDULE