



PROPOSED 65mm LOW PRESSURE GAS LINE AS PER MECHANICAL ENGINEER'S SPECIFICATION AND DETAILS. PRECISE ALIGNMENTS TO BE AGREED ONSITE SUBJECT TO EXISTING SITE SERVICES IN CONSULTATION WITH THE DEPARTMENTAL REPRESENTATIVE. TOTAL DISTANCE QUOTED ON SHEET C03.

GAS LINE TIE IN TO EXISTING GAS VALVE COMPOUND PER MECHANICAL ENGINEER

EXISTING GAS VALVE COMPOUND. NOT TO SCALE

OTHER SUBSURFACE UTILITIES AND ABOVE GROUND APPURTENANCES AND LIGHTING POLES ARE KNOWN/SUSPECTED TO EXIST IN THE AREA COVERED BY THIS SHEET. CONTRACTOR TO INVESTIGATE, INCLUDING BUT NOT LIMITED TO REFERENCE TO THE FOLLOWING DRAWINGS HELD BY PWGSC:

MATSQUI COMPLEX HEATING SYSTEMS UPGRADE - DETAILED PIPING LAYOUT CENTRAL HEATING PLANT SHEET 2 OF 3: DRAWING #C-9

MATSQUI COMPLEX HEATING SYSTEMS UPGRADE - DETAILED PIPING LAYOUT CENTRAL HEATING PLANT SHEET 3 OF 3: DRAWING #C-10

FRASER VALLEY INSTITUTION SITE SERVICES - SITE PLAN SCALE 1:500; DRAWING # BLANK

MATSQUI INSTITUTION, MATSQUI, B.C. - CONTRACT NO. 3 - SITE PLAN MECHANICAL; DRG # M-2 (REV. A)

ALL CAPPED ENDS FOR CONNECTION TO BUILDING TO BE 1.0m FROM BUILDING OR GAS VALVE COMPOUND OUTLINE

BEFORE YOU DIG

THE LOCATION OF THE EXISTING UTILITIES HAS BEEN SHOWN BASED ON AVAILABLE INFORMATION. THE ACCURACY AND COMPLETENESS OF THE DRAWING IN THIS RESPECT IS NOT GUARANTEED. THE EXACT LOCATION OF THESE UTILITIES AND SERVICES SHALL BE DETERMINED ON SITE BY THE CONTRACTOR PRIOR TO CONSTRUCTION. SERVICES STATED TO BE ABANDONED OR REMOVED ARE TO BE VERIFIED BY THE CONTRACTOR. ALL CONFLICTS TO BE IMMEDIATELY REPORTED TO PUBLIC WORKS & GOVERNMENT SERVICES CANADA AND WEDLER ENGINEERING

TRACER WIRE AND WARNING TAPE REQUIRED ABOVE ALL GAS PIPES TO MECHANICAL ENGINEERS OR LICENSED GAS FITTERS APPROVAL.

MINIMUM 1.0m COVER TO ALL GAS PIPES AND SERVICES UNLESS SPECIFIED OTHERWISE BY MECHANICAL ENGINEER OR LICENSED GAS FITTER.

MATCHLINE SHEET C03

SCALE 1:400



THE WEDLER GROUP

- Abbotsford 1.804.852.7300
- Chilliwack 1.804.782.0851
- Courtenay 1.250.334.3283
- Surrey 1.804.586.1919
- Edmonton 1.780.232.4252

8	TENDER ADDENDUM WATER TIE-IN LOCATION AND JOINT RESTRAINT SCHEDULE REVISED.	2013/02/26
7	TENDER ISSUE	2012/10/01
6	TENDER ISSUE	2012/08/11
5	ISSUED FOR COORDINATION	2012/08/06
4	99% SUBMISSION	2012/08/21
3	ISSUED FOR COORDINATION	2012/08/12
2	ISSUED FOR COORDINATION	2012/08/01
1	ISSUED FOR COORDINATION	2012/05/23
Revision/Revision	Description/Description	Date/Date

Client/client

CORRECTIONAL SERVICE OF CANADA

Project title/Titre du projet

FRASER VALLEY INSTITUTION
33344 KING ROAD, ABBOTSFORD, BC
TWENTY BED LIVING UNIT

Consultant Approval Box Only

Designed by/Concept par
FRAZER DRURY

Drawn by/Dessiné par
CALEB JARVIS

PWGSC Project Manager/Administrateur de Projets TPSGC
Patrick Truong

PWGSC, Regional Manager, Architectural and Engineering Services / Gestionnaire régionale, Services d'architecture et de génie, TPSGC

Drawing title/Titre du dessin

LOW PRESSURE GAS LINE PLAN

Project No./No. du projet R.052462.001	Sheet/ Feuille C05	Revision no./ La Révision no. 8
--	------------------------------	--