

PART 1 - GENERAL

- 1.1 SUBMITTALS .1 Provide submittals in accordance with Section 01 33 00 - Submittal Procedures.
- 1.2 INSTALLATION AND REMOVAL .1 Provide temporary utilities controls in order to execute work expeditiously.
.2 Remove from site all such work after use.
- 1.3 WATER SUPPLY .1 Departmental Representative will provide
Provide continuous supply of potable water for construction use.
.2 Arrange for connection with appropriate utility company and pay costs for installation, maintenance and removal.
.3 Departmental Representative will pay for utility charges at prevailing rates.
- 1.4 TEMPORARY HEATING AND VENTILATION .1 Provide temporary heating required during construction period, including attendance, maintenance and fuel.
.2 Construction heaters used inside building must be vented to outside or be non-flameless type. Solid fuel salamanders are not permitted.
.3 Provide temporary heat and ventilation in enclosed areas as required to:
.1 Facilitate progress of Work.
.2 Protect Work and products against dampness and cold.
.3 Prevent moisture condensation on surfaces.
.4 Provide ambient temperatures and humidity levels for storage, installation and curing of materials.
.5 Provide adequate ventilation to meet health regulations for safe working environment.
.4 Maintain temperatures of minimum 10 degrees C in areas where construction is in progress.

1.4 TEMPORARY
HEATING AND
VENTILATION
(Cont'd)

- .5 Ventilating:
 - .1 Prevent accumulations of dust, fumes, mists, vapours or gases in areas occupied during construction.
 - .2 Provide local exhaust ventilation to prevent harmful accumulation of hazardous substances into atmosphere of occupied areas.
 - .3 Dispose of exhaust materials in manner that will not result in harmful exposure to persons.
 - .4 Ventilate storage spaces containing hazardous or volatile materials.
 - .5 Ventilate temporary sanitary facilities.
 - .6 Continue operation of ventilation and exhaust system for time after cessation of work process to assure removal of harmful contaminants.
- .6 Permanent heating system of building, to be used when available. Be responsible for damage to heating system if use is permitted.
- .7 Departmental Representative will pay utility charges when temporary heat source is existing building equipment.
- .8 Maintain strict supervision of operation of temporary heating and ventilating equipment to:
 - .1 Conform with applicable codes and standards.
 - .2 Enforce safe practices.
 - .3 Prevent abuse of services.
 - .4 Prevent damage to finishes.
 - .5 Vent direct-fired combustion units to outside.
- .9 Be responsible for damage to Work due to failure in providing adequate heat and protection during construction.

1.5 TEMPORARY POWER .1
AND LIGHT

- .1 Departmental Representative will provide for temporary power during construction for temporary lighting and operating of power tools, to a maximum supply of 230 volts 30 amps.
- .2 Arrange for connection with appropriate utility company. Pay costs for installation, maintenance and removal.
- .3 Temporary power for electric cranes and other equipment requiring in excess of above is responsibility of Contractor.

1.6 FIRE
PROTECTION

- .1 Provide and maintain temporary fire protection equipment during performance of Work required by governing codes, regulations and bylaws.
- .2 Burning rubbish and construction waste materials is not permitted on site.

PART 2 - PRODUCTS

2.1 NOT USED

- .1 Not Used.

PART 3 - EXECUTION

3.1 NOT USED

- .1 Not Used.