

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11 rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires
THIS DOCUMENT CONTAINS A SECURITY
REQUIREMENT

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Construction Services Division/Division des services de
construction
11 Laurier St./11 Rue Laurier
3C2, Place du Portage
Phase III
Gatineau, Québec K1A 0S5

Title - Sujet Interior Doors Upgrades -HPB	
Solicitation No. - N° de l'invitation EP076-140225/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 20140225	Date 2013-07-19
GETS Reference No. - N° de référence de SEAG PW-\$\$\$FG-345-62991	
File No. - N° de dossier fg345.EP076-140225	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-07-24	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Nealon, Shawn	Buyer Id - Id de l'acheteur fg345
Telephone No. - N° de téléphone (819) 956-3391 ()	FAX No. - N° de FAX (819) 956-8335
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Health Protection Building (HPB), 200 Tunney's Pasture Drive, Ottawa, Onatrio.	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

EP076-140225/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

fg345

Client Ref. No. - N° de réf. du client

20140225

File No. - N° du dossier

fg345EP076-140225

CCC No./N° CCC - FMS No/ N° VME

THE PURPOSE OF THIS AMENDMENT IS TO ISSUE ADDENDUM # 1 & 2.

End of Amendment.

Solicitation No. - N° de l'invitation

EP076-140225/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

fg345

Client Ref. No. - N° de réf. du client

20140225

File No. - N° du dossier

fg345EP076-140225

CCC No./N° CCC - FMS No/ N° VME

Addendum No. 1 & 2

Project: Accessibility Doors
Location: 200 Tunney's Pasture Driveway, Ottawa ON
Project No.: R054088.002
Date: July 16, 2013

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

SPECIFICATIONS

1 Section 08 71 10 Door Hardware – General

Add:

- 2.3.11 Provide heavy duty double lever arm allowing up to 110 degrees door opening.
- 2.3.17 Provide drop angle bracket or drop plate to allow drop application of power operator enclosure on door frame.
- 2.3.18 When installed top portion of power operator enclosure cannot extend above top of door frame.
- 2.3.19 When installed bottom portion of power operator enclosure and lever arm cannot extend more than 105 mm below top of door panel.

End of Addendum.

Project: Accessibility Doors
Location: 200 Tunney's Pasture Driveway, Ottawa ON
Project No.: R054088.002
Date: July 18, 2013

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

SPECIFICATIONS

1 Section 08 71 10 Door Hardware – General

Delete:

2.3.4 Delete entire paragraph.

2.3.12.1 Delete entire paragraph.

2.3.12.2 Delete entire paragraph.

3.9 Delete entire paragraph.

Add:

1.2.2.11 ANSI/BHMA A156.19-2007, Power Assist and Low Energy Power Operated Doors.

2.3.4 Exit devices: to ANSI/BHMA A156.3 and ANSI/BHMA A156.19 - grade 1, fire exit hardware with electric function, conventional modern-narrow stile design, as listed in Hardware Schedule.

2.3.17 Onboard power supply:

.1 Power input: 120 VAC, 60 Hz (+10%, - 15%), 1.5 A

.2 Auxiliary output: + 24 VDC @ 0.5 A.

.3 SPTD relay output: not to exceed 1 A @ +30 VDC.

3.9 HARDWARE SCHEDULE

HARDWARE GROUP "A"

6	EA	HINGE	114X101 MM NRP	652
1	EA	EXIT DEVICE	TYPE 3 F01 BLANK ESC (NO CYL)	626
1	EA	DOOR OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
1	EA	POWER TRANS	EPT	CHROME

2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
2	EA	FLUSH BOLTS	MANUAL 1 ½ FRR	626
2	EA	KICKPLATE	200X1000 MM	630
2	EA	KICKPLATE	200X700 MM	630
2	EA	SIGNAGE	TYPE A1, SEE DWG. 3/K-08	

HARDWARE GROUP "B"

4	EA	KICKPLATE	200X900 MM	630
---	----	-----------	------------	-----

HARDWARE GROUP "C"

REMOVE EXISTING CLOSER, LOCK AND EXIT DEVICE. PATCH & FILL IN HOLES AND ADD:

1	EA	EXIT DEVICE	TYPE 1 F01 BLANK ESC (NO CYL)	626
1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
1	EA	POWER TRANS	EPT	CHROME
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
1	EA	THRESHOLD	127 X 1800 X 6.4 MM THICK	627
1	EA	KICKPLATES	200X900 MM	630
1	EA	KICKPLATES	200X500 MM	630

HARDWARE GROUP "D"

REMOVE EXISTING CLOSER, RELOCATE REX. PATCH & FILL IN HOLES AND ADD:

1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
1	EA	KICKPLATES	200X900 MM	630

HARDWARE GROUP "E"

RELOCATE & RECONNECT EXIST. CARD READER

6	EA	HINGE	114X101 NRP	652
1	EA	EXIT DEVICE	TYPE 1 F08	626
1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
1	EA	POWER TRANS	EPT	CHROME
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
1	EA	CYLINDER	COORDINATE WITH EXISTING	626

2	EA	FLUSH BOLTS	MANUAL 1 ½ FRR	626
1	EA	KICKPLATES	200X900 MM	630
1	EA	KICKPLATES	200X500 MM	630
2	EA	SIGNAGE	TYPE A1, SEE DWG. 3/K-08	

HARDWARE GROUP "F"

6	EA	HINGE	114X101 NRP	652
1	EA	EXIT DEVICE	TYPE 1 F01 BLANK ESC (NO CYL)	626
1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
1	EA	POWER TRANS	EPT	CHROME
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
2	EA	FLUSH BOLTS	MANUAL 1 ½ FRR	626
1	EA	KICKPLATES	200X900 MM	630
1	EA	KICKPLATES	200X500 MM	630
2	EA	SIGNAGE	TYPE A1, SEE DWG. 3/K-08	

HARDWARE GROUP "G"

REINSTALL & INTEGRATE EXISTING REX. PATCH & FILL IN HOLES AND ADD:

6	EA	HINGE	114X101 NRP	652
1	EA	EXIT DEVICE	TYPE 1 F08	626
1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
1	EA	POWER TRANS	EPT	CHROME
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693
1	EA	CYLINDER	COORDINATE WITH EXISTING	626
2	EA	FLUSH BOLTS	MANUAL 1 ½ FRR	626
1	EA	KICKPLATES	200X900 MM	630
1	EA	KICKPLATES	200X500 MM	630
2	EA	SIGNAGE	TYPE A1, SEE DWG. 3/K-08	

HARDWARE GROUP "H"

REMOVE EXISTING CLOSER. PATCH & FILL IN HOLES AND FRAME. ADD:

1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693

HARDWARE GROUP "J"

REMOVE EXISTING CLOSER. RELOCATE & RECONNECT KEYPAD & REX. PATCH
FRAME & FILL IN HOLES. ADD:

1	EA	DR. OPERATOR	110 DEG HD DOUBLE LEVER DROPPED	689
2	EA	WALL SWITCH	114MM DIA. ON 114MM PLATE HDCP LOGO	693

DRAWINGS

- 2 Drawing K-10, Door and Frame Schedule

Delete:

Delete entire row for door 2-4.

Add:

Entire row for door 2.4 as follows:

2-4	REMOVE	REMOVE	45 MIN.	F
-----	--------	--------	---------	---

End of Addendum.