

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11 rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires
This document contains a Security Requirement.

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Construction Services Division/Division des services de
construction
11 Laurier St./11 Rue Laurier
3C2, Place du Portage
Phase III
Gatineau, Québec K1A 0S5

| | |
|---|--|
| Title - Sujet Fire Alarm/Voice System Replacement | |
| Solicitation No. - N° de l'invitation EP067-140215/A | Amendment No. - N° modif. 004 |
| Client Reference No. - N° de référence du client 20140215 | Date 2013-07-19 |
| GETS Reference No. - N° de référence de SEAG PW-\$\$\$FG-356-62911 | |
| File No. - N° de dossier fg356.EP067-140215 | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-07-24 | Time Zone Fuseau horaire Eastern Daylight Saving Time EDT |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: Lagacé, Hélène | Buyer Id - Id de l'acheteur fg356 |
| Telephone No. - N° de téléphone (819) 956-0060 () | FAX No. - N° de FAX (819) 956-8335 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: TPSGC/PWGSC NATIONAL CAPITAL AREA (OTTAWA) LESTER B. PERASON BLDG SUSSEX DRIVE OTTAWA-ON K1A 0S5 CANADA | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |

Solicitation No. - N° de l'invitation

EP067-140215/A

Client Ref. No. - N° de réf. du client

20140215

Amd. No. - N° de la modif.

004

File No. - N° du dossier

fg356EP067-140215

Buyer ID - Id de l'acheteur

fg356

CCC No./N° CCC - FMS No/ N° VME

This amendment is raised to issue revised BA03 - Bid and Acceptance Form and Addendum No.2

Delete in its entirety Bid and Acceptance Form and replace with the revised attached.

Important Note:

Please note in the addendum is a Unit Price - Abatement form that is Mandatory that all items listed be completed. Bids not meeting this mandatory requirement will be deemed non-responsive and will be given no further consideration.

The Unit Price (Total Abatement Form) must be submitted with the Bid and Acceptance Form (BA). The amount noted in the Total Abatement Cost is to be included "Item BA03 - The Offer of the Bid and Acceptance Form (BA).

Solicitation No. - N° de l'invitation

EP067-140215/A

Amd. No. - N° de la modif.

004

Buyer ID - Id de l'acheteur

fg356

Client Ref. No. - N° de réf. du client

20140215

File No. - N° du dossier

fg356EP067-140215

CCC No./N° CCC - FMS No/ N° VME

Addendum No. 2

BID AND ACCEPTANCE FORM (BA)

BA01 IDENTIFICATION

Fire Alarm Replacement, Lester B. Pearson Building, 125 Sussex Drive, Ottawa, Ontario.

BA02 BUSINESS NAME AND ADDRESS OF BIDDER

Name: _____

Address: _____

Telephone: _____ Fax: _____ PBN: _____

BA03 THE OFFER

The Bidder offers to Canada to perform and complete the Work for the above named project in accordance with the Bid Documents for the **TOTAL BID AMOUNT INDICATED IN APPENDIX 1.**

BA04 BID VALIDITY PERIOD

The bid shall not be withdrawn for a period of thirty (30) days following the date of solicitation closing.

BA05 ACCEPTANCE AND CONTRACT

Upon acceptance of the Contractor's offer by Canada, a binding Contract shall be formed between Canada and the Contractor. The documents forming the Contract shall be the contract documents identified in Contract Documents (CD).

BA06 CONSTRUCTION TIME

The Contractor shall perform and complete the Work within one hundred and ten (110) weeks from the date of notification of acceptance of the offer.

BA07 SIGNATURE

Name and title of person authorized to sign on behalf of Bidder (Type or print)

Signature

Date

APPENDIX 1 - COMBINED PRICE FORM (1 page)

- 1) The prices per unit shall govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

| | |
|--|--|
| LUMP SUM AMOUNT (LSA) Excluding applicable taxes | |
|--|--|

UNIT PRICE TABLE

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price Item.

| UNIT PRICE - ABATEMENT COST (*****) | | | | | | | | | |
|-------------------------------------|-----------|--|---------------------------|--|---------------------------|--|---------------------------|--|---------------------------|
| Tower | Floor (*) | Drywall Ceilings & Walls | | | | Stucco Ceilings & Walls | | Vinyl Tile Flooring | |
| | | Type 1 (assume 0.99 m ²) | Type 1 (Sub- total) | Type 2 (assume 2.00 m ²) | Type 2 (Sub- total) | Type 2 (assume 0.99 m ²) | Type 2 (Sub- total) | Type 1 (assume 0.30 m ²) | Type 1 (Sub- total) |
| Tower A | Gr. | 43 | 171 | 2 | 2 | 2 | 28 | | 10 |
| | 1 | 18 | | | | 7 | | 1 | |
| | 2 | 39 | | | | | | 1 | |
| | 3 | 7 | | | | | | 1 | |
| | 4 | 7 | | | | | | 1 | |
| | 5 | 7 | | | | | | 1 | |
| | 6 | 7 | | | | | | 1 | |
| | 7 | 7 | | | | | | 1 | |
| | 8 | 14 | | | | 11 | | 1 | |
| | 9 | 4 | | | | 3 | | 1 | |
| | 10 | 11 | | | | 5 | | 1 | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|-------|----|-----|---|---|----|----|---|---|
| Tower B | Bas. | 4 | 107 | 2 | 2 | 1 | 19 | 1 | 6 |
| | Gr. | 37 | | | | | | | |
| | 1 | 32 | | | | 13 | | | |
| | 2 | 7 | | | | 5 | | | |
| | 3 | 7 | | | | | | | |
| | 4 | 7 | | | | | | | |
| | 5 | 7 | | | | | | | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|-------|----|----|---|---|---|---|---|---|
| Tower C | Bas. | 5 | 77 | 2 | 2 | | 8 | 1 | 7 |
| | Gr. | 4 | | | | | | | |
| | 1 | 17 | | | | 8 | | | |
| | 2 | 8 | | | | | | | |
| | 3 | 8 | | | | | | | |
| | 4 | 8 | | | | | | | |
| | 5 | 8 | | | | | | | |
| | 6 | 8 | | | | | | | |
| | 7 | 8 | | | | | | 1 | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|-------|----|----|---|---|---|---|---|---|
| Tower D | Bas. | 3 | 69 | 2 | 2 | | 4 | 1 | 4 |
| | Gr. | 5 | | | | | | | |
| | 1 | 33 | | | | 4 | | | |
| | 2 | 8 | | | | | | | |
| | 3 | 8 | | | | | | | |
| | 4 | 8 | | | | | | | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|------|----|----|---|---|----|----|---|---|
| Tower E | Bas. | 4 | 25 | 2 | 2 | | 12 | 1 | 2 |
| | Gr. | 1 | | | | | | | |
| | 1 | 10 | | | | 12 | | | |
| | 2 | 10 | | | | | | | |

| | | | | | | | | |
|----------------------------------|-----|-----------|----|-----------|----|-----------|----|-----------|
| Quantity of units | 449 | units | 10 | units | 71 | units | 29 | units |
| Cost per unit for add./sub. (**) | x | \$ / unit | x | \$ / unit | x | \$ / unit | x | \$ / unit |
| Sub-total (***) | = | \$ | = | \$ | = | \$ | = | \$ |
| Total Abatement Cost (****) | = | | | | | | | \$ |

* Tower / Floor locations are estimates only and are provided to indicate approximate level of effort only. Exact locations are to be determined as per site conditions.

** Bidder to indicate Unit Price based on information provided (see Section 01 14 25.3.1).

*** Bidder to indicate Sub-Total per Type

**** Bidder to indicate Total Abatement Cost (equal to the addition of all Types).

***** The Unit Price (Total Abatement Form) is to be submitted with the Bid and Acceptance Form (BA). The amount noted in the Total Abatement Cost is to be included "Item BA03 - The Offer" of the Bid and Acceptance Form (BA).

TOTAL BID AMOUNT

| | |
|--|--|
| TOTAL BID AMOUNT (LSA +TEA) Excluding applicable taxes | |
|--|--|

ADDENDUM No. 02

Project Number: PWGSC R.011489.002

The following changes in the bid documents are effective immediately. This addendum will form part of the contract documents.

DRAWINGS

1 ELECTRICAL

.1 E050 – CACF ROOM LAYOUT AND DETAILS

- i. Complete Drawing Note 9 to read “security command centre **(room BG-191) located in Tower B, ground floor, column K-104.**”
- ii. Complete Drawing Note 11 to read “**existing telephone room located in Tower B, ground floor, column M-95.**”
- iii. Panelboard CDP-1 manufacturer is unavailable at this time. New 600V, 60A, 3-pole breaker short circuit interrupting capacity to be 42 kA.

.2 E100 – GROUND FLOOR NEW

- i. Contractor to note that there are three separate locations in the shaded area that each consist of a fire phone and manual pullstation at stairwell entrances and computer room entrance that must form part of this replacement program. Quantity: three (3) pairs of devices for a total of six (6) devices to be replaced.

.3 E301 – TOWER C 1ST FLOOR NEW (& Addendum No.1, DRAWINGS 2.5.ii and 2.5.iii)

- i. The 3 tamper and 3 flow switches in cafeteria are located at column M-20.
- ii. The 2 tamper switches in the kitchen are located at column R-53.
- iii. The 2 tamper switches and 1 flow switch in the café are located at column P-38.
- iv. Delete item 2.5.iii from Addendum No. 01. All tamper and flow switches are noted in item 2.5.i and on drawings.

.4 E4B1 – TOWER D BASEMENT FLOOR NEW

- i. The following fire alarm points are located in fire pump room at column A-44:
 1. Tamper Pump 2x2
 2. Tamper Pump 1x2
 3. Tamper 3, New Pump Bypass
 4. Tamper 4, New Pump Bypass
 5. Pump 1, Test
 6. Pump 2, Test
 7. Pump 1, Running
 8. Pump 2, Running
 9. Pump 1, Loss of Power

ADDENDUM No. 02

Project Number: PWGSC R.011489.002

- 10. Pump 2, Loss of Power
- 11. Pump 1, Emergency Power
- 12. Pump 2, Emergency Power
- 13. Pump 1, Trouble
- 14. Pump 2, Trouble
- 15. Pump 1, Phase Reversal
- 16. Pump 2, Phase Reversal

SPECIFICATIONS

- 1 Section 01 14 25 – Designated Substance Report
 - .1 Item 3.1.2 – Replace “This price for abatement is to be identified on the tender form.” and replace with “This price and its breakdown are to be identified on the form provided in Section 01 22 00 – Unit Cost.”
 - .2 Item 3.1.3 – Replace “Provide unit prices as described in project supplementary conditions” with “Provide unit prices as described in Section 01 22 00 – Unit Price.”
- 2 Section 01 22 00 – Unit Price
 - .1 See attached specification section.
- 3 Section 28 31 00 – Fire Detection and Alarm
 - .2 Item 2.14.4 – Replace “custom black” with “custom dark brown”. Add “Take sample of existing dark brown speaker paint finish and submit to fire alarm manufacturer prior to manufacturing.”

PART 1 - GENERAL

1.1 UNIT PRICE .1 Complete and submit UNIT PRICE - ABATEMENT COST form as noted in this section.

| UNIT PRICE - ABATEMENT COST (*****) | | | | | | | | | |
|-------------------------------------|-----------|--|---------------------------|--|---------------------------|--|---------------------------|--|---------------------------|
| Tower | Floor (*) | Drywall Ceilings & Walls | | | | Stucco Ceilings & Walls | | Vinyl Tile Flooring | |
| | | Type 1 (assume 0.99 m ²) | Type 1 (Sub- total) | Type 2 (assume 2.00 m ²) | Type 2 (Sub- total) | Type 2 (assume 0.99 m ²) | Type 2 (Sub- total) | Type 1 (assume 0.30 m ²) | Type 1 (Sub- total) |
| Tower A | Gr. | 43 | 171 | 2 | 2 | 2 | 28 | | 10 |
| | 1 | 18 | | | | 7 | | 1 | |
| | 2 | 39 | | | | | | 1 | |
| | 3 | 7 | | | | | | 1 | |
| | 4 | 7 | | | | | | 1 | |
| | 5 | 7 | | | | | | 1 | |
| | 6 | 7 | | | | | | 1 | |
| | 7 | 7 | | | | | | 1 | |
| | 8 | 14 | | | | 11 | | 1 | |
| | 9 | 4 | | | | 3 | | 1 | |
| | 10 | 11 | | | | 5 | | 1 | |
| | Pent. | 5 | | | | | | | |
| Tower B | Bas. | 4 | 107 | | 2 | 1 | 19 | | 6 |
| | Gr. | 37 | | 2 | | | | 1 | |
| | 1 | 32 | | | | 13 | | 1 | |
| | 2 | 7 | | | | 5 | | 1 | |
| | 3 | 7 | | | | | | 1 | |
| | 4 | 7 | | | | | | 1 | |
| | 5 | 7 | | | | | | 1 | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|-------|----|----|---|---|---|---|---|---|
| Tower C | Bas. | 5 | 77 | | 2 | | 8 | | 7 |
| | Gr. | 4 | | 2 | | | | | |
| | 1 | 17 | | | | 8 | | 1 | |
| | 2 | 8 | | | | | | 1 | |
| | 3 | 8 | | | | | | 1 | |
| | 4 | 8 | | | | | | 1 | |
| | 5 | 8 | | | | | | 1 | |
| | 6 | 8 | | | | | | 1 | |
| | 7 | 8 | | | | | | 1 | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|-------|----|----|---|---|---|---|---|---|
| Tower D | Bas. | 3 | 69 | | 2 | | 4 | | 4 |
| | Gr. | 5 | | 2 | | | | | |
| | 1 | 33 | | | | 4 | | 1 | |
| | 2 | 8 | | | | | | 1 | |
| | 3 | 8 | | | | | | 1 | |
| | 4 | 8 | | | | | | 1 | |
| | Pent. | 5 | | | | | | | |

| | | | | | | | | | |
|---------|------|----|----|---|---|----|----|---|---|
| Tower E | Bas. | 4 | 25 | | 2 | | 12 | | 2 |
| | Gr. | 1 | | 2 | | | | | |
| | 1 | 10 | | | | 12 | | 1 | |
| | 2 | 10 | | | | | | 1 | |

| | | | | |
|----------------------------------|-------------|-------------|-------------|-------------|
| Quantity of units | 449 units | 10 units | 71 units | 29 units |
| Cost per unit for add./sub. (**) | x \$ / unit | x \$ / unit | x \$ / unit | x \$ / unit |
| Sub-total (***) | = \$ | = \$ | = \$ | = \$ |
| Total Abatement Cost (****) | = \$ | | | |

* Tower / Floor locations are estimates only and are provided to indicate approximate level of effort only. Exact locations are to be determined as per site conditions.

** Bidder to indicate Unit Price based on information provided (see Section 01 14 25.3.1).

*** Bidder to indicate Sub-Total per Type

**** Bidder to indicate Total Abatement Cost (equal to the addition of all Types).

***** **The Unit Price (Total Abatement Form) is to be submitted with the Bid and Acceptance Form (BA). The amount noted in the Total Abatement Cost is to be included "Item BA03 - The Offer" of the Bid and Acceptance Form (BA).**

PART 2 - PRODUCTS

2.1 NOT USED .1 Not Used.

PART 3 - EXECUTION

3.1 NOT USED .1 Not Used.

END OF SECTION