

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works & Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax,(N.E.)
B3J 1T3
Halifax
Bid Fax: (902) 496-5016**

Request For a Standing Offer Demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

Canada, as represented by the Minister of Public Works and Government Services Canada, hereby requests a Standing Offer on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et Services Gouvernementaux Canada, autorise par la présente, une offre à commandes au nom des utilisateurs identifiés énumérés ci-après.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Real Property Contracting
1713 Bedford Row
P.O. Box 2247/C.P.2247
Halifax, N.S./Halifax, (N.E.)
B3J 3C9
Halifax

Title - Sujet MAINTENANCE/CONSTRUCTION WORK	
Solicitation No. - N° de l'invitation W0102-13J429/A	Date 2013-08-02
Client Reference No. - N° de référence du client W0102-13-J429	GETS Ref. No. - N° de réf. de SEAG PW-\$PWA-122-5005
File No. - N° de dossier PWA-3-70006 (122)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-09-17	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
Delivery Required - Livraison exigée See Herein	
Address Enquiries to: - Adresser toutes questions à: Chinye, Chukwudi	Buyer Id - Id de l'acheteur pwa122
Telephone No. - N° de téléphone (902)496-5476 ()	FAX No. - N° de FAX (902)496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE 14 WING GREENWOOD WING CONSTRUCTION ENGINEERING GREENWOOD NOVA SCOTIA B0P1N0 Canada	
Security - Sécurité This request for a Standing Offer does not include provisions for security. Cette Demande d'offre à commandes ne comprend pas des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Introduction
2. Summary
3. Debriefings

PART 2 - OFFEROR INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Offers
3. Former Public Servant
4. Enquiries - Request for Standing Offers
5. Applicable Laws

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer
2. Additional Certifications Precedent to Issuance of a Standing Offer

PART 6 - INSURANCE REQUIREMENTS

1. Insurance Requirements

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer
2. Security Requirement
3. Standard Clauses and Conditions
4. Term of Standing Offer
5. Authorities
6. Proactive Disclosure of Contracts with Former Public Servants
7. Identified Users
8. Call-up Procedures
9. Call-up Instrument
10. Limitation of Call-ups
11. Financial Limitation
12. Priority of Documents
13. Certifications
14. Applicable Laws

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

B. RESULTING CONTRACT CLAUSES

1. Statement of Work
2. Standard Clauses and Conditions
3. Term of Contract
4. Proactive Disclosure of Contracts with Former Public Servants
5. Payment
6. Invoicing Instructions
7. Insurance Requirements
8. *SACC Manual* Clauses

List of Annexes:

- Annex A - Statement of Work
- Annex B - Basis of Payment
- Annex C - Insurance Requirements
- Annex D - Dollar Usage Report Form
- Annex E - Code of Conduct and Certifications - Related documentation
- Annex F - Fair wage Schedule

PART 1 - GENERAL INFORMATION

1. Introduction

The Request for Standing Offers (RFSO) is divided into seven parts plus attachments and annexes, as follows:

- Part 1 General Information: provides a general description of the requirement;
- Part 2 Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO;
- Part 3 Offer Preparation Instructions: provides offerors with instructions on how to prepare their offer to address the evaluation criteria specified;
- Part 4 Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, and the basis of selection;
- Part 5 Certifications: includes the certifications to be provided;
- Part 6 Security, Financial and Insurance Requirements: includes specific requirements that must be addressed by offerors; and
- Part 7 7A, Standing Offer, and 7B, Resulting Contract Clauses:
 - 7A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;
 - 7B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer.

The Annexes include the Statement of Work, the Basis of Payment and any other annexes.

2. Summary

Department of National Defence has a requirement for a Regional Individual Standing Offer (RISO) for the provision of labour, supervision, tools, licenses, supervision, certification and equipment required to perform and carry out minor maintenance/construction work at 14 Wing Greenwood, Greenwood, Camp Aldershot, Kentville, Middleton Armouries, Yarmouth Armouries, Granville Range-Annapolis Royal, Annapolis County and CFS Barrington, BACCRO all located in Nova Scotia on as when requested basis in accordance with Annex A- Statement of Work -Job No. L-G111-9900/1015J429. This requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT), Canada-Peru, and Canada-Colombia free trade agreements.

3. Debriefings

Offerors may request a debriefing on the results of the request for standing offers process. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of the results of the request for standing offers process. The debriefing may be in writing, by telephone or in person.

PART 2 - OFFEROR INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The 2006 (2013-06-01) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of 2006, Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days

Insert: ninety (90) days

2. Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

3. Former Public Servant

Contracts with former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, offerors must provide the information required below.

Definitions

For the purposes of this clause,

"former public servant" is any former member of a department as defined in the Financial Administration Act R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

an individual;

an individual who has incorporated;

a partnership made of former public servants; or

a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c. C-17, the Defence Services Pension Continuation Act, 1970, c. D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c. R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c. R-11, the Members of Parliament

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

W0102-13-J429

File No. - N° du dossier

PWA-3-70006

CCC No./N° CCC - FMS No/ N° VME

Retiring Allowances Act , R.S. 1985, c. M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Offeror a FPS in receipt of a pension? YES () NO ()

If so, the Offeror must provide the following information, for all FPS in receipt of a pension, as applicable:

name of former public servant;

date of termination of employment or retirement from the Public Service.

By providing this information, Offerors agree that the successful Offeror's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Reduction Program

Is the Offeror a FPS who received a lump sum payment pursuant to the terms of a work force reduction program? YES () NO ()

If so, the Offeror must provide the following information:

name of former public servant;

conditions of the lump sum payment incentive;

date of termination of employment;

amount of lump sum payment;

rate of pay on which lump sum payment is based;

period of lump sum payment including start date, end date and number of weeks;

number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including the Goods and Services Tax or Harmonized Sales Tax.

4. Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than five (5) calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that offerors do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all offerors. Enquiries not submitted in a form that can be distributed to all offerors may not be answered by Canada.

4. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the offerors.

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

Section I: Technical Offer (one hard copy)

Section II: Financial Offer (one hard copy)

Section III: Certifications (one hard copy)

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that offerors follow the format instructions described below in the preparation of their offer.

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to that of the Request for Standing Offers.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html)

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>).

. To assist Canada in reaching its objectives, offerors should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Offer

In their technical offer, offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Offer

Offerors must submit their financial offer in accordance with the Annex B, Basis of Payment. The total amount of Applicable Taxes must be shown separately.

Payment by Credit Card

Canada requests that offerors complete one of the following:

- (a) () Government of Canada Acquisition Cards (credit cards) will be accepted for payment of call-ups against the standing offer.

The following credit card(s) are accepted:

VISA _____

Master Card _____

- (b) () Government of Canada Acquisition Cards (credit cards) will not be accepted for payment of call-ups against the standing offer.

The Offeror is not obligated to accept payment by credit card.

Acceptance of credit cards for payment of call-ups will not be considered as an evaluation criterion.

Section III: Certifications

Offerors must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.

1.1. Technical Evaluation

AN OFFER MUST MEET ALL OF THE MANDATORY REQUIREMENTS STATED BELOW TO BE CONSIDERED COMPLIANT. OFFERS NOT MEETING ALL OF THE MANDATORY REQUIREMENTS BELOW WILL BE DEEMED NON- RESPONSIVE AND GIVEN NO FURTHER CONSIDERATION.

1.1.1 Mandatory Technical Criteria

All Tradesperson must be journeymen or apprentice, and in possession of a valid trade proficiency certificates acceptable to Nova Scotia Department of Labour. Apprentices will work under the direct supervision of an on-site journeymen. Copies of the trade proficiency certificates are to be submitted with the contractor's tender. **Any bid received without at least one certificate per journeymen and apprentice per trade (see table below) will be considered non-responsive.**

Trade proficiency certificates to be submitted are :

Journeymen	Approved Certification for Journeymen per trade	Approved Apprentice Card and or Certificate per trade
Plumber	A valid Nova Scotia Labour and Advanced Education Certified Plumber Card or a Valid Nova Scotia Labour and Workforce Development Certified Plumber Card	A Valid Department of Education Skills and learning certified Apprenticeship training Plumber card or a Valid Nova Scotia Labour and Workforce Development Plumber apprenticeship card.
Oil Burner Mechanic	A valid Nova Scotia Labour	A Valid Nova Scotia

	and advanced Education Certified Oil Burner Mechanic Card or a Valid Nova Scotia Labour and Workforce Development Certified Oil Burner Mechanic Card	Department of Education Skills and Learning Apprenticeship Training Certified Oil Burner Mechanic Card or a Valid Nova Scotia Labour and Workforce Development Oil Burner Mechanic apprenticeship card.
Refrigeration and Air Conditioning Mechanic	A valid Nova Scotia Labour and advanced Education Certified Refrigeration and Air Conditioning and Mechanic Card or a Valid Nova Scotia Labour and Workforce Development Certified Refrigeration and Air Conditioning Mechanic Card	A Valid Nova Scotia Department of Education Skills and Learning Apprenticeship Training Certified Air Conditioning and Mechanic Card or a Valid Nova Scotia Labour and Workforce Development Air Conditioning and Mechanic apprenticeship Card.
Steamfitter/Pipefitter	A valid Nova Scotia Labour and advanced Education Certified Steamfitter/Pipefitter Card or a Valid Nova Scotia Labour and Workforce Development Certified Steamfitter/Pipefitter Card	A Valid Nova Scotia Department of Education Skills and Learning Apprenticeship Training Certified Steamfitter/Pipefitter Card or a Valid Nova Scotia Labour and Workforce Development Steamfitter/Pipefitter apprenticeship Card.
SheetMetal Worker	A valid Nova Scotia Labour and advanced Education Certified SheetMetal Worker Card or a Valid Nova Scotia Labour and Workforce Development Certified SheetMetal Worker Card	A Valid Nova Scotia Department of Education Skills and Learning Apprenticeship Training Certified SheetMetal Worker Card or a Valid Nova Scotia Labour and Workforce Development SheetMetal Worker apprenticeship Card.
Millwright	A valid Nova Scotia Labour and advanced Education Certified Industrial Mechanic (Millwright) Card or a Valid Nova Scotia Labour and Workforce Development Certified Industrial Mechanic (Millwright) Card	Not Applicable
Electrician	A valid Nova Scotia Labour and advanced Education Certified Construction Electrician Card or a Valid Nova Scotia Labour and Workforce Development	A Valid Nova Scotia Department of Education Skills and Learning Apprenticeship Training Certified construction electrician apprentice Card or

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

W0102-13-J429

File No. - N° du dossier

PWA-3-70006

CCC No./N° CCC - FMS No/ N° VME

	Certified Construction Electrician Card	a Valid Nova Scotia Labour and advanced education construction electrician apprenticeship Card or a Valid Nova Scotia Labour and Workforce Development construction electrician apprenticeship Card.
--	-----------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1.2 Financial Evaluation

1.2.1 The price of the offer will be evaluated in Canadian dollars, Applicable Taxes excluded, FOB destination, Canadian customs duties and excise taxes included.

2. Basis of Selection

2.1 An offer must comply with the requirements of the Request for Standing Offers and meet all mandatory technical evaluation criteria to be declared responsive. The responsive offer with the lowest evaluated price will be recommended for issuance of a standing offer.

PART 5 - CERTIFICATIONS

Offerors must provide the required certifications and related documentation to be issued a standing offer. Canada will declare an offer non-responsive if the required certifications and related documentation are not completed and submitted as requested.

Compliance with the certifications offerors provide to Canada is subject to verification by Canada during the offer evaluation period (before issuance of a standing offer) and after issuance of a standing offer. The Standing Offer Authority will have the right to ask for additional information to verify offerors' compliance with the certifications before issuance of a standing offer. The offer will be declared non-responsive if any certification made by the Offeror is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications, to provide the related documentation or to comply with the request of the Standing Offer Authority for additional information will also render the offer non-responsive.

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer

1.1 Code of Conduct and Certifications - Related documentation

By submitting an offer, the Offeror certifies that the Offeror and its affiliates are in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Offer of Standard Instructions 2006. The related documentation therein required will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Standing Offer Certification

By submitting an offer, the Offeror certifies that the Offeror, and any of the Offeror's members if the Offeror is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](#)" list

(http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from HRSDC-Labour's website.

Canada will have the right to declare an offer non-responsive, or to set-aside a Standing Offer, if the Offeror, or any member of the Offeror if the Offeror is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of issuing of a Standing Offer or during the period of the Standing Offer.

2. Additional Certifications Precedent to Issuance of a Standing Offer

The certifications listed below should be completed and submitted with the offer, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

2.1 Confirmation of Workers Compensation Coverage

The Offeror must have an account in good standing with the applicable provincial or territorial Workers' Compensation Board.

The Offeror must provide, within **seven (7) days** following a request from the Contracting Authority, a certificate or letter from the applicable Workers' Compensation Board confirming the Bidder's good standing account. Failure to comply with the request will result in the bid being declared non-responsive.

2.2 Status and Availability of Resources

The Offeror certifies that, should it be issued a standing offer as a result of the Request for Standing Offer, every individual proposed in its offer will be available to perform the Work resulting from a call-up against the Standing Offer as required by Canada's representatives and at the time specified in a call-up or agreed to with Canada's representatives. If for reasons beyond its control, the Offeror is unable to provide the services of an individual named in its offer, the Offeror may propose a substitute with similar qualifications and experience. The Offeror must advise the Standing Offer Authority of the reason for the substitution and provide the name, qualifications and experience of the proposed replacement. For the purposes of this clause, only the following reasons will be considered as beyond the control of the Offeror: death, sickness, maternity and parental leave, retirement, resignation, dismissal for cause or termination of an agreement for default.

If the Offeror has proposed any individual who is not an employee of the Offeror, the Offeror certifies that it has the permission from that individual to propose his/her services in relation to the Work to be performed and to submit his/her résumé to Canada. The Offeror must, upon request from the Standing Offer Authority, provide a written confirmation, signed by the individual, of the permission given to the Offeror and of his/her availability. Failure to comply with the request may result in the offer being declared non-responsive.

PART 6 - INSURANCE REQUIREMENTS

1. Insurance Requirements

The Offeror must provide a letter from an insurance broker or an insurance company licensed to operate in Canada stating that the Offeror, if issued a standing offer as a result of the request for standing offer, can be insured in accordance with the Insurance Requirements specified in Annex C .

If the information is not provided in the offer, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer

1.1 The Offeror offers to perform the Work in accordance with the Statement of Work at Annex "A".

2. Security Requirement

There is no security requirement applicable to this Standing Offer.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2005 (2012-11-19) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

3.2 Standing Offers Reporting

The Offeror must compile and maintain records on its provision of goods, services or both to the federal government under contracts resulting from the Standing Offer. This data must include all purchases, including those paid for by a Government of Canada Acquisition Card.

The Offeror must provide this data in accordance with the reporting requirements detailed in Annex "D". If some data is not available, the reason must be indicated. If no goods or services are provided during a given period, the Offeror must still provide a "nil" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority.

The quarterly reporting periods are defined as follows:

1st quarter: April 1 to June 30;

2nd quarter: July 1 to September 30;

3rd quarter: October 1 to December 31;

4th quarter: January 1 to March 31.

The data must be submitted to the Standing Offer Authority no later than (14) calendar days after the end of the reporting period.

4. Term of Standing Offer

4.1 Period of the Standing Offer

The period for making call-ups and providing services against the Standing Offer is from _____ to _____ inclusive (To be Determined at Issuance of Standing Offer) .

4.2 Extension of Standing Offer

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for an additional **two (2),12 month option periods**, under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority 30 days before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority

5. Authorities

5.1 Standing Offer Authority

The Standing Offer Authority is:

Name: Chukwudi Chinye
 Title: Contracting Officer
 Public Works and Government Services Canada
 Acquisitions Branch
 Atlantic Region
 Address: 1713 Bedford Row
 Halifax, Nova Scotia
 B3J 1T3
 Telephone: 902- 496- 5476
 Facsimile: 902- 496- 5016
 E-mail address: chukwudi.chinye@pwgsc.gc.ca

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

5.2 Project Authority

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

5.3 Offeror's Representative (To be completed by Offeror)

Name: _____
 Title: _____
 Organization: _____
 Address: _____
 Telephone: _____

6. Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

7. Identified Users

The Identified User authorized to make call-ups against the Standing Offer is: Department of National Defence, 14 Wing Greenwood, Greenwood, Nova Scotia..

8. Call-up Procedures

The Identified User will provide the offeror with statement of work required and the Offeror must provide the identified User with an estimate of the cost of performing the specified work in accordance with the pricing provision of the standing offer. The offeror must not undertake any of the specified work unless and until a call-up is issued by the identified User. The estimated cost stated in the call-up must not be exceed without the specific written authorization of the Identified User.

9. Call-up Instrument

The Work will be authorized or confirmed by the Identified User(s) using form *PWGSC-TPSGC 942, Call-up Against a Standing Offer*.

10. Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed \$69,000.00 (Applicable Taxes included).

11. Financial Limitation

The total cost to Canada resulting from call ups against the Standing Offer must not exceed the sum of \$1,086,956.52 (Applicable Taxes excluded) unless otherwise authorized in writing by the Standing Offer Authority. The Offeror must not perform any work or services or supply any articles in response to call ups which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

The Offeror must notify the Standing Offer Authority as to the adequacy of this sum when 75 percent of this amount has been committed, or three (3) months before the expiry date of the Standing Offer, whichever comes first. However, if at any time, the Offeror considers that the said sum may be exceeded, the Offeror must promptly notify the Standing Offer Authority.

12. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2012-11-19), General Conditions - Standing Offers - Goods or Services
- d) the supplemental general conditions (LAB-180, 2004-12-10-Labour Conditions);
- e) the general conditions (2013-06-27- 2010C- Services Medium Complexity;
- f) Annex A, Statement of Work;
- g) Annex B, Basis of Payment;
- h) Annex C, Insurance Requirements;
- i) Annex D, Dollar Usage Report Form;
- j) Annex E Code of Conduct and Certifications - Related documentation
- k) Annex F Fair wage Schedule
- l) the Offeror's offer dated _____ (*insert date of offer*).

13. Certifications

13.1 Compliance

Compliance with the certifications and related documentation provided by the Offeror is a condition of authorization of the Standing Offer and subject to verification by Canada during the term of the Standing Offer and of any resulting contract that would continue beyond the period of the Standing Offer. In the event that the Offeror does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

13.2 SACC Manual Clauses

Status and Availability of Resources

2010-01-11

M3020C

14. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Nova Scotia.

B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

1. Statement of Work

The Contractor must perform the Work described in the call-up against the Standing Offer.

2. Standard Clauses and Conditions

2.1 General Conditions

2010C (2013-06-27), General Conditions - Services (Medium Complexity) apply to and form part of the Contract.

Section (13) Interest on Overdue Accounts, of (2010C, 2013-06-27-Services Medium Complexity) will not apply to payments made by credit cards.

2.2 Supplemental General Conditions

(LAB-180-2004-12-10-Labour Conditions), apply to and form part of the Contract.

3. Term of Contract

3.1 Period of the Contract

The Work must be completed in accordance with the call-up against the Standing Offer.

4. Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

5. Payment

5.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit price, as specified in Annex B. Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

5.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

5.3 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment.

5.4 SACC Manual Clauses

T1204 - Direct Request by Customer Department- A9117C

2007-11-30

5.5 Payment by Credit Card

The following credit cards are accepted: _____ and _____.

6. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed. Invoices shall be detailed as follows:

- (a) The original and two (2) copies must be forwarded to the following address for certification and Payment no later than seven days after the end of the service.

Wing Construction Engineering
14 Wing Greenwood
Maritime Forces Atlantic
PO Box 5000 Station Main
Greenwood, N.S. B0P 1N0

Each invoice must be supported by:

- a. Contract number
- b. Work Order/Serial Number;
- c. Requisition/Order Offer number
- d. Building number and location
- e. Dates during which work was accomplished.
- f. A detailed description of work performed, with itemized list of materials and labour (a copy of the contractors invoice from their material supplier will also be included plus any other costs being charged), labour, overhead, profit and applicable taxes will be included separately on the invoice.
- f. Labour costs are to be broken down by trade and sub trade. Labour time sheets will also be provided upon request

7. Insurance Requirements

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

The Contractor must comply with the insurance requirements specified in Annex C . The Contractor must maintain the required insurance coverage for the duration of the Contract. Compliance with the insurance requirements does not release the Contractor from or reduce its liability under the Contract.

The Contractor is responsible for deciding if additional insurance coverage is necessary to fulfill its obligation under the Contract and to ensure compliance with any applicable law. Any additional insurance coverage is at the Contractor's expense, and for its own benefit and protection.

The Contractor must forward to the Contracting Authority within ten (10) days after the date of award of the Contract, a Certificate of Insurance evidencing the insurance coverage and confirming that the insurance policy complying with the requirements is in force. Coverage must be placed with an Insurer licensed to carry out business in Canada. The Contractor must, if requested by the Contracting Authority, forward to Canada a certified true copy of all applicable insurance policies.

8. SACC Manual Clauses

Estimates	M3800C
Canadian Forces Site Regulations	A9062C
Time Verification	C0711C
Inspection and Acceptance	D5328C
Workers Compensation	A0285C

Solicitation No. - N° de l'invitation

W0102-13J429/A

Client Ref. No. - N° de réf. du client

W0102-13-J429

Amd. No. - N° de la modif.

File No. - N° du dossier

PWA-3-70006

Buyer ID - Id de l'acheteur

pwa122

CCC No./N° CCC - FMS No/ N° VME

ANNEX "A"

**STATEMENT OF WORK
(Attached)**

ANNEX "B"
BASIS OF PAYMENT

Year 1:

Column A	Column B Work Description	Column C Unit of Measurement	Column D Estimate Quantity	Column E Price per Unit	Column F Extended Price= Column D*Column E
1	Certified Plumber	Per hour	8000	\$ _____	\$ _____
2	Certified Refrigeration and Air Conditioning Mechanic	Per hour	4000	\$ _____	\$ _____
3	Certified Oil Burner Mechanic	Per hour	3000	\$ _____	\$ _____
4	Certified Steam fitter /Pipefitter	Per hour	4000	\$ _____	\$ _____
5	Certified SheetMetal Worker	Per hour	3000	\$ _____	\$ _____
6	Certified Industrial Mechanic Millwright	Per hour	1000	\$ _____	\$ _____
7	Certified Construction Electrician	Per hour	1000	\$ _____	\$ _____
8	Plumber Apprentice	Per hour	800	\$ _____	\$ _____
9	Refrigeration and Air Conditioning Mechanic Apprentice	Per hour	150	\$ _____	\$ _____
10	Oil Burner Mechanic Apprentice	Per hour	200	\$ _____	\$ _____
11	Steam fitter /Pipefitter Apprentice	Per hour	200	\$ _____	\$ _____
12	SheetMetal Worker Apprentice	Per hour	200	\$ _____	\$ _____
13	Electrician Apprentice	Per hour	200	\$ _____	\$ _____
Year one Total					\$ _____

Materials and replacement parts will be at the contractors net cost plus a mark up of 10% with supporting documentation's such as invoice and receipts.

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

W0102-13J429/A

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

Option Year 1:

Column A	Column B Work Description	Column C Unit of Measurement	Column D Estimate Quantity	Column E Price per Unit	Column F Extended Price= Column D*Column E
1	Certified Plumber	Per hour	8000	\$ _____	\$ _____
2	Certified Refrigeration and Air Conditioning Mechanic	Per hour	4000	\$ _____	\$ _____
3	Certified Oil Burner Mechanic	Per hour	3000	\$ _____	\$ _____
4	Certified Steam fitter /Pipefitter	Per hour	4000	\$ _____	\$ _____
5	Certified SheetMetal Worker	Per hour	3000	\$ _____	\$ _____
6	Certified Industrial Mechanic Millwright	Per hour	1000	\$ _____	\$ _____
7	Certified Construction Electrician	Per hour	1000	\$ _____	\$ _____
8	Plumber Apprentice	Per hour	800	\$ _____	\$ _____
9	Refrigeration and Air Conditioning Mechanic Apprentice	Per hour	150	\$ _____	\$ _____
10	Oil Burner Mechanic Apprentice	Per hour	200	\$ _____	\$ _____
11	Steam fitter /Pipefitter Apprentice	Per hour	200	\$ _____	\$ _____
12	SheetMetal Worker Apprentice	Per hour	200	\$ _____	\$ _____
13	Electrician Apprentice	Per hour	200	\$ _____	\$ _____
Option Year one Total					\$ _____

Materials and replacement parts will be at the contractors net cost plus a mark up of 10% with supporting documentation's such as invoice and receipts.

Option Year 2:

W0102-13J429/A

pwa122

W0102-13-J429

PWA-3-70006

Column A	Column B Work Description	Column C Unit of Measurement	Column D Estimate Quantity	Column E Price per Unit	Column F Extended Price= Column D*Column E
1	Certified Plumber	Per hour	8000	\$ _____	\$ _____
2	Certified Refrigeration and Air Conditioning Mechanic	Per hour	4000	\$ _____	\$ _____
3	Certified Oil Burner Mechanic	Per hour	3000	\$ _____	\$ _____
4	Certified Steam fitter /Pipefitter	Per hour	4000	\$ _____	\$ _____
5	Certified SheetMetal Worker	Per hour	3000	\$ _____	\$ _____
6	Certified Industrial Mechanic Millwright	Per hour	1000	\$ _____	\$ _____
7	Certified Construction Electrician	Per hour	1000	\$ _____	\$ _____
8	Plumber Apprentice	Per hour	800	\$ _____	\$ _____
9	Refrigeration and Air Conditioning Mechanic Apprentice	Per hour	150	\$ _____	\$ _____
10	Oil Burner Mechanic Apprentice	Per hour	200	\$ _____	\$ _____
11	Steam fitter /Pipefitter Apprentice	Per hour	200	\$ _____	\$ _____
12	SheetMetal Worker Apprentice	Per hour	200	\$ _____	\$ _____
13	Electrician Apprentice	Per hour	200	\$ _____	\$ _____
Option Year two Total					\$ _____

Materials and replacement parts will be at the contractors net cost plus a mark up of 10% with supporting documentation's such as invoice and receipts.

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

Total Amount = Total (Year 1) + Total (Option Year 1) + Total (Option Year 2) =
\$ _____

The Total amount will be the amount that will be considered during evaluation of all bids tendered

ANNEX "C"**INSURANCE REQUIREMENTS****Commercial General Liability Insurance**

1. The Contractor must obtain Commercial General Liability Insurance, and maintain it in force throughout the duration of the Contract, in an amount usual for a contract of this nature, but for not less than \$2,000,000 per accident or occurrence and in the annual aggregate.
2. The Commercial General Liability policy must include the following:
 - a. Additional Insured: Canada is added as an additional insured, but only with respect to liability arising out of the Contractor's performance of the Contract. The interest of Canada should read as follows: Canada, as represented by Public Works and Government Services Canada.
 - b. Bodily Injury and Property Damage to third parties arising out of the operations of the Contractor.
 - c. Products and Completed Operations: Coverage for bodily injury or property damage arising out of goods or products manufactured, sold, handled, or distributed by the Contractor and/or arising out of operations that have been completed by the Contractor.
 - d. Personal Injury: While not limited to, the coverage must include Violation of Privacy, Libel and Slander, False Arrest, Detention or Imprisonment and Defamation of Character.
 - e. Cross Liability/Separation of Insureds: Without increasing the limit of liability, the policy must protect all insured parties to the full extent of coverage provided. Further, the policy must apply to each Insured in the same manner and to the same extent as if a separate policy had been issued to each.
 - f. Blanket Contractual Liability: The policy must, on a blanket basis or by specific reference to the Contract, extend to assumed liabilities with respect to contractual provisions.
 - g. Employees and, if applicable, Volunteers must be included as Additional Insured.
 - h. Employers' Liability (or confirmation that all employees are covered by Worker's compensation (WSIB) or similar program)
 - i. Broad Form Property Damage including Completed Operations: Expands the Property Damage coverage to include certain losses that would otherwise be excluded by the standard care, custody or control exclusion found in a standard policy.
 - j. Notice of Cancellation: The Insurer will endeavour to provide the Contracting Authority thirty (30) days written notice of policy cancellation.
 - k. If the policy is written on a claims-made basis, coverage must be in place for a period of at least 12 months after the completion or termination of the Contract.
 - l. Owners' or Contractors' Protective Liability: Covers the damages that the Contractor becomes legally obligated to pay arising out of the operations of a subcontractor.
 - m. Non-Owned Automobile Liability - Coverage for suits against the Contractor resulting from the use of hired or non-owned vehicles.
 - n. Litigation Rights: Pursuant to subsection 5(d) of the Department of Justice Act, S.C. 1993, c. J-2, s.1, if a suit is instituted for or against Canada which the Insurer would, but for this clause, have the right to pursue or defend on behalf of Canada as an Additional Named Insured under the insurance policy, the Insurer must promptly contact the Attorney General of Canada to agree on the legal strategies by sending a letter, by registered mail or by courier, with an acknowledgement of receipt.

For the province of Quebec, send to:

Director Business Law Directorate,
Quebec Regional Office (Ottawa),
Department of Justice,
284 Wellington Street, Room SAT-6042,
Ottawa, Ontario, K1A 0H8

For other provinces and territories, send to:

Senior General Counsel,

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

Civil Litigation Section,
Department of Justice
234 Wellington Street, East Tower
Ottawa, Ontario K1A 0H8

A copy of the letter must be sent to the Contracting Authority. Canada reserves the right to co-defend any action brought against Canada. All expenses incurred by Canada to co-defend such actions will be at Canada's expense. If Canada decides to co-defend any action brought against it, and Canada does not agree to a proposed settlement agreed to by the Contractor's insurer and the plaintiff(s) that would result in the settlement or dismissal of the action against Canada, then Canada will be responsible to the Contractor's insurer for any difference between the proposed settlement amount and the amount finally awarded or paid to the plaintiffs (inclusive of costs and interest) on behalf of Canada.

Automobile Liability Insurance

1.The Contractor must obtain Automobile Liability Insurance, and maintain it in force throughout the duration of the Contract, in an amount usual for a contract of this nature, but for not less than \$2,000,000 per accident or occurrence.

2.The policy must include the following:

a.Third Party Liability - \$2,000,000 Minimum Limit per Accident or Occurrence

b.Accident Benefits - all jurisdictional statutes

c.Uninsured Motorist Protection

d.Notice of Cancellation: The Insurer will endeavour to provide the Contracting Authority thirty (30) days written notice of cancellation.

Solicitation No. - N° de l'invitation

W0102-13J429/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwa122

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W0102-13-J429

PWA-3-70006

ANNEX "E"

Code of Conduct and Certifications - Related documentation

Offeror's List of Directors below: Please provide a list of names of all individuals who are currently Directors **in** accordance with **PART 5-CERTIFICATION**.

Directors: (Please print clearly)

NAME	NAME	NAME	NAME

Attach additional names on a separate sheet if required.

Annex F

Solicitation No. - N° de l'invitation

W0102-13J429/A

Client Ref. No. - N° de réf. du client

W0102-13-J429

Amd. No. - N° de la modif.

File No. - N° du dossier

PWA-3-70006

Buyer ID - Id de l'acheteur

pwa122

CCC No./N° CCC - FMS No/ N° VME

FAIR WAGE SCHEDULE
(Attached)

DEPARTMENT OF NATIONAL DEFENCE



SPECIFICATION

MECHANICAL STANDING OFFER

14 WING GREENWOOD, N.S.

JOB NO. L-G111-9900/1015
J 429

2013-02-22

National Defence	List of Contents	Index
14 Wing Greenwood, N.S		Page 1
L-G111-9900/1015		2013-02-22

Section	Title	Pages
	<u>Division 01 - General Requirements</u>	
01005	General Instructions	7
01340	Shop Drawings, Product Data Samples and Mock-ups	4
01545	Safety Requirements	2
01546	Fire Safety Requirements	4
01561	Environmental Protection	2
01600	Material and Equipment	4
01710	Cleaning	1
01720	Project Record Documents	1
01730	Operation and Maintenance Manual	2
01731	Maintenance Materials, Special Tools and Spare Parts	1
01800	Airports in Use	2
	<u>Division 15 - Mechanical</u>	
15010	Mechanical General Requirements	13

National Defence 14 Wing Greenwood, N.S. L-G111-9900/1015	General Instructions	Section Page 1 2013-02-22	01005
-----------------------------------------------------------------	----------------------	---------------------------------	-------

- | | |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1 References</u> | .1 National Building Code of Canada (NBC) 1985 including all amendments up to tender closing date. |
| <u>2 Description of Work</u> | .1 Work under this Contract covers the services of a mechanical contractor to provide all labour, material, equipment and supervision necessary to perform minor construction and/or maintenance projects at 14 Wing, Greenwood, Camp Aldershot, Kentville, Middleton Armouries, Yarmouth Armouries, Granville Range- Annapolis Royal, Annapolis County and CFS Barrington, BACCRO N.S. when required.
.1 When services are required, the Engineer will issue a DSS 942 (Call-Up Against the Standing Offer), specifying the requirement of each project.
.2 Work is to be performed in accordance with applicable Federal and Provincial codes and regulations, and 14 Wing, Greenwood's standard operating procedures. Where a conflict exists between codes and/or regulations the most stringent shall apply. |
| <u>3 Codes</u> | .1 Perform work in accordance with National Building Code of Canada (NBC) and any other code of provincial or local application provided that in any case of conflict or discrepancy, the more stringent requirements shall apply.

.2 Meet or exceed requirements of:
.1 contract documents,
.2 specified standards, codes and referenced documents. |
| <u>4 Documents Required</u> | .1 Maintain at job site, one copy each of following:
.1 Contract drawings.
.2 Specifications.
.3 Addenda.
.4 Reviewed shop drawings.
.5 Change orders.
.6 Other modifications to Contract.
.7 Field test reports.
.8 Copy of approved work schedule. |

.9 Manufacturers' installation and application instructions.

5 Products Supplied by Engineer

- .1 Products supplied by Engineer:
 - .1 Engineer will provide manufacturers' installation drawings and instructions.
- .2 Contractor's duties:
 - .1 Unless otherwise directed by Engineer, order products supplied by Engineer from designated suppliers. Order in quantities and at times compatible with construction schedule and site storage capacity.
 - .2 Unload and handle at site.
 - .3 Promptly inspect delivered products, and give written report to Engineer on condition of all items received.
 - .4 Pay demurrage charges.
 - .5 Install, connect and finish products as specified.

6 Work Schedule

- .1 Engineer will provide schedule through to Contract completion date.
 - .1 Commencement and completion of work of each Section of Specification.
 - .2 Final completion date within time period required by Contract documents.
- .2 Interim reviews of work progress based on work schedule will be conducted as decided by Engineer and schedule updated by Contractor in conjunction with and to approval of Engineer.
- .3 Paint occupied areas and carry out noise generating work at times schedule by Engineer.
- .4 Schedule early completion of areas designated by Engineer for use before substantial completion of entire project.

7 Cost Breakdown

- .1 The Contractor will provide a cost breakdown for each DSS 942 (call-up against the Standing offer). The breakdown of each call-up will be provided the following in detail;

material, labour, equipment rental cost, temporary facilities, mark-ups and all other associated costs for approval by Engineer. The cost breakdown will be used as a basis for payment.

8 Contractor's Use
of Site

- .1 Use of site: exclusive and complete for execution of work except as indicated Engineer.
- .2 Obtain and pay for use of additional storage or work areas when required by Engineer.

9 Project Meetings

- .1 Hold project meetings at times and locations approved by Engineer.
- .2 Notify participants of meetings.
- .3 Engineer will arrange project meetings and assume responsibility for setting times and recording and distributing minutes.

10 Briefing

- .1 The contractor and his employees will attend fire/safety briefings, airfield/security briefings and environmental briefings as directed by the Engineer.

11 Setting Out of
Work

- .1 Engineer will provide only those survey control points and set such stakes as necessary to define general location, alignment and elevations of work. Give Engineer reasonable notice of requirements for such control points and stakes.
- .2 Set grades and lay out work in detail from control points and grades established by Engineer.
- .3 Assume full responsibility for and execute complete layout of work to locations, lines and elevations indicated.
- .4 Provide devices needed to lay out and construct work.

- .5 Supply such devices as straight edges and templates required to facilitate Engineer's inspection of work.
- .6 Supply stakes and other survey markers required for laying out work.

12 Location of
Equipment and
Fixtures

- .1 Location of equipment, fixtures and outlets indicated or specified are to be considered as approximate.
- .2 Locate equipment, fixtures and distribution systems to provide minimum interference and maximum usable space and in accordance with manufacturer's recommendations for safety, access and maintenance.
- .3 Inform Engineer of impending installation and obtain his approval for actual location.
- .4 Submit field drawings to indicate relative position of various services and equipment when required by Engineer.

13 Concealment

- .1 Conceal pipes, ducts and wiring in floor, wall and ceiling construction of finished areas except where indicated otherwise.

14 Cutting, and
Patching

- 1 Obtain Engineer's approval before cutting, boring or sleeving load-bearing members.
- .2 Cut and patch as required to make work fit.
- .3 Make cuts with clean, true, smooth edges.
- .4 Where new work connects with existing and where existing work is altered, cut, patch and make good to match existing work.

15 Existing Services

- .1 Where Work involves breaking into or connecting to existing services, carry out work at times directed by authorities having jurisdiction, with minimum of disturbance to pedestrian and vehicular traffic.

- .2 Before commencing work, establish location and extent of service lines in area of Work and notify Engineer of findings.
- .3 Submit schedule to and obtain approval from Engineer for any shut-down or closure of active service or facility. Adhere to approved schedule and provide notice to affected parties.
- .4 Where unknown services are encountered, immediately advise Engineer and confirm findings in writing.
- .5 Remove abandoned service lines within 2 m of structures. Cap or otherwise seal lines at cut-off points as directed by Engineer.
- .6 Record locations of maintained, re-routed and abandoned service lines.

16 Alterations,
Additions or Repairs
to Existing Building

- .1 Execute work with least possible interference or disturbance to occupants, public and normal use of premises. Arrange with Engineer to facilitate execution of work.
- .2 Where security has been reduced by work of Contract, provide temporary means to maintain security.
- .3 Where elevators, dumbwaiters, conveyors or escalators exist in building, only those assigned for Contractor's use may be used for moving personnel and material within building. Protect walls of passenger elevators, to approval of Engineer before use. Accept liability for damage, safety of equipment and overloading of existing equipment.
- .4 Provide temporary dust screens, barriers, warning signs in locations where renovation and alteration work is adjacent to areas used by public or government staff.

17 Additional

- .1 Engineer may furnish additional drawings for

Drawings

clarification. These additional drawings have same meaning and intent as if they were included with plans referred to in Contract documents.

18 Relics and Antiquities

- .1 Protect relics, antiquities, items of historical or scientific interest such as cornerstones and contents, commemorative plaques, inscribed tablets, and similar objects found during course of work.
- .2 Give immediate notice to Engineer and await Engineer's written instructions before proceeding with work in this area.
- .3 Relics, antiquities and items of historical or scientific interest remain her Majesty's property.

19 National Parks Act

- .1 For projects located within boundaries of National Park, perform work in accordance with National Parks Act.

20 Building Smoking Environment

- .1 Comply with smoking restrictions.

21 Asbestos Discovery

- .1 Demolition of spray or trowel-applied asbestos can be hazardous to health. Should material resembling spray or trowel-applied asbestos be encountered in course of demolition work stop work and notify Engineer immediately. Do not proceed until written instructions have been received from Engineer.

National Defence	General Instructions	Section	01005
14 Wing Greenwood, N.S		Page 2	
L-G111-9900/1015		2013-02-22	

END

1 General

- .1 This section specifies general requirements and procedures for contractors submissions of shop drawings, product data, samples and mock-ups to Engineer for review. Additional specific requirements for submissions are specified in individual sections of Divisions 2 to 16.
- .2 Do not proceed with work until relevant submissions are reviewed by Engineer.
- .3 Present shop drawings, product data, samples and mock-ups in SI Metric units.
- .4 Where items or information is not produced in SI Metric units converted values are acceptable.
- .5 Contractor's responsibility for errors and omissions in submission is not relieved by Engineer's review of submissions.
- .6 Notify Engineer, in writing at time of submission, identifying deviations from requirements of Contract Documents stating reasons for deviations.
- .7 Contractor's responsibility for deviations in submission from requirements of Contract Documents is not relieved by Engineer's review of submission, unless Engineer gives written acceptance of specific deviations.
- .8 Make any changes in submissions which Engineer may require consistent with Contract Documents and resubmit as directed by Engineer.
- .9 Notify Engineer, in writing, when resubmitting, of any revisions other than those requested by Engineer.

2 Submission
Requirements

- .1 Coordinate each submission with requirements of work and Contract Documents. Individual submissions will not be reviewed until all related information is available.
- .2 Allow 4 days for Engineers review of each

submission.

- .3 Accompany submissions with transmittal letter, in duplicate, containing:
 - .1 Date.
 - .2 Project title and number.
 - .3 Contractor's name and address.
 - .4 Identification and quantity of each shop drawing, product data and sample.
 - .5 Other pertinent data.
- .4 Submissions shall include:
 - .1 Date and revision dates.
 - .2 Project title and number.
 - .3 Name and address of:
 - .1 Subcontractor.
 - .2 Supplier.
 - .3 Manufacturer.
 - .4 Contractor's stamp, signed by Contractors authorized representative certifying approval of submissions, verification of field measurements and compliance with Contract Documents.
 - .5 Details of appropriate portions of Work as applicable:
 - .1 Fabrication
 - .2 Layout, showing dimensions, including identified field dimensions, and clearances.
 - .3 Setting or erection details.
 - .4 Capacities.
 - .5 Performance characteristics.
 - .6 Standards.
 - .7 Operating weight.
 - .8 Wiring diagrams.
 - .9 Single line and schematic diagrams.
 - .10 Relationship to adjacent work.
- .5 After Engineer's review, distribute copies.

3 Shop drawings

- .1 Shop drawings: original drawings, or modified standard drawings provided by Contractor, to illustrate details of portions of Work, which are specific to project requirements.
- .2 Maximum sheet size: 850 x 1050 mm.

- .3 Submit shop drawings as follows:
 - .1 opaque diazo prints 4 copies
- .4 Cross-reference shop drawing information to applicable portions of Contract Documents.

4 Product Data

- .1 Product data: manufacturers catalogue sheets, brochures, literature, performance charts and diagrams, used to illustrate standard manufactured products.
- .2 Submit 4 copies of product data.
- .3 Sheet size: 215 x 280 mm, maximum of 3 modules.
- .4 Delete information not applicable to project.
- .5 Supplement standard information to provide details applicable to project.
- .6 Cross-reference product data information to applicable portions of Contract Documents.

5 Samples

- .1 Samples: examples of materials, equipment, quality, finishes, workmanship.
- .2 Where colour, pattern or texture is criterion, submit full range of samples.
- .3 Reviewed and accepted samples will become standard of workmanship and material against which installed work will be verified.

6 Mock-ups

- .1 Mock-ups: field-erected example of work complete with specified materials and workmanship.
- .2 Erect mock-ups at locations acceptable to Engineer.
- .3 Reviewed and accepted mock-ups will become standards of workmanship and material against which installed work will be verified.

7 Shop Drawings
Review

- .1 The review of shop drawings by the Department of National Defence is for the sole purpose of ascertaining conformance with the general concept. This review shall not mean that the Department of National Defence approves the detail design inherent in the shop drawings, responsibility for which shall remain with the Contractor submitting same, and such review shall not relieve the Contractor of responsibility for errors or omissions in the shop drawings or of responsibility for meeting all requirements of the construction and contract documents. Without restricting the generality of the foregoing, the Contractor is responsible for dimensions to be confirmed and correlated at the job site, for information that pertains solely to fabrication processes or to techniques of construction and installation and for co-ordination of the work of all sub-trades.

- | | |
|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1 References</u> | <ul style="list-style-type: none">.1 CSA S269.1-1975 Falsework for Construction Purposes..2 CAN/CSA-S269.2-M87 Access Scaffolding for Construction Purposes..3 FCC No. 301-1982 Standard for Construction Operations. |
| <u>2 Construction Safety Measures</u> | <ul style="list-style-type: none">.1 Observe construction safety measures of National Building Code 1990 Part 8, Provincial Government, Workers'/Workmen's Compensation Board and municipal authority provided that in any case of conflict or discrepancy more stringent requirements shall apply..2 Comply with requirements of FCC No. 301. |
| <u>3 Overloading</u> | <ul style="list-style-type: none">.1 Ensure no part of Work is subjected to loading that will endanger its safety or will cause permanent deformation. |
| <u>4 Falsework</u> | <ul style="list-style-type: none">.1 Design and construct falsework in accordance with CSA S269.1. |
| <u>5 Scaffolding</u> | <ul style="list-style-type: none">.1 Design and construct scaffolding in accordance with CSA S269.2 |
| <u>6 Minimum Work Practice: Asbestos-Containing Products</u> | <ul style="list-style-type: none">1 In view of fact that inhalation of asbestos fibres may be hazardous to health, but without in any way guaranteeing their effectiveness as protection against health hazards, the following practices shall apply..2 When working with asbestos-containing materials workers shall wear respirators acceptable to Labour Canada or Provincial Labour Department as suitable for asbestos exposure in work area. Workers shall also be educated as to risks, and be trained in safe work practices. Power tools shall be |

equipped with high efficiency particulate air-filtered vacuum equipment.

- .3 When working in an enclosed area separate work area from rest of project by barrier capable of preventing spread of asbestos fibres outside of work area.
- .4 When working with asbestos-cement pipe comply with recommendations of Asbestos-Cement Pipe Producers Association "Recommended Work Practices for A/C Pipe" subject to more stringent requirements of 6.2 above.
- .5 Upon completion of work, clean work areas using wet methods or high efficiency particulate air-filtered vacuum equipment. Remove waste asbestos-containing material in sealed containers labelled as to contents to disposal area acceptable to authorities having jurisdiction.
- .6 In event of conflict between these requirements and those of Provincial Governments, Labour Canada, or Health and Welfare Canada, more stringent requirements shall apply.

7 WHMIS

- .1 Comply with requirements of Workplace Hazardous Materials Information System (WHMIS) regarding use, handling, storage, and disposal of hazardous materials; and regarding labelling and provision of material safety data sheets acceptable to Labour Canada and Health and Welfare Canada.
- .2 Deliver copies of WHMIS data sheets to Engineer on delivery of materials.

PART 1 - GENERAL

1.1 Fire Department Briefing

- .1 Engineer will coordinate arrangements for the contractor to be briefed on Fire Safety at their pre-work conference by Fire Chief before any work is commenced.

1.2 Reporting Fires

- .1 Know the location of nearest fire alarm box and telephone, including the emergency phone number.
- .2 Report immediately all fire incidents to the Fire Department as follows:
 - .1 activate nearest fire alarm box and telephone 911.
- .3 Person activating fire alarm box will remain at the box to direct Fire Department to scene of fire.
- .4 When reporting a fire, give location of fire, name or number of building and be prepared to verify the location.

1.3 Interior and Exterior Fire Protection and Alarm Systems

- .1 Fire protection and alarm system will not be:
 - .1 obstructed;
 - .2 shut-off; and
 - .3 left inactive at the end of a working day or shift without authorization from Fire Chief.
- .2 Fire hydrants, standpipes and hose systems will not be used for other than fire-fighting purposes unless authorized by Fire Chief.

1.4 Fire Extinguishers

- .1 Supply fire extinguishers, as scaled by fire Chief, necessary to protect, the work in progress and the contractors physical plant on site.

1.5 Blockage of Roadways

- .1 Advise Fire Chief of any work that would impede fire apparatus response. This

includes violation of minimum overhead clearance, as prescribed by fire chief, erecting of barricades and the digging of trenches.

1.6 Smoking
Precautions

- .1 Observe at all times smoking regulations.

1.7 Rubbish and
Waste Materials

- .1 Rubbish and waste materials are to be kept to a minimum.
- .2 The burning of rubbish is prohibited.
- .3 Removal:
 - .1 Remove all rubbish from the work site at the end of the work day or shift or as directed.
- .4 Storage:
 - .1 Store oily waste in approved receptacles to ensure maximum cleanliness and safety.
 - .2 Deposit greasy or oily rags and materials subject to spontaneous combustion in an approved receptacles and remove as required in 1.8.3.1.

1.8 Flammable and
Combustible Liquids

- .1 The handling, storage and use of flammable and combustible liquids are to be governed by the current National Fire Code of Canada.
- .2 Flammable and combustible liquids such as gasoline, kerosene and naphtha will be kept for ready use in quantities not exceeding 45 litres provided they are stored in approved safety cans bearing the Underwriter's Laboratory of Canada or Factory Mutual seal of approval. Storage of quantities of flammable and combustible liquids exceeding 45 litres for work purposes, requires the permission of the Fire Chief.
- .3 Transfer of flammable and combustible liquids is prohibited within buildings or jetties.
- .4 Transfer of flammable and combustible liquids will not be carried out in the

vicinity of open flames or any type of heat-producing devices.

- .5 Flammable liquids having a flash point below 38°C such as naphtha or gasoline will not be used as solvents or cleaning agents.
- .6 Flammable and combustible waste liquids, for disposal, will be stored in approved containers located in a safe ventilated area. Quantities are to be kept to a minimum and the Fire Department is to be notified when disposal is required.

1.9 Hazardous Substances

- .1 Work entailing the use of toxic or hazardous materials, chemicals and/or explosives, otherwise creates a hazard to life, safety or health, will be in accordance with the National Fire Code of Canada.
- .2 Obtain from Fire Chief a "Hot Work" permit for work involving welding, burning or the use of blow torches and salamanders, in buildings or facilities.
- .3 When work is carried out in dangerous or hazardous areas involving use of heat, provide fire watchers, equipped with sufficient fire extinguishers. Determination of dangerous or hazardous areas along with the level of protection necessary for Fire Watch is at the discretion of the Fire Chief. Contractors are responsible for providing fire watch service for work on a scale established and in conjunction with the Fire Chief at the pre-work conference.
- .4 Where flammable liquids, such as lacquers or urethanes are to be used, proper ventilation will be assured and all sources of ignition are to be eliminated. The Fire Chief is to be informed prior to and at the cessation of such work.

1.10 Questions and/or Clarification

- .1 Direct any questions or clarification on Fire Safety in addition to above requirements to Fire Chief.

1.11 Fire Inspection

- .1 Site inspections by Fire Chief will be coordinated through Engineer.
- .2 Allow Fire Chief unrestricted access to the work site.
- .3 Co-operate with the Fire Chief during routine fire safety inspection of the work site.
- .4 Immediately remedy all unsafe fire situations observed by the Fire Chief.

PART 2 - PRODUCTS

Not Used.

PART 3 - EXECUTION

Not Used.

1 Fires

- .1 Fires and burning of rubbish on site not permitted.

2 Disposal of Wastes

- .1 Do not bury rubbish and waste materials on site unless approved by Engineer.
- .2 Do not dispose of waste or volatile materials, such as mineral spirits, oil or paint thinner into waterways, storm or sanitary sewers.

3 Drainage

- .1 Provide temporary drainage and pumping as necessary to keep excavations and site free from water.
- .2 Do not pump water containing suspended materials into waterways, sewer or drainage systems.
- .3 Control disposal or runoff of water containing suspended materials or other harmful substances in accordance with local authority requirements.

4 Site Clearing and Plant Protection

- .1 Protect trees and plants on site and adjacent properties where indicated.
- .2 Wrap in burlap, trees and shrubs adjacent to construction work, storage areas and trucking lanes, and encase with protective wood framework from grade level to height of 2 m.
- .3 Protect roots of designated trees to dripline during excavation and site grading to prevent disturbance or damage. Avoid unnecessary traffic, dumping and storage of materials over root zones.
- .4 Minimize stripping of topsoil and vegetation.
- .5 Restrict tree removal to areas indicated or designated by Engineer.

5 Work Adjacent to
Waterways

- .1 Do not operate construction equipment in waterways.
- .2 Do not use waterway beds for borrow material without Engineer's approval.
- .3 Do not dump excavated fill, waste material or debris in waterways.
- .4 Design and construct temporary crossings to minimize erosion to waterways.
- .5 Do not skid logs or construction materials across waterways.
- .6 Avoid indicated spawning beds when constructing temporary crossings of waterways.
- .7 Do not blast under water or within 100 m of indicated spawning beds.

6 Pollution
Control

- .1 Maintain temporary erosion and pollution control features installed under this contract.
- .2 Control emissions from equipment and plant to local authorities emission requirements.
- .3 Prevent sandblasting and other extraneous materials from contaminating air beyond application area, by providing temporary enclosures.
- .4 Cover or wet down dry materials and rubbish to prevent blowing dust and debris. Provide dust control for temporary roads.

1 General

- .1 Use new material and equipment unless otherwise specified.
- .2 Within four (4) days of written request by Engineer, submit following information for materials and equipment proposed for supply:
 - .1 name and address of manufacturer,
 - .2 trade name, model and catalogue number,
 - .3 performance, descriptive and test data,
 - .4 manufacturer's installation or application instructions,
 - .5 evidence of arrangements to procure.
- .3 Use products of one manufacturer for material and equipment of same type or classification unless otherwise specified.

2 Manufacturers Instructions

- .1 Unless otherwise specified, comply with manufacturer's latest printed instructions for materials and installation methods.
- .2 Notify Engineer in writing of any conflict between these specifications and manufacturers instructions. Engineer will designate which document is to be followed.

General

- .3 Provide metal fastenings and accessories in same texture, colour and finish as base metal in which they occur. Prevent electrolytic action between dissimilar metals. Use non-corrosive fasteners, anchors and spacers for securing exterior work.
- .4 Space anchors within limits of load bearing or shear capacity and ensure that they provide positive permanent anchorage. Wood plugs not acceptable.

SPEC NOTE: Re 3.3. Specifier to ensure concealed fasteners are shown on drawings.

- .5 Fastenings which cause spalling or cracking are not acceptable.
- .6 Obtain Engineer's approval before using explosive actuated fastening devices. If

National Defence 14 Wing Greenwood, N.S L-G111-9900/1015	Material and Equipment	Section Page 2 2013-02-22	01600
----------------------------------------------------------------	------------------------	---------------------------------	-------

approval is obtained comply with CSA Z166-1975.

3 Fastenings Equipment

SPEC NOTE: Omit 4 for heavy civil work or if not applicable.

- .1 Use fastenings of standard commercial sizes and patterns with material and finish suitable for service.
- .2 Use heavy hexagon heads, semi-finished unless otherwise specified. Use No. 304 stainless steel for exterior areas.
- .3 Bolts may not project more than one diameter beyond nuts.
- .4 Use plain type washers on equipment, sheet metal and soft gasket lock type washers where vibrations occur. Use resilient washers with stainless steel.

4 Delivery and Storage

- .1 Deliver, store and maintain packaged material and equipment with manufacturer's seals and labels intact.
- .2 Prevent damage, adulteration and soiling of material and equipment during delivery, handling and storage. Immediately remove rejected material and equipment from site.
- .3 Store material and equipment in accordance with suppliers instructions.
- .4 Touch-up damaged factory finished surfaces to Engineer's satisfaction. Use primer or enamel to match original. Do not paint over name plates.

5 Contractor's Options for Selection of Materials for Tendering

SPEC NOTE: Use 6 for projects administered by DOT.

- .1 Materials specified by referenced standard, select any material that meets or exceeds the specified standard.
- .2 Where materials are required to be listed on

the "Canadian General Standards Board, Qualified Products List" select any manufacturer so listed.

- .3 Materials specified by "Prescriptive" or "Performance" specification, select any material meeting or exceeding specification.
- .4 Materials specified by naming one or more materials, select any material named. For the purpose of these specifications, the term "Acceptable Material" is deemed to be a complete and working commodity as described by a manufacturer's name, catalogue number, trade name or any combination thereof.
- .5 When materials are specified by a Standard, Prescriptive or Performance specifications, upon request of the Engineer, obtain from manufacturer an independent testing laboratory reporting, showing that the material or equipment meets or exceeds the specified requirements.

6 Substitution

SPEC NOTE: Use 7 for projects administered by DOT.

- .1 No substitutions will be permitted without prior written approval of Engineer.
- .2 Proposals for substitution may only be submitted after award of contract. Such request must include statements of respective costs of items originally specified and the proposed substitution.
- .3 Proposals will be considered by Engineer if:
 - .1 materials selected by tenderer from those specified, are not available;
 - .2 delivery date of materials selected from those materials specified would unduly delay completion of contract, or
 - .3 alternative material to those specified, which are brought to the attention of and considered by Engineer as equivalent to the material specified and will result in a credit to the Contract amount.
- .4 Should proposed substitution be accepted

either in part or in whole, assume full responsibility and costs when substitution affects other work on project. Pay for design or drawing changes required as result of substitution.

- .5 Amounts of all credits arising from approval of substitutions will be determined by Engineer and Contract Price will be reduced accordingly.

7 Construction
Equipment and Plant

- .1 On request, prove to the satisfaction of Engineer that the construction equipment and plant are adequate to manufacture, transport, place and finish work to quality and production rates specified. If inadequate, replace or provide additional equipment or plant as directed.
- .2 Maintain construction equipment and plant in good operating order.

- | | |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1</u> <u>General</u> | <ul style="list-style-type: none">.1 Conduct cleaning and disposal operations to comply with local ordinances and anti-pollution laws..2 Store volatile waste in covered metal containers, and remove from premises at end of each working day..3 Provide adequate ventilation during use of volatile or noxious substances. Use of building ventilation systems is not permitted for this purpose. |
| <u>2</u> <u>Materials</u> | <ul style="list-style-type: none">.1 Use only cleaning materials recommended by manufacturer of surface to be cleaned, and as recommended by cleaning material manufacturer. |
| <u>3</u> <u>Cleaning During Construction</u> | <ul style="list-style-type: none">.1 Provide on-site containers for collection of waste materials, and debris..2 Dispose of waste materials, and debris off site..3 Schedule cleaning operations so that resulting dust, debris and other contaminants will not fall on wet, newly painted surfaces nor contaminate building systems. |
| <u>4</u> <u>Final Cleaning</u> | <ul style="list-style-type: none">.1 Remove grease, dust dirt, stains, labels, fingerprints, and other foreign materials, from interior and exterior finished surfaces including glass and other polished surfaces..2 Clean lighting reflectors, lenses, and other lighting surfaces..3 Broom clean paved surfaces; rake clean other surfaces of grounds..4 Remove debris and surplus materials from crawl areas and other accessible concealed spaces..5 Remove snow and ice from access to building. |

1 Record Drawings

- .1 Engineer will provide two sets of white prints for record drawing purposes.
- .2 Maintain project record drawings and record accurately deviations from Contract documents.
- .3 Record changes in red. Mark on one set of prints and at completion of project and prior to final inspection, neatly transfer notations to second set and submit both sets to Engineer.
- .4 Record following information:
 - .1 Depths of various elements of foundation in relation to first floor level.
 - .2 Horizontal and vertical location of underground utilities and appurtenances referenced to permanent surface improvement.
 - .3 Location of internal utilities and appurtenances concealed in construction, referenced to visible and accessible features of structure.
 - .4 Field changes of dimension and detail.
 - .5 Changes made by Change Order or Field Order.

- | | | | |
|----------|-----------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1</u> | <u>Manual</u> | .1 | An organized compilation of operating and maintenance data including detailed technical information, documents and records describing operation and maintenance of individual products or systems as specified in individual sections of Divisions 02 - 16. |
| <u>2</u> | <u>General</u> | .1 | Assemble, coordinate, bind and index required data into Operation and Maintenance Manual. |
| | | .2 | Submit complete operation and maintenance manual to Engineer two (2) weeks prior to application for payment. |
| | | .3 | Submit four (4) copies in English. |
| | | .4 | Organize data into same numerical order as contract specifications. |
| | | .5 | Material: label each section with tabs protected with celluloid covers fastened to hard paper dividing sheets. |
| | | .6 | Type lists and notes. |
| | | .7 | Drawings, diagrams and manufacturers literature must be legible. |
| <u>3</u> | <u>Binders</u> | .1 | Binders: vinyl, hard covered, 3 "D" ring, loose leaf, sized for 215 x 280 mm paper, with spine pocket. |
| | | .2 | Identify contents of each binder on spline. |
| <u>4</u> | <u>Contents</u> | .1 | Binder 1: |
| | | .1 | Cover sheet containing: |
| | | .1 | Date submitted. |
| | | .2 | Project title, location and project number. |
| | | .3 | Names and addresses of Contractor, and all Sub-contractors. |
| | | .2 | Table of Contents of all binders. |
| | | .3 | List of maintenance materials as specified in Section 01731 - Maintenance Materials, Special Tools and Spare Parts. |
| | | .4 | List of special tools as specified in Section 01731 - Maintenance Materials, |

Special Tools and Spare Parts.

.5 List of spare parts as specified in
Section 01731 - Maintenance Materials,
Special Tools and Spare Parts.

.6 Warranties, guarantees.

.7 Copies of approvals, and certificates.

.2 Shop drawings:

.1 Bind separately one complete set of
reviewed final shop drawings and product
data.

- | | | |
|----------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1</u> | <u>General</u> | <ul style="list-style-type: none">.1 Specific requirements for maintenance materials, tools and spare parts are specified in individual sections of Divisions 02 to 16..2 Deliver maintenance materials, special tools and spare parts to Engineer..3 Prepare lists of maintenance materials special tools and spare parts for inclusion in Manual specified Section 01731. |
| <u>2</u> | <u>Maintenance Materials</u> | <ul style="list-style-type: none">.1 Deliver specified items packaged to prevent damage..2 Identify, on carton or package, colour, room No., system or area as applicable where item is used. |
| <u>3</u> | <u>Special Tools</u> | <ul style="list-style-type: none">.1 Assemble special tools as specified..2 Include following:<ul style="list-style-type: none">.1 Identification tag reference..2 Identification of equipment or system for which tools are applicable..3 Instruction on intended use of tool..3 Identify special tools to indicate equipment or system for which tools are intended. |
| <u>4</u> | <u>Spare Parts</u> | <ul style="list-style-type: none">.1 Assemble spare parts as specified..2 Include the following:<ul style="list-style-type: none">.1 Part number..2 Identification of equipment or system for which parts are applicable..3 Installation instructions as applicable..4 Name and address of nearest supplier..3 Identify spare parts to indicate equipment or system for which parts are applicable. |

- | | |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 <u>General Protection</u> | .1 Do not disrupt airport business except as permitted by Engineer. |
| | .2 Provide temporary protection for safe handling of personnel, pedestrians and vehicular traffic. |
| | .3 Provide barricades and lights where directed. |
| 2 <u>Movement of Equipment and Personnel</u> | .1 In areas of airport not closed to aircraft traffic:
.1 Obtain Engineer's approval on scheduling of work.
.2 Control movements of equipment and personnel as directed by Engineer.
.3 Provide competent flagmen at locations designated by Engineer to relay signals from airport traffic control tower to equipment and personnel wishing to cross live traffic areas.
.4 Signals from airport traffic control tower to be obeyed instantly. |
| 3 <u>Unserviceable Areas</u> | .1 Mark off areas made unserviceable for aircraft by work of this Contract by providing plainly visible danger markings by day and red lights by night. Open flames and inflammable fuels not permitted. |
| | .2 Park equipment not in use and stockpile materials so that their tops are below a 50 to 1 ratio from ends of useable landing strip and below 20 to 1 ratio from sides of aircraft traffic areas. Where directed, mark tops with red lights. |
| 4 <u>Trenching</u> | .1 On pavements open to aircraft traffic, obtain Engineer's written permission to undertake trenching which cannot be completed, backfilled and sealed within one working day. |
| 5 <u>Airport Facilities</u> | .1 Engineer will stake or inform as to the location of underground facilities such as |

cables, pipes and ducts. Notify Engineer of work areas sufficiently in advance of operations so that underground facilities can be located.

END

- | | | | |
|----------|-------------------------------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>1</u> | <u>General</u> | .1 | This section covers items common to all sections of Division 15. |
| <u>2</u> | <u>Equipment List</u> | .1 | Complete list of equipment and materials to be used on this project and forming part of tender documents by adding manufacturer's name, model number and details of materials, and submit for approval. |
| | | .2 | Submit for approval within 3 days after award of contract. |
| <u>3</u> | <u>Permits, Fees and Inspection</u> | .1 | Submit to authority having jurisdiction necessary number of drawings and specifications for examination and approval prior to commencement of work. |
| | | .2 | Pay associated fees. |
| | | .3 | Engineer will provide drawings and specifications required by authority having jurisdiction at no cost. |
| | | .4 | Notify Engineer of changes required by Authority having jurisdiction prior to making changes. |
| | | .5 | Furnish Certificates of Acceptance from authorities having jurisdiction on completion of work to Engineer. |
| <u>4</u> | <u>Equipment Installation</u> | .1 | Unions or flanges: provide for ease of maintenance and disassembly. |
| | | .2 | Space for servicing, disassembly and removal of equipment and components: provide as recommended by manufacturer or as indicated. |
| | | .3 | Equipment drains: pipe to floor drains. |
| | | .4 | Install equipment, rectangular cleanouts and similar items parallel to or perpendicular to building lines. |
| <u>5</u> | <u>Anchor Bolts and</u> | .1 | Supply anchor bolts and templates for |

Templates

installation by other divisions.

6 Trial Usage

- .1 Engineer may use equipment and systems for test purposes prior to acceptance. Supply labour, material, and instruments required for testing.
- .2 Trial usage to apply to equipment and systems as indicated.

7 Protection of Openings

- .1 Protect equipment and systems openings from dirt, dust, and other foreign materials with materials appropriate to system.

8 Care, Operation and Start-up

- .1 Instruct Engineer and operating personnel in the operation, care and maintenance of equipment.
- .2 Arrange and pay for services of manufacturer's factory service engineer to supervise start-up of installation, check, adjust, balance and calibrate components as required by Engineer.
- .3 Provide these services for such period, and for as many visits as necessary to put equipment in operation, and ensure that operating personnel are conversant with all aspects of its care and operation.

9 Electrical

- .1 Electrical work to conform to C.S.A. C22 .1-98.

10 Motors

- .1 Provide motors for mechanical equipment as specified.
- .2 If delivery of specified motor will delay delivery or installation of any equipment, install motor approved by Engineer for temporary use. Final acceptance of equipment will not occur until specified motor is installed.
- .3 Motors under 373 W 1/2 HP: speed as

National Defence	Mechanical General	Section	15010
14 Wing Greenwood, N.S	Requirements	Page 3	
L-G111-9900/1015		2013-02-22	

indicated, continuous duty, built-in overload protection, resilient mount, single phase, 120 V, unless otherwise specified or indicated.

- .4 Motors 373 W 1/2 HP and larger: EEMAC Class B, squirrel cage induction, speed, voltage and single phase or 3 phase as indicated, continuous duty, drip proof, ball bearing, maximum temperature rise 40°C, unless otherwise specified or indicated.

11 Belt Drives

- .1 Fit reinforced belts in sheave matched to drive. Multiple belts to be matched sets.
- .2 Use cast iron or steel sheaves secured to shafts with removable keys unless otherwise specified.
- .3 For motors under 7.5 kW: standard adjustable pitch drive sheaves, having plus or minus 10% range. Use mid-position of range for specified r/min.
- .4 For motors 7.5 kW and over: sheave with split tapered bushing and keyway having fixed pitch unless specifically required for item concerned. Provide sheave of correct size to suit balancing.
- .5 Minimum drive rating: 1.5 times nameplate rating on motor. Keep overhung loads within manufacturer's design requirements on prime mover shafts.
- .6 Motor slide rail adjustment plates to allow for centre line adjustment.

12 Guards

- .1 Provide guards for unprotected drives.
- .2 Guards for belt drives:
 - .1 Expanded metal screen welded to steel frame.
 - .2 Minimum 1.2 mm thick sheet metal tops and bottoms.
 - .3 38 mm dia holes on both shaft centres for insertion of tachometer.
 - .4 Removable for servicing.

- .3 Provide means to permit lubrication and use of test instruments with guards in place.
- .4 Install belt guards to allow movement of motors for adjusting belt tension.
- .5 Guard for flexible coupling:
 - .1 "U" shaped, minimum 1.6 mm thick galvanized mild steel.
 - .2 Securely fasten in place.
 - .3 Removable for servicing.
- .6 Unprotected fan inlets or outlets:
 - .1 Wire or expanded metal screen, galvanized, 19 mm mesh.
 - .2 Net free area of guard: not less than 80% of fan openings.
 - .3 Securely fasten in place.
 - .4 Removable for servicing.

13 Equipment
Supports

- .1 Equipment supports supplied by equipment manufacturer: specified elsewhere in Division 15.
- .2 Equipment supports not supplied by equipment manufacturer: fabricate from structural grade steel meeting requirements of Structural Steel for Building. Submit structural calculations with shop drawings.
- .3 Mount base mounted equipment on chamfered edge housekeeping pads, minimum of 100 mm high and 50 mm larger than equipment dimensions all around. Concrete as specified.

14 Sleeves

- .1 Pipe sleeves: at points where pipes pass through masonry, concrete or fire rated assemblies and as indicated.
- .2 Schedule 40 steel pipe.
- .3 Sleeves with annular fin continuously welded at midpoint:
 - .1 Through foundation walls.
 - .2 Where sleeve extends above finished

National Defence	Mechanical General	Section	15010
14 Wing Greenwood, N.S	Requirements	Page 5	
L-G111-9900/1015		2013-02-22	

floor.

- .4 Sizes: minimum 6 mm clearance all around, between sleeve and uninsulated pipe or between sleeve and insulation.
- .5 Terminate sleeves flush with surface of concrete and masonry walls, concrete floors on grade and 25 mm above other floors.
- .6 Fill voids around pipes:
 - .1 Caulk between sleeve and pipe in foundation walls and below grade floors with waterproof fire retardant non-hardening mastic.
 - .2 Where sleeves pass through walls or floors, provide space for firestopping. Where pipes/ducts pass through fire rated walls, floors and partitions, maintain fire rating integrity.
 - .3 Ensure no contact between copper tube or pipe and ferrous sleeve.
 - .4 Fill future-use sleeves with lime plaster or other easily removable filler.
 - .5 Coat exposed exterior surfaces of ferrous sleeves with heavy application of zinc rich paint to CGSB 1-GP-181M+Amdt-Mar-78.

15 Preparation for Firestopping

- .1 Firestopping material and installation within annular space between pipes, ducts, insulation and adjacent fire separation.
- .2 Uninsulated unheated pipes not subject to movement: no special preparation.
- .3 Uninsulated heated pipes subject to movement: wrap with non-combustible smooth material to permit pipe to move without damaging fire stopping material.
- .4 Insulated pipes and ducts: ensure integrity of insulation and vapour barrier at fire separation.

16 Escutcheons

- .1 On pipes passing through walls, partitions, floors and ceilings in finished areas.
- .2 Chrome or nickel plated brass or Type 302

stainless steel, one piece type with set screws.

- .3 Outside diameter to cover opening or sleeve.
- .4 Inside diameter to fit around finished pipe.

17 Tests

- .1 Give 24 h written notice of date for tests.
- .2 Insulate or conceal work only after testing and approval by Engineer.
- .3 Conduct tests in presence of Engineer.
- .4 Bear costs including retesting and making good.
- .5 Piping:
 - .1 General: maintain test pressure without loss for 4 h unless otherwise specified.
 - .2 Hydraulically test steam and hydronic piping systems at 1-1/2 times system operating pressure or minimum 860 kPa, whichever is greater.
 - .3 Test natural gas systems to CAN1-B149.1-M86 and requirements of authorities having jurisdiction.
 - .4 Test fuel oil systems to CSA B139 1976, CSA B139S1-1982 and authorities having jurisdiction.
 - .5 Test drainage, waste and vent piping to National Building Code and authorities having jurisdiction.
 - .6 Test domestic hot, cold and recirculation water piping at 1-1/2 times system operating pressure or minimum 860 kPa, whichever is greater.
 - .7 Test fire systems in accordance with authorities having jurisdiction and as specified elsewhere.
- .6 Equipment: test as specified in relevant sections.
- .7 Prior to tests, isolate all equipment or other parts which are not designed to withstand test pressures or test medium.

- 18 Painting
- .1 As indicated.
 - .2 Apply at least one coat of corrosion resistant primer paint to ferrous supports and site fabricated work.
 - .3 Prime and touch up marred finished paintwork to match original.
 - .4 Restore to new condition, finishes which have been damaged too extensively to be merely primed and touched up.
- 19 Spare Parts
- .1 Furnish spare parts in accordance with Section 01731 - Maintenance Materials Special Tools and Spare Parts as follows:
 - .1 One set of packing for each pump.
 - .2 One casing joint gasket for each size pump.
 - .3 One head gasket set for each heat exchanger.
 - .4 One glass for each gauge glass.
 - .5 One set of belts for each piece of machinery.
 - .6 One filter cartridge or set of filter media for each filter or filter bank in addition to final operating set.
- 20 Special Tools
- .1 Provide one set of special tools required to service equipment as recommended by manufacturers and in accordance with Section 01731 - Maintenance Materials Special Tools and Spare Parts.
 - .1 Furnish one commercial quality grease gun, grease and adapters to suit different types of grease and grease fittings.
- 21 Access Doors
- .1 Supply access doors to concealed mechanical equipment for operating, inspecting, adjusting and servicing.
 - .2 Flush mounted 600 x 600 mm for body entry and 300 x 300 mm for hand entry unless otherwise noted. Doors to open 180°, have rounded safety corners, concealed hinges, screwdriver latches and anchor straps.

- .3 Material:
 - .1 Special areas such as tiled or marble surfaces: use stainless steel with brushed satin or polished finish as directed by Engineer.
 - .2 Remaining areas: use prime coated steel.
- .4 Installation:
 - .1 Locate so that concealed items are accessible.
 - .2 Locate so that hand or body entry (as applicable) is achieved.
 - .3 Installation is specified in applicable sections.
- .5 Acceptable trade names: Buensod, Le Hage & Zurn.

22 Dielectric
Couplings

- .1 General:
 - .1 To be compatible with and to suit pressure rating of piping system.
 - .2 Where pipes of dissimilar metals are joined.
- .2 Pipes NPS 2 and under: isolating unions.
- .3 Pipes NPS 2-1/2 and over: isolating flanges.

23 Drain Valves

- .1 Locate at low points and at section isolating valves unless otherwise specified.
- .2 Minimum NPS 3/4 unless otherwise specified: bronze, with hose end male thread and complete with cap and chain.

24 Demonstration
and Operating and
Maintenance
Instructions

- .1 Supply tools, equipment and personnel to demonstrate and instruct operating and maintenance personnel in operating, controlling, adjusting, trouble-shooting and servicing of all systems and equipment during regular work hours, prior to acceptance.
- .2 Use operation and maintenance manual, as-built drawings, audio visual aids, etc.

as part of instruction materials.

- .3 Instruction duration time requirements as specified in appropriate sections.
- .4 Where deemed necessary, Engineer may record these demonstrations on video tape for future reference.

25 Operation and
Maintenance Manual

- .1 Provide operation and maintenance data for incorporation into manual specified in Section 01730 - Operation and Maintenance Manual.
- .2 Operation and maintenance manual to be approved by, and final copies deposited with, Engineer before final inspection.
- .3 Operation data to include:
 - .1 Control schematics for each system including environmental controls.
 - .2 Description of each system and its controls.
 - .3 Description of operation of each system at various loads together with reset schedules and seasonal variances.
 - .4 Operation instruction for each system and each component.
 - .5 Description of actions to be taken in event of equipment failure.
 - .6 Valves schedule and flow diagram.
 - .7 Colour coding chart.
- .4 Maintenance data shall include:
 - .1 Servicing, maintenance, operation and trouble-shooting instructions for each item of equipment.
 - .2 Data to include schedules of tasks, frequency, tools required and task time.
- .5 Performance data to include:
 - .1 Equipment manufacturer's performance data sheets with point of operation as left after commissioning is complete.
 - .2 Equipment performance verification test results.
 - .3 Special performance data as specified

elsewhere.

.4 Testing, adjusting and balancing reports as specified.

.6 Approvals:

.1 Submit 2 copies of draft Operation and Maintenance Manual to Engineer for approval. Submission of individual data will not be accepted unless so directed by Engineer.

.2 Make changes as required and re-submit as directed by Engineer.

.7 Additional data:

.1 Prepare and insert into operation and maintenance manual when need for same becomes apparent during demonstrations and instructions specified above.

26 Shop Drawings
and Product Data

.1 Submit shop drawings and product data in accordance with Section 01340 - Shop Drawings, Product Data, Samples and Mock-ups.

.2 Shop drawings and product data shall show:
.1 Mounting arrangements.
.2 Operating and maintenance clearances.
eg. access door swing spaces.

.3 Shop drawings and product data shall be accompanied by:
.1 Detailed drawings of bases, supports, and anchor bolts.
.2 Acoustical sound power data, where applicable.
.3 Points of operation on performance curves.
.4 Manufacturer to certify as to current model production.
.5 Certification of compliance to applicable codes.

.4 In addition to transmittal letter referred to in Section 01340 - Shop Drawings Product Data and Samples: use MCAC "Shop Drawing Submittal Title Sheet". Identify section and paragraph number.

27 Existing Systems

.1 Connections into existing systems to be made

at time approved by Engineer. Request written approval of time when connections can be made.

- .2 Be responsible for damage to existing plant by this work.

28 Cleaning

- .1 Clean mechanical (building) systems in accordance with Section 01710 - Cleaning.
- .2 Clean interior and exterior of all systems including strainers. Vacuum interior of ductwork and air handling units.
- .3 In preparation for final acceptance, clean and refurbish all equipment and leave in operating condition including replacement of all filters in all air and piping systems.

29 As-built Drawings

- .1 Site records:
 - .1 Engineer will provide 1 set of reproducible mechanical drawings. Provide sets of white prints as required for each phase of the work. Mark thereon all changes as work progresses and as changes occur. This shall include changes to existing mechanical systems, control systems and low voltage control wiring.
 - .2 On a weekly basis, transfer information to reproducibles, revising reproducibles to show all work as actually installed.
 - .3 Use different colour waterproof ink for each service.
 - .4 Make available for reference purposes and inspection at all times.
- .2 As-built drawings:
 - .1 Prior to start of Testing, Adjusting and Balancing (TAB), finalize production of as-built drawings.
 - .2 Identify each drawing in lower right hand corner in letters at least 12 mm high as follows: - "AS BUILT DRAWINGS: THIS DRAWING HAS BEEN REVISED TO SHOW MECHANICAL SYSTEMS AS INSTALLED" (Signature of Contractor) (date).
 - .3 Submit to Engineer for approval and make corrections as directed.

- .4 TAB to be performed using as-built drawings.
- .5 Submit completed reproducible as-built drawings with Operating and Maintenance Manuals.
- .3 Submit copies of as-built drawings for inclusion in final TAB report.



**FOR GOVERNMENT USE ONLY
POUR USAGE DU GOUVERNEMENT SEULEMENT**

Special Investigations Directorate File No.
N° de dossier de la Direction des enquêtes spéciales

Date Received (Y-A M D-J)
Date de réception

**CONSENT TO A CRIMINAL RECORD VERIFICATION
CONSENTEMENT À LA VÉRIFICATION DE L'EXISTENCE D'UN CASIER JUDICIAIRE**

This form must be completed and signed by each individual who is currently a director of the Bidder/Offeror/Supplier and provided with the Bid/Offer/Arrangement.

Le présent formulaire doit être rempli et signé par chaque individu qui est actuellement un administrateur du soumissionnaire/de l'offrant/du fournisseur et fourni avec la soumission/l'offre/l'arrangement.

**A PRIVACY ACT STATEMENT
ÉNONCÉ CONCERNANT LA LOI SUR LA PROTECTION DES RENSEIGNEMENTS PERSONNELS**

The personal information requested on this form is collected under the authority of subsection 750(3) of the *Criminal Code*, paragraph 42(1(c)) of the *Financial Administration Act*, and sections 7 and 21 of the *Department of Public Works and Government Services Act*. The information will be used for validating the criminal conviction certifications necessary for obtaining and maintaining a procurement instrument. It may be shared with other government departments, agencies, as well as provincial, territorial, and federal courts, within the limits of what is required to conduct the criminal conviction verification.

A refusal to provide information will result in the bid/offer/arrangement being rejected or the contract terminated, the standing offer being set-aside or the supply arrangement being cancelled, as applicable.

The personal information is described in personal information bank PWGSC PPU 184 - Integrity Assessment Program. Individuals have a right of access to, correction of and protection of their information in accordance with the *Privacy Act*.

Les renseignements personnels demandés dans le présent formulaire sont recueillis en vertu du paragraphe 750(3) du *Code criminel*, du paragraphe 42(1(c)) de la *Loi sur la gestion des finances publiques* et des articles 7 et 21 de la *Loi sur le ministère des Travaux publics et des Services gouvernementaux*. Ces renseignements seront utilisés pour valider les attestations de condamnation au criminel nécessaires pour obtenir et conserver un instrument d'approvisionnement. Les renseignements peuvent être diffusés à d'autres ministères et organismes fédéraux, ainsi qu'à des tribunaux provinciaux, territoriaux et fédéraux, dans les limites de ce qui est requis pour la vérification des condamnations au criminel.

À défaut de fournir les renseignements demandés, la soumission/l'offre/l'arrangement sera rejeté ou le contrat résilié, l'offre à commandes sera mise de côté ou l'arrangement en matière d'approvisionnement sera annulé, selon le cas.

Les renseignements personnels sont décrits dans les fichiers de renseignement personnels n° TPSGC PPU 184 - Programme de l'évaluation de l'intégrité. Les personnes ont le droit d'accéder aux renseignements personnels qui les concernent, ainsi que de les faire corriger ou protéger, conformément à la *Loi sur la protection des renseignements personnels*.

**B BIOGRAPHICAL INFORMATION - Must be completed by the individual
RENSEIGNEMENTS BIOGRAPHIQUES - À remplir par l'individu**

Family Name (Last Name) - Nom (de famille)

Family Name at Birth - Nom de famille à la naissance

Full Given Names (No initials) - Prénoms au complet (aucune initiale)

All other previously used names (i.e. maiden name, previously married names, legal name change, nicknames)
Tout autre nom utilisé (tel que nom de jeune fille, noms maritaux précédents, changement de nom légaux, sobriquets)

Gender - Sexe

☐

Male
Masculin

☐

Female
Féminin

Date of Birth - Date de naissance (Y-A M D-J)

**Current Permanent Residential Information
Information résidentielle permanente actuelle**

Apartment No. - N° d'appartement

Street No. - N° civique

Street Name - Nom de la rue

City - Ville

Province/State - État

Country - Pays

Postal Code/Zip Code - Code postal/Code zip

C	CONSENT - Must be signed by the individual CONSENTEMENT - Doit être signé par l'individu
----------	-----------------------------------------------------------------------------------------------------

I, the undersigned, confirm that I have read and understand the above *Privacy Act* statement and that I consent to the collection and use of my personal information as described therein.

Je, soussigné, confirme avoir pris connaissance de l'Énoncé concernant la *Loi sur la protection des renseignements personnels* et consens à la collecte et à l'utilisation des renseignements personnels fournis aux présentes.

Signature	
Print Name - Nom en lettres moulées	Date (Y-A M D-J)

D	ADMINISTRATIVE INFORMATION - Internal Government Use Only RENSEIGNEMENTS ADMINISTRATIFS - Pour usage interne du gouvernement seulement
----------	---------------------------------------------------------------------------------------------------------------------------------------------------

Requesting Branch/Sector/Directorate/Division - Direction générale/Secteur/Direction/Division requérante

Solicitation/Proposed Contract No. - N° de la demande de soumission/N° du contrat	Date of Request (Y-A M D-J) Date de la demande
Requesting Contact Person - Personne-ressource requérante	Contact Person Tel. No. - N° de tél. de la personne-ressource



FAIR WAGE SCHEDULE FOR FEDERAL CONSTRUCTION CONTRACTS

ÉCHELLE DE JUSTES SALAIRES POUR LES CONTRATS FÉDÉRAUX DE CONSTRUCTION

Nova Scotia - North/Central/South / Nouvelle-Écosse - Nord/Centrale/Sud
(New Glasgow, Truro, Kentville, Yarmouth)

Effective August 13, 2007 / En vigueur le 13 août 2007

Construction trades workers on the federal government construction contract listed in this appendix must be paid a regular hourly wage rate no less than the rate on this schedule for the type of work they are doing under the contract.

The apprentice wage rates are included into this schedule by reference to the *Apprenticeship and Trades Qualifications Act* (ATQA) of the province. Thus, where the ATQA refers to a percentage of a corresponding journeyperson's wage for a specific occupation, that percentage shall be applied against the wages listed below.

CLASSIFICATION OF LABOUR CATÉGORIE DE MAIN-D'OEUVRE

Les travailleurs de métiers de la construction, sur un contrat fédéral de construction, doivent être payés à un taux de salaires non moindre que le taux de cette échelle pour le type de travail effectué en vertu du contrat en question.

Le salaire des apprentis est inclus dans cette échelle en faisant référence à *Loi sur « Apprenticeship and Trades Qualifications Act (ATQA) »* de la province. Ainsi, là où l'ATQA prescrit que le salaire d'un apprenti doit correspondre au pourcentage du salaire d'un ouvrier qualifié de la même occupation, le calcul sera effectué en utilisant les taux ci-dessous.

FAIR WAGE RATE PER HOUR NOT LESS THAN TAUX DE JUSTE SALAIRE NON INFÉRIEUR À

Electricians Electriciens	20.08
Plumbers Plombiers	19.06
Pipefitters, Steamfitters Tuyauteurs, monteurs de tuyaux à vapeur	26.48
Sprinkler System Installers Monteurs de réseaux d'extincteurs automatiques	26.61
Sheet Metal Workers Toliers (ouvriers de feuilles de métal)	20.46
Ironworkers Monteurs de charpentes métalliques et ferrailleurs	24.65
Carpenters Charpentiers-menuisiers	17.66
Bricklayers Briqueteurs-maçons	23.08
Cement Finishers Finiisseurs de béton ou ciment	19.91
Tilesetters (including terrazo, marble setters) Poseurs de carrelage (de céramique, de marbre, etc.)	18.72
Lathers, Interior System Mechanics/Drywall Installers Latteurs, mec. de syst. int./poseurs de cloisons sèches	23.87

Plasterers, Drywall Finishers and Tapers Plâtriers, jointoyeurs de cloisons sèches	21.21
Roofers Couvreur de toits multicouches	18.96
Glaziers Vitriers	16.78
Painters Peintres	14.36
Construction Millwrights Mécaniciens de chantier	23.12
Heavy Duty Equipment Mechanics Mécaniciens de machinerie lourde	18.26
Refrigeration and Air Conditioning Mechanics Mécaniciens en réfrigération et climatisation	20.56
Crane Operators Conducteurs/opérateurs de grue	22.07
Straight Truck Drivers Conducteurs de camions unitaires	13.18
Road Tractor Drivers for Semi-Trailers and Trailers Cond. de tractrs routiers pour semi-remorques ou remorques	13.60
Operators Heavy Equipment (ex. Cranes, Graders, Asphalt Paving) Conducteurs-machin. lourde sauf grue niveleuse, pavage et asphalt	16.02
Grader Operators Conducteurs de niveleuse (grader)	15.86
Paver and Asphalt Plant Operators Conducteurs de machinerie de pavage et d'asphaltage	14.93
Packer (Road-Roller) Operators Conducteurs de rouleau compresseur (Packer)	12.73
Traffic Accommodation Person (Flagperson) Ouvrier chargé de diriger la circulation	10.57
Form Setters Coffreurs de béton (Installateur de coffrage préfabriqué)	16.31
Asphalt Layers (by hand – includes rakers) Poseurs et étandeurs d'asphalte (à la main et en se servant d'un râteau)	15.53
Trade Helpers, Labourers (excluding Asphalt Layers, Flag person, Formsetter) Manoeuvres (sauf asph., circul., Coffreur béton)	14.50
<p>Fair wage schedule prepared by: Labour Standards and Workplace Equity Branch Labour Program, Human Resources and Social Development Canada based on The National Construction Industry Wage Rate Survey (2006) conducted by the Small Business and Special Surveys Division, Statistics Canada.</p> <p>L'échelle des justes salaires préparée par: Normes de travail et équité en milieu de travail Programme du travail, Ressources humaines et Développement social du Canada basée sur l'Enquête nationale sur les taux salariaux dans le secteur de la construction (2006) faite par la Division des petites entreprises et enquêtes spéciales, Statistique Canada.</p>	

CONTRACTORS SHOULD NOTE:	L'ENTREPRENEUR DOIT NOTER :
<p>a. THAT DURING THE TERM OF THIS CONTRACT, THE RATES LISTED HEREIN MAY BE REVISED IN ACCORDANCE WITH THE LABOUR CONDITIONS; AND</p> <p>b. THAT IN CARRYING OUT ANY OF THE WORK CONTEMPLATED BY THIS CONTRACT, THE CONTRACTOR IS ALSO SUBJECT TO ANY APPLICABLE PROVINCIAL LAWS AND REGULATIONS; and</p> <p>C. OVERTIME MUST BE PAID ACCORDING TO PROVINCIAL LEGISLATION CONCERNING HOURS OF WORK AT A RATE EQUAL TO AT LEAST ONE AND ONE-HALF TIMES THE FAIR WAGE RATE; and</p> <p>d. SCHEDULE RATES ARE 'STRAIGHT' WAGES AND DO NOT INCLUDE COMPENSATION IN THE FORM OF BENEFITS (FOR EXAMPLE, MEDICAL, DENTAL OR PENSION PLANS).</p>	<p>a. QUE PENDANT LA DURÉE DE CE CONTRAT, LES TAUX DE SALAIRES ÉNUMÉRÉS DANS L'ANNEXE PEUVENT ÊTRE REVISÉS EN CONFORMITÉ AVEC LES CONDITIONS DE TRAVAIL, ET</p> <p>b. QUE DANS L'EXÉCUTION DE TOUT TRAVAIL PRÉVU PAR LE CONTRAT, L'ENTREPRENEUR EST AUSSI ASSUJETTI AUX LOIS ET RÈGLEMENTS PROVINCIAUX, et</p> <p>C. LE TEMPS SUPPLÉMENTAIRE DOIT ÊTRE RÉMUNÉRÉ CONFORMÉMENT AUX LOIS PROVINCIALES RELATIVES AUX HEURES DE TRAVAIL À UN TAUX ÉQUIVALENT AU MOINS UNE FOIS ET DEMI LE TAUX DES JUSTES SALAIRES, et</p> <p>d. LES TAUX DE L'ÉCHELLE FAIT RÉFÉRENCE À LA RÉMUNÉRATION EN SALAIRE ET NE COMPRENNENT PAS LA RÉMUNÉRATION SOUS FORME D'AVANTAGES SOCIAUX (PAR EXEMPLE, LES PLANS D'ASSURANCE MÉDICALE OU DENTAIRE, OU LES RÉGIMES DE PENSION).</p>

<p>FOR INFORMATION CONCERNING THESE SCHEDULES AND THE <i>FAIR WAGES AND HOURS OF LABOUR ACT</i> UNDER WHICH THEY ARE DEVELOPED, OR TO LODGE A COMPLAINT, CONTACT YOUR NEAREST LABOUR PROGRAM DISTRICT OFFICE LISTED IN THE BLUE PAGES OF YOUR TELEPHONE DIRECTORY UNDER GOVERNMENT OF CANADA, HUMAN RESOURCES AND SOCIAL DEVELOPMENT CANADA OR CALL 1-800-OCANADA.</p>	<p>POUR OBTENIR DE L'INFORMATION SUR LES ÉCHELLES ET LA <i>LOI SUR LES JUSTES SALAIRES ET LES HEURES DE TRAVAIL</i> SOUS LESQUELS ILS ONT ÉTÉ DÉVELOPPÉ, OU POUR DÉPOSER UNE PLAINTÉ, CONTACTEZ LE BUREAU LOCAL DU PROGRAMME DU TRAVAIL LE PLUS PRÈS DE CHEZ VOUS EN CHERCHANT DANS LES PAGES BLEUES DE VOTRE ANNUAIRE SOUS GOVERNEMENT DU CANADA, RESSOURCES HUMAINES ET DÉVELOPPEMENT SOCIAL DU CANADA. VOUS POUVEZ ÉGALEMENT TÉLÉPHONER AU 1-800-OCANADA.</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------