

Preliminary
Not for Construction

EMS Croscan
Engineering Management Services Croscan Ltd.
ENGINEERING AND MANAGEMENT CONSULTANTS

323 6th Avenue North
Saskatoon, Saskatchewan S7K 2S3
Phone: 306 665-9090
Fax: 306 653-4489

- NOTES:
1. All dimensions and datum are to be verified by the Contractor. Report all discrepancies to Departmental Representative.
 2. This drawing is an Instrument of Service and is the property of the Designer. Reproduction is prohibited unless authorized in writing by the Designer.
 3. Information on this sheet is for use on the indicated project only. Copyright protected.
 4. Date format is yyyy mm dd.
 5. Scale shown is valid only when sheet is plotted at size noted at lower left corner of sheet.

DO NOT SCALE DRAWINGS

5		
4		
3		
2		
1		
0	ISSUED FOR BIDDING	2013/07/02
Revision/ Révision	Description/Description	Date/Date

Client/client

PWGSC Western Region

Project Facilities Management (PFM)

Project Title/Titre du projet

Forrest Park Crawlspace
Renovations - Phase 2

Forrest Park Crown Housing Development
998-1025 Forrest Drive, Yellowknife, NT

Approved by/Approuvé par

Designed by/Concepté par

Daniel Kishchuk

Drawn by/Dessiné par

Daniel Kishchuk

PWGSC Project Manager/Administrateur de Projets TPSGC

Sean Best

PWGSC, Architectural and Engineering Resources Manager/
Ressources Architectural et de Directeur d'ingénierie, TPSGC

Client/client

PWGSC Project Facilities Management (PFM)

Drawing Title/Titre du dessin


FORREST PARK CROWN HOUSING COMPLEX
CRAWLSPACE RENOVATIONS - PHASE 2

Units 1020-1025 Front and Rear
Building Elevations

Project No./No. du projet	Sheet/ Feuille	Revision no./ Révision no.
R.015993.346	R-15 OF 15	0


Issued to: Buzzsaw

PWGSC - A1




3 Roof Drain Pipe Extension Detail 1
1 : 20

EXTEND 75 mm DIA ABS ROOF
DRAIN PIPE TO MINIMUM OF 1)
1 m BEYOND BUILDING EDGE,
OR 2) 100 mm BEYOND CREST
OF LOCAL HIGH POINT.




4 Roof Drain Pipe Extension Detail 2
1 : 20




5 Roof Drain Leader Re-Routing and Extension Detail
1 : 20


RE-ROUTE AND EXTEND ROOF DRAIN
LEADERS TO MINIMUM OF 1) 1 m
BEYOND BUILDING EDGE, OR 2) 100 mm
BEYOND CREST OF LOCAL HIGH POINT.



6 Roof Drain Leader Extension and Support Detail
1 : 20



1 Units 1020-1025: Front Elevation (Partial)
1 : 75



2 Units 1020-1025: Rear Elevation (Partial)
1 : 75