



**Royal Canadian Mounted Police
Gendarmerie Royale du Canada**

**RETOURNER LES
SOUMISSIONS A:
RETURN BIDS TO:**

RCMP - F Division
Procurement & Contracting Services
c/o Commissionaires, F Division
6101 Dewdney Ave
Regina, SK S4P 3K7

Fax No. - N° de FAX:
(306) 780-3466

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

Proposal to: Royal Canadian Mounted Police
We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services and construction listed herein and on any attached sheets at the price(s) set out therefore.

Proposition aux: Gendarmerie royale du Canada
Nous offrons par la présente de vendre à Sa Majesté I Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments – Commentaries

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

**Telephone No.
no de téléphone:**

Title-Sujet: Wheel Loader	
Solicitation No. - No. de l'invitation M5000-4-0493/A	Date 21 August 2013
GETS Ref No. - No de réf. De SEAG WP-13-00371686	
Solicitation Closes - L'invitation prend fin at 2:00 pm Central Standard Time on-le 01 October 2013	
F.O.B. - F.A.B. See Herien Voir aux présentes	
Address Enquiries to: - Adresser toutes questions à: Teresa Hengen	
Telephone No. - No de téléphone 306-780-8179	Fax No. - N° de FAX: 306-780-3466
Destination of Goods and Services: Destinations des biens et services: Royal Canadian Mounted Police, Depot Division Attn: Grounds Unit 5600 11 th Ave Regina, SK S4P 3J7	
Delivery Required - Livraison exigée: See Herein Voir aux présentes	Delivery Offered – Livraison proposée See Herein Voir aux présentes
Name and title of person authorized to sign on behalf of Vendor/Firm - Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur	
_____	_____
Signature	Date

Name and Title	



TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Statement of Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection
3. Security Requirement

PART 5 – CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Statement of Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. Delivery and Unloading
12. Shipping Instructions - Free on Board Destination
13. SACC Manual Clauses

List of Annexes:

- | | |
|---------|----------------------------------|
| Annex A | Statement of Requirement |
| Annex B | Basis of Payment |
| Annex C | Security Requirements Check List |
| Annex D | Mandatory Technical Criteria |



PART 1 - GENERAL INFORMATION

1. Security Requirement

There is a security requirement associated with the requirement. For additional information, consult Part 4 - Evaluation Procedures and Basis of Selection, and Part 6 - Resulting Contract Clauses.

2. Requirement

The requirement is detailed under Annex A of the resulting contract clauses.

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Revision to Departmental Name: As this solicitation is issued by RCMP, any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this solicitation, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Section 01 – Code of Conduct and Certification – Bid of 2003 referenced above is amended as follows:

Delete subsection 1.4 and 1.5 in their entirety.

1.1 SACC Manual Clauses

B1000T (2007-11-30) Condition of Materials

2. Submission of Bids



Bids must be submitted only to the Royal Canadian Mounted Police (RCMP) by facsimile, or by hand to the address on Page 1 by the date and time indicated on Page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid as follows:

Section I: Technical Bid (two hard copies)

Section II: Financial Bid (one hard copy)

Section III: Certifications (one hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.



In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work. Refer to Annex D, Mandatory Technical Criteria.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Annex B, Basis of Payment. The total amount of Goods and Services Tax (GST) or Harmonized Sales Tax (HST) must be shown separately, if applicable.

1.1 Exchange Rate Fluctuation

C3011T (2010-01-11), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

Refer to Annex D, Mandatory Technical Criteria

1.2 Financial Evaluation



The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, FOB destination, Canadian customs duties and excise taxes included.

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

3. Security Requirement

1. Before award of a contract, the following conditions must be met:
 - (a) the Bidder must hold a valid security clearance as indicated in Part 6 - Resulting Contract Clauses;
 - (b) the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Part 6 - Resulting Contract Clauses;
 - (c) the Bidder must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites.
2. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
3. For additional information on security requirements, bidders should consult the "Security Requirements for PWGSC Bid Solicitations - Instructions for Bidders" (<http://www.tpsgc-pwgsc.gc.ca/app-acq/lc-pl/lc-pl-eng.html#a31>) document on the Departmental Standard Procurement Documents Website.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and related documentation to be awarded a contract. Canada will declare a bid non-responsive if the required certifications and related documentation are not completed and submitted as requested.

Compliance with the certifications bidders provide to Canada is subject to verification by Canada during the bid evaluation period (before award of a contract) and after award of a contract. The Contracting Authority will have the right to ask for additional information to verify bidders' compliance with the certifications before award of a contract. The bid will be declared non-responsive if any certification made by the Bidder is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications, to provide the related documentation or to comply with the request of the Contracting Authority for additional information will also render the bid non-responsive.

1. Mandatory Certifications Required Precedent to Contract Award



1.1 Code of Conduct and Certifications - Related documentation

1.1.1 By submitting a bid, the Bidder certifies, for himself and his affiliates, to be in compliance with the Code of Conduct and Certifications clause of the Standard instructions. The related documentation hereinafter mentioned will help Canada in confirming that the certifications are true. By submitting a bid, the Bidder certifies that it is aware, and that its affiliates are aware, that Canada may request additional information, certifications, consent forms and other evidentiary elements proving identity or eligibility. Canada may also verify the information provided by the Bidder, including the information relating to the acts or convictions specified herein, through independent research, use of any government resources or by contacting third parties. Canada will declare non-responsive any bid in respect of which the information requested is missing or inaccurate, or in respect of which the information contained in the certifications is found to be untrue, in any respect, by Canada. The Bidder and any of the Bidder's affiliates, will also be required to remain free and clear of any acts or convictions specified herein during the period of any contract arising from this bid solicitation.

2. Additional Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

2.1 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from Human Resources and Skills Development Canada (HRSDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

2.2 Former Public Servant Certification

Contracts with former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, bidders must provide the information required below.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;



- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means, a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c.C-17, the Defence Services Pension Continuation Act, 1970, c.D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c.R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c.R-11, the Members of Parliament Retiring Allowances Act, R.S., 1985, c.M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c.C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? **Yes () No ()**

If so, the Bidder must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Reduction Program

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of a work force reduction program? **Yes () No ()**

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.



For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including the Goods and Services Tax or Harmonized Sales Tax.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

The Contractor MUST:

- a) hold a valid Facility Access Security clearance and ensure that all persons working on site hold a valid Facility Access with Escort security clearance issued by RCMP Departmental Security Section.

2. Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex A.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Revision to Departmental Name: As this contract is issued by RCMP, any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this contract, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Section 09 – Warranty – Contract of 2010A referenced above is amended as follows:

The warranty period will be sixty (60) months after delivery and acceptance of the unit or the length of the Contractor's or manufacturer's standard warranty period, whichever is longer.

All other provisions of the warranty section remain in effect.

Section 29 - Code of Conduct and Certifications - Contract of 2010A referenced above is amended as follows:

Delete subsection 29.4 in its entirety.

4. Term of Contract



While delivery is requested to be within four (4) weeks from effective date of contract, the best delivery that could be offered is _____. The training is to be performed within three (3) months from effective date of contract.

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Teresa Hengen
Procurement Officer
Royal Canadian Mounted Police
Corporate Management Branch
5600 - 11th Ave
Regina, SK S4P 3J7
Telephone: 306-780-8179/Facsimile: 306-780-3466

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority

The Project Authority for the Contract is: (to be completed upon award)

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : _____
Facsimile: _____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative

(to be completed upon award)

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : _____



Facsimile: _____
E-mail address: _____

6. Payment

6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit price, as specified in Annex B, Basis of Payment for a cost of \$ _____ (insert the amount at contract award). Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Payment

SACC *Manual* clause H1000C (2008-05-12) Single Payment

7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

8. Certifications

8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

10. Priority of Documents



If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2013-04-25), General Conditions-Goods (Medium Complexity);
- (c) Annex A, Statement of Requirement;
- (d) Annex B, Basis of Payment
- (e) Annex C, Security Requirements Check List;
- (f) the Contractor's bid dated _____.

11. Delivery and Unloading

- 1. Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.
- 2. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.

12. Shipping Instructions - Free on Board Destination

Goods must be consigned and delivered to the destination specified in the contract:

FOB Destination Regina, Saskatchewan including all delivery charges and customs duties and taxes.

13. SACC Manual Clauses

B7500C (2006-06-16 Excess Goods

G1005C (2008-05-12) Insurance



ANNEX A
Statement of Requirement

To supply, deliver, offload, and provide servicing for one (1) new (most current manufacturer model year in production at time of bid closing) Wheel Loader to the Royal Canadian Mounted Police Academy, Depot Division, located in Regina, Saskatchewan, in accordance with the requirements specifications, terms and conditions detailed herein.

The wheel loader must have the following specifications:

A. General
1. Be the most current manufacturer model year in production at bid closing
2. Wheel loader to be regular production model
3. Must meet all Society of Automobile Engineers standards
4. Wheel loader must meet all Health Canada – Emergency Preparedness and Occupational Health Directorate (EPOHD) and Environment Canada – Canadian Environmental Protection Act (CEPA) requirements and must have lead-free paint
B. Engine
1. Horsepower must have a rating no lower than 160
2. Six (6) cylinder diesel, turbo charged engine
3. Suction fan
4. Unit core serviceable radiator
5. Dual stage air filter
6. Air filter service indicator
7. Fuel priming pump
8. Low emission diesel engine
9. Vertical spin on engine oil filter
10. Muffler
11. Engine block heater
12. Engine starting aid
C. Electrical
1. Twenty-four (24) volt electrical system with master disconnect
2. Fifty (50) ampere alternator
3. Back up alarm
4. Two 900 Cold Cranking Amps maintenance free batteries
5. Halogen flood light (front and rear)
6. Halogen work lights (front and rear)
7. Directional signals (front and rear)
D. Drive Train/Transmission
1. Fully synchronized
2. Four (4) forward speeds
3. Three (3) reverse speeds
4. Single lever transmission control
5. Oil level gauge
E. Axles
1. Limited slip differentials (front and rear)
2. Locking differential
F. Brakes
1. Operated by one or two pedals



2. Oil cooled
3. Park brake must be spring applied, and can be either air or hydraulically released
4. Park brake is switch operated
G. Linkage
1. "Z" bar design
2. Dual bucket cylinder
3. Dual lift cylinders
4. Bucket controls include: Return to dig, return to carry, boom high kickout and ride out
H. Tires
1. Radial Snow Tires – manufacturer standard size for machine
I. Fuel Capacity
1. Fifty (50) gallon minimum
J. Gauges
1. Engine coolant level
2. Hydraulic oil level
3. Fuel level
4. Transmission oil level
5. Warning gauges
K. Cab Controls/Equipment
1. Heater and defroster
2. Windshield wipers and washer on both front and rear windows
3. Interior dome light
4. Retractable seat belt
5. Seat - fabric
6. Air suspension seat
7. Tinted glass
8. Adjustable steering column
9. Two interior rear view mirrors
10. Ground level door release
11. Sun visor
12. Ride control
13. Side window fully opens toward rear of the loader and can also be partially opened
L. Other Equipment
1. Draw bar hitch
2. Solid hood
3. Hydraulic oil cooler – heavy duty
4. Counter weight
5. Air conditioner
6. Anti-freeze or coolant temperature to -50 C – minimum
7. Roll-over Protection Structure canopy
8. Guards for both crankcase and power train
9. AM and FM radio
10. External heated mirrors
11. Fire extinguisher
12. Rotating light on swivel mount or strobe light on swivel mount
13. Dual hydraulic pumps or tandem pumps
14. Quick coupler attachment
15. Electric over hydraulic pump to operate function of hydraulic quick coupler



16. Electric switch to operate function of hydraulic angle on sweeper broom
17. Hydraulic third valve to be detented from broom run operation
18. Hydraulic couplers for broom hook up
M. Serviceability
1. All vertically mounted filters
2. Lubed for life u-joints
3. Double tapered bearings in the articulation joint
4. Sight gauge for hydraulic oil level
5. Sight gauge for transmission oil level
6. Lube points at ground level
7. Remote drain points for engine oil, engine coolant and hydraulic oil
N. Buckets
1. Five (5) yard General Purpose Bucket with smooth edge segment
2. Two (2) to two and a half (2.5) yard General Purpose Bucket with removable teeth
3. Fourteen (14) foot wide push blade attachment
4. Rubber cutting edge
5. Replaceable wear shoes
6. Welded steel construction
7. Quick coupler change attachment
8. Welded steel sides on each end
9. Heavy duty blade (Commercial Construction)
O. Sweeper Attachment
1. front mounted rotary sweeper with a dual-motor hydraulic driven brush
2. capable of sweeping at a minimum angle of 30 degrees to the left and right
3. Mounted (in place of bucket) using quick attachment system that uses spin tight hydraulic line couplers
4. Butterfly style couplers
5. Lifted by the loader arms and powered by the wheel loaders hydraulic system
6. Brush frame must be heavy duty seamless tube, welded plate and angle iron construction
7. Swing assembly must be a pivot-plate design and welded structural plate, channel iron and/or angle iron
8. Mounting frame must be of heavy plate, angle, channel and structural iron weld construction
9. Storage/jack stands must be provided with a minimum of two caster wheels at rear of broom for support when dismantled from loader
10. Sweeper must have third and fourth valve function for broom operation, angle operation and detach/attach function from inside cab
11. Sweeper must have parallel linkage to follow ground contours
P. Brush
1. The brush of the sweeper must be hydraulically driven by two motors. One motor must be mounted at each end of sweeper, inside frame to protect against accidental damage
2. Brush must be capable of off and on operation with a third valve function
3. The brush must be 10 feet in width and 32 inches in diameter
4. Brush bristles to be polypropylene with mechanical clamp for retention. No poly melt sections
5. Brush core to be steel welded with reinforced lateral-plate construction
6. Brush must be capable of angling at a minimum of 30 degrees to the left and right



7. Brush core to be reversible, end to end
Q. Manuals and Literature for the Wheel Loader and all Attachments
1. Two (2) sets of English - Hard Copy or Compact Disc operational manuals
2. Two (2) sets of English – Hard Copy or Compact Disc maintenance manuals
3. Two (2) sets of English – Hard Copy, Compact Disc or online parts manuals
4. One (1) set of English - Hard Copy of the industry standard warranty
R. Service Facility
1. Service/warranty and regular maintenance work must be performed by an authorized representative, within 100 km radius of Regina, Saskatchewan. The authorized representative must begin the repair service within 24 hours of notification either on site or at a service facility. The authorized representative must have ready access to regular maintenance and servicing parts and able to access all other parts not normally stocked from an authorized parts dealer, within 72 hours. The warranty period will be sixty (60) months after delivery and acceptance of the unit or the length of the Contractor's or manufacturer's standard warranty period, whichever is longer. The warranty will be full machine, industry standard warranty administered through the contractor's organization. All costs related to warranty work must be included in price, non-warranty maintenance and after sales service are to be charged separately.
S. Pre-Delivery inspection
1. Fully assembled, adjusted with all specified equipment and ready for operation as per industry standard
T. Training
1. Minimum ten (10), maximum fourteen (14) employees to be trained in English on Maintenance of the machine
2. Minimum ten (10), maximum fourteen (14) employees to be trained in English on Operation of the machine
3. Minimum of two (2) working days for maintenance of machine split into two (2) sessions (one per day) for five (5) to seven (7) employees each day
4. Minimum of two (2) working days for operation of machine split into two (2) sessions (one per day) for five (5) to seven (7) employees each day
5. Maintenance training will include instruction on how to maintain the machine and what the servicing schedule should be for the machine (i.e. oil changes and greasing intervals etc.)
6. Operational training will include instruction on machine controls and how to operate the machine
7. Training will take place at Royal Canadian Mounted Police Academy, Depot Division, Regina, Saskatchewan
8. Training will be conducted at a date and time agreed upon between the Technical Authority and the Contractor, and must be within three (3) months of the delivery date of the machine.



ANNEX B
Basis of Payment

Firm prices, in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax is extra, FOB destination, off-loading charges, Canadian customs duties and excise taxes included.

Description	Quantity	Unit of Issue	Price per Unit
a) Wheel Loader, in accordance with Annex A	1	Each	\$ _____

Manufacturer: _____

Model: _____

Year: _____



**ANNEX D
Mandatory Technical Criteria**

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include two (2) copies of descriptive literature and detailed pictures or drawing of the make and model of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications and cross reference where this specification is located within the descriptive literature.

Where weight, dimensions or other characteristics are shown as approximate, minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-complaint and will be given no further consideration

The wheel loader must have the following specifications:

Specifications	Compliance		Comment(s)/ Cross Reference
	Yes	No	
A. General			
1. Be the most current manufacturer model year in production at bid closing			
2. Wheel loader to be regular production model			
3. Must meet all Society of Automobile Engineers standards			
4. Wheel loader must meet all Health Canada – Emergency Preparedness and Occupational Health Directorate (EPOHD) and Environment Canada – Canadian Environmental Protection Act (CEPA) requirements and must have lead-free paint			
B. Engine			
1. Horsepower must have a rating no lower than 160			

Royal Canadian Mounted Police
Gendarmerie Royale du Canada



Government
of Canada

Gouvernement
du Canada

Solicitation No./ No del'invitation: M5000-4-0493/A

2. Six (6) cylinder diesel, turbo charged engine			
3. Suction fan			
4. Unit core serviceable radiator			
5. Dual stage air filter			
6. Air filter service indicator			
7. Fuel priming pump			
8. Low emission diesel engine			
9. Vertical spin on engine oil filter			
10. Muffler			
11. Engine block heater			
12. Engine starting aid			
C. Electrical			
1. Twenty-four (24) volt electrical system with master disconnect			
2. Fifty (50) ampere alternator			
3. Back up alarm			
4. Two 900 Cold Cranking Amps maintenance free batteries			
5. Halogen flood light (front and rear)			
6. Halogen work lights (front and rear)			
7. Directional signals (front and rear)			
D. Drive Train/Transmission			
1. Fully synchronized			
2. Four (4) forward speeds			
3. Three (3) reverse speeds			
4. Single lever transmission control			
5. Oil level gauge			
E. Axles			
3. Limited slip differentials (front and rear)			
4. Locking differential			
F. Brakes			



1. Operated by one or two pedals			
2. Oil cooled			
3. Park brake must be spring applied, and can be either air or hydraulically released			
4. Park brake is switch operated			
G. Linkage			
1. "Z" bar design			
2. Dual bucket cylinder			
3. Dual lift cylinders			
4. Bucket controls include: Return to dig, return to carry, boom high kick out and ride out			
H. Tires			
1. Radial Snow Tires – manufacturer standard size for machine			
I. Fuel Capacity			
1. Fifty (50) gallon minimum			
J. Gauges			
1. Engine coolant level			
2. Hydraulic oil level			
3. Fuel level			
4. Transmission oil level			
5. Warning gauges			
K. Cab Controls/Equipment			
1. Heater and defroster			
2. Windshield wipers and washer on both front and rear windows			
3. Interior dome light			
4. Retractable seat belt			
5. Seat - fabric			
6. Air suspension seat			
7. Tinted glass			



8. Adjustable steering column			
9. Two interior rear view mirrors			
10. Ground level door release			
11. Sun visor			
12. Ride control			
13. Side window fully opens toward rear of the loader and can also be partially opened			
L. Other Equipment			
1. Draw bar hitch			
2. Solid hood			
3. Hydraulic oil cooler – heavy duty			
4. Counter weight			
5. Air conditioner			
6. Anti-freeze or coolant temperature to - 50 C minimum			
7. Roll-over Protection Structure canopy			
8. Guards for both crankcase and power train			
9. AM and FM radio			
10. External heated mirrors			
11. Fire extinguisher			
12. Rotating light on swivel mount or strobe light on swivel mount			
13. Dual hydraulic pumps or tandem pumps			
14. Quick coupler attachment			
15. Electric over hydraulic pump to operate function of hydraulic quick coupler			
16. Electric switch to operate function of hydraulic angle on sweeper broom			
17. Hydraulic third valve to be detented			



from broom run operation			
18. Hydraulic couplers for broom hook up			
M. Serviceability			
1. All vertically mounted filters			
2. Lubed for life u-joints			
3. Double tapered bearings in the articulation joint			
4. Sight gauge for hydraulic oil level			
5. Sight gauge for transmission oil level			
6. Lube points at ground level			
7. Remote drain points for engine oil, engine coolant and hydraulic oil			

N. Buckets			
1. Five (5) yard General Purpose Bucket with smooth edge segment			
2. Two (2) to two and a half (2.5) yard General Purpose Bucket with removable teeth			
3. Fourteen (14) foot wide push blade attachment			
4. Rubber cutting edge			
5. Replaceable wear shoes			
6. Welded steel construction			
7. Quick coupler change attachment			
8. Welded steel sides on each end			
9. Heavy duty blade (Commercial Construction)			
O. Sweeper Attachment			
1. front mounted rotary sweeper with a dual-motor hydraulic driven brush			
2. capable of sweeping at a minimum angle of 30 degrees to the left and			



right			
3. Mounted (in place of bucket) using quick attachment system that uses spin tight hydraulic line couplers			
4. Butterfly style couplers			
5. Lifted by the loader arms and powered by the wheel loaders hydraulic system			
6. Brush frame must be heavy duty seamless tube, welded plate and angle iron construction			
7. Swing assembly must be a pivot-plate design and welded structural plate, channel iron and/or angle iron			
8. Mounting frame must be of heavy plate, angle, channel and structural iron weld construction			
9. Storage/jack stands must be provided with a minimum of two caster wheels at rear of broom for support when dismantled from loader			
10. Sweeper must have third and fourth valve function for broom operation, angle operation and detach/attach function from inside cab			
11. Sweeper must have parallel linkage to follow ground contours			
P. Brush			
1. The brush of the sweeper must be hydraulically driven by two motors. One motor must be mounted at each end of sweeper, inside frame to protect against accidental damage			

**Royal Canadian Mounted Police
Gendarmerie Royale du Canada**



Government
of Canada

Gouvernement
du Canada

Solicitation No./ No del'invitation: M5000-4-0493/A

2. Brush must be capable of off and on operation with a third valve function			
3. The brush must be 10 feet in width and 32 inches in diameter			
4. Brush bristles to be polypropylene with mechanical clamp for retention. No poly melt sections			
5. Brush core to be steel welded with reinforced lateral-plate construction			
6. Brush must be capable of angling at a minimum of 30 degrees to the left and right			
7. Brush core to be reversible, end to end			
Q. Manuals and Literature for the Wheel Loader and all Attachments			
1. Two (2) sets of English - Hard Copy or Compact Disc operational manuals			
2. Two (2) sets of English - Hard Copy or Compact Disc maintenance manuals			
3. Two (2) sets of English - Hard Copy or Compact Disc parts manuals (CD format preferred)			
4. One (1) copy of English - Hard Copy of the industry standard warranty			
R. Service Facility			
1. Service/warranty and regular maintenance work must be performed by an authorized representative, within 100 km radius of Regina, Saskatchewan. The authorized representative must begin the repair service within 24 hours of notification either on site or at a service facility. The authorized representative must have ready access to regular maintenance and servicing parts and			Distance between the delivery location and the service dealer and/or agent: _____ km Name: _____ Address: _____

**Royal Canadian Mounted Police
Gendarmerie Royale du Canada**



Government
of Canada

Gouvernement
du Canada

Solicitation No./ No de l'invitation: M5000-4-0493/A

able to access all other parts not normally stocked from an authorized parts dealer, within 72 hours.		<hr/> <hr/> <hr/> Telephone: _____
---	--	---------------------------------------



Government of Canada / Gouvernement du Canada

2013 1111 0773

Contract Number / Numéro du contrat
Security Classification / Classification de sécurité

**SECURITY REQUIREMENTS CHECK LIST (SRCL)
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)**

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE		
1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine RCMP	2. Branch or Directorate / Direction générale ou Direction Depot Divisions - Grounds Unit	
3. a) Subcontract Number / Numéro du contrat de sous-traitance	3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du travail Maintenance - Wheel Loader		
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. Indicate the type of access required / Indiquer le type d'accès requis		
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.	<input type="checkbox"/> No / Non <input checked="" type="checkbox"/> Yes / Oui	
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?	<input checked="" type="checkbox"/> No / Non <input type="checkbox"/> Yes / Oui	
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès		
Canada <input checked="" type="checkbox"/>	NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion		
No release restrictions / Aucune restriction relative à la diffusion <input checked="" type="checkbox"/>	All NATO countries / Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions / Aucune restriction relative à la diffusion <input type="checkbox"/>
Not releasable / À ne pas diffuser <input type="checkbox"/>		
Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>	Restricted to: / Limité à: <input type="checkbox"/>
Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:	Specify country(ies): / Préciser le(s) pays:
7. c) Level of information / Niveau d'information		
PROTECTED A / PROTÉGÉ A <input checked="" type="checkbox"/>	NATO UNCLASSIFIED / NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A / PROTÉGÉ A <input type="checkbox"/>
PROTECTED B / PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED / NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B / PROTÉGÉ B <input type="checkbox"/>
PROTECTED C / PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL / NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C / PROTÉGÉ C <input type="checkbox"/>
CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>	NATO SECRET / NATO SECRET <input type="checkbox"/>	CONFIDENTIAL / CONFIDENTIEL <input type="checkbox"/>
SECRET / SECRET <input type="checkbox"/>	COSMIC TOP SECRET / COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET / SECRET <input type="checkbox"/>
TOP SECRET / TRÈS SECRET <input type="checkbox"/>		TOP SECRET / TRÈS SECRET <input type="checkbox"/>
TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) / TRÈS SECRET (SIGINT) <input type="checkbox"/>

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité
--





Contract Number / Numéro du contrat
Security Classification / Classification de sécurité

PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
 Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui

If Yes, indicate the level of sensitivity:
 Dans l'affirmative, indiquer le niveau de sensibilité :

9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
 Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? No / Non Yes / Oui

Short Title(s) of material / Titre(s) abrégé(s) du matériel :
 Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis

- | | | | |
|---|---|---|--|
| <input type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET - SIGINT
TRÈS SECRET - SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input checked="" type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |

Special comments:
 Commentaires spéciaux : The supplier will be escorted at all times - Facility access with escort (FA2)

NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.
 REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
 Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? No / Non Yes / Oui

If Yes, will unscreened personnel be escorted?
 Dans l'affirmative, le personnel en question sera-t-il escorté? No / Non Yes / Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS

11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
 Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui

11. b) Will the supplier be required to safeguard COMSEC information or assets?
 Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? No / Non Yes / Oui

PRODUCTION

11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
 Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? No / Non Yes / Oui

INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)

11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
 Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? No / Non Yes / Oui

11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
 Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? No / Non Yes / Oui



Contract Number / Numéro du contrat
Security Classification / Classification de sécurité

PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category / Catégorie	PROTECTED / PROTÉGÉ			CLASSIFIED / CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL	SECRET	TOP SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP SECRET / COSMIC TRÈS SECRET	PROTECTED / PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
				CONFIDENTIEL		TRÈS SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL			A	B	C	CONFIDENTIEL		TRÈS SECRET
Information / Assets / Renseignements / Biens / Production	✓															
IT Media / Support / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED? / La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification". / Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? / La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? No / Non Yes / Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments). / Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquez qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).