

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:

**Public Works and Government Services Canada
Telus Plaza North/Plaza Telus Nord
10025 Jasper Ave./10025 ave. Jaspe
5th floor/5e étage
Edmonton
Alberta
T5J 1S6
Bid Fax: (780) 497-3510**

Request For a Standing Offer Demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

Canada, as represented by the Minister of Public Works and Government Services Canada, hereby requests a Standing Offer on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et Services Gouvernementaux Canada, autorise par la présente, une offre à commandes au nom des utilisateurs identifiés énumérés ci-après.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Telus Plaza North/Plaza Telus Nord
10025 Jasper Ave./10025 ave Jasper
5th floor/5e étage
Edmonton
Alberta
T5J 1S6

Title - Sujet Painting Services, Suffield, AB	
Solicitation No. - N° de l'invitation W0142-13SO18/A	Date 2013-09-11
Client Reference No. - N° de référence du client DND	GETS Ref. No. - N° de réf. de SEAG PW-\$PWU-011-9940
File No. - N° de dossier PWU-3-36098 (011)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-09-27	Time Zone Fuseau horaire Mountain Daylight Saving Time MDT
Delivery Required - Livraison exigée See Herein	
Address Enquiries to: - Adresser toutes questions à: Hugo (RPC), Tammey	Buyer Id - Id de l'acheteur pwu011
Telephone No. - N° de téléphone (780)497-3917 ()	FAX No. - N° de FAX (780)497-3510
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE B Engr Section, Building 363 Canadian Forces Base Suffield PO Box 6000 Station Main MEDICINE HAT Alberta T1A8K8 Canada	
Security - Sécurité This request for a Standing Offer includes provisions for security. Cette Demande d'offre à commandes comprend des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Introduction
2. Summary
3. Health & Safety
4. Debriefings
5. Security Requirement

PART 2 - INSTRUCTIONS TO OFFERORS

1. Standard Instructions, Clauses and Conditions
2. Submission of Offers
3. Enquiries - Request for Standing Offers (RFSO)
4. Applicable Laws

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection
3. Ranking

PART 5 - CERTIFICATIONS

1. Certifications Required Precedent to Issuance of a Standing Offer

PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS

1. Security Requirement
2. Insurance Requirements

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

1. Offer - Annex E
2. Security Requirement
3. Standard Clauses and Conditions
4. Term of Standing Offer
5. Authorities
6. Identified Users
7. Call-up Procedures
8. Call-up Instrument
9. Limitation of Call-ups
10. Financial Limitation
11. Priority of Documents
12. Certifications
13. Applicable Laws
14. Estimates
15. Offeror Contact Information

B. RESULTING CONTRACT CLAUSES

General Conditions:

(i) GC1 General Provisions	R2810D (2012-11-19);
(ii) GC2 Administration of the Contract	R2820D (2012-07-16);
(iii) GC3 Execution and Control of the Work	R2830D (2010-01-11);
(iv) GC4 Protective Measures	R2840D (2008-05-12);
(v) GC5 Terms of Payment	R2550D (2010-01-11);
(vi) GC6 Delays and Changes in the Work	R2865D (2008-05-12);
(vii) GC7 Default, Suspension or Termination of Contract	R2870D (2008-05-12);
(viii) GC8 Dispute Resolution	R2884D (2008-05-12);
(ix) GC9 Insurance	R2590D (2011-05-16);
Supplementary Conditions, if any;	
Fair Wages and Hours of Labour - Labour Conditions	R2940D (2012-07-16);
Allowable Costs for Contract Changes Under GC6.4.1	R2950D (2007-05-25);

ANNEXES

Annex A	Statement of Work
Annex B	Basis of Payment
Annex C	Health & Safety Requirements - Alberta
Annex D	Periodic Usage Report Form
Annex E	Offer
Annex F	List of Individuals who are Currently Directors of the Offeror
Annex G	Security Requirements Checklist (SRCL)

ANNEX F - COMPLETE LIST OF EACH INDIVIDUAL WHO ARE CURRENTLY DIRECTORS OF THE OFFEROR

PART 1 - GENERAL INFORMATION

1. Introduction

The Request for Standing Offers (RFSO) template is divided into seven parts plus attachments and annexes, as follows:

Part 1, General Information: provides a general description of the requirement;

Part 2, Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO;

Part 3, Offer Preparation Instructions: provides offerors with instructions on how to prepare their offer to address the evaluation criteria specified;

Part 4, Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, if applicable, and the basis of selection;

Part 5, Certifications: includes the certifications to be provided;

Part 6, Security, Financial and Insurance Requirements: includes specific requirements that must be addressed by offerors; and

Part 7: 7A, Standing Offer, and 7B, Resulting Contract Clauses:

7A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

7B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer.

The Annexes include the Statement of Work, the Basis of Payment, Health & Safety, Usage Reports, Offer, SRCL, List of Individuals who are Currently Directors of the Offeror and any other annexes.

2. Summary

2.1 Painting Services Standing offer, DND, Suffield, Alberta

Work under this standing offer includes the provision of skilled licensed labour, tools, equipment, supervision and material as requested by The Department of National Defence in the form of call ups for the provision of interior and exterior painting and repairing of living quarters, Base buildings at CFB Suffield and Ralston, AB. Services are to be provided on an "as required" basis. It is anticipated that one (1) firm will be issued a standing offer. The standing offer will be issued for a term of four (4) years from date of Standing Offer issuance. The total expenditures over the four year term is estimated at \$200,000.00 (GST Extra) .

Quantities: Various

2.2 Pursuant to section 01 of Standard Instructions 2006, Offerors must submit a complete list of names of all individuals who are currently directors of the Offeror. Furthermore, as determined by the Special Investigations Directorate, Departmental Oversight Branch, each individual named on

the list may be requested to complete a Consent to a Criminal Record Verification form and related documentation.

2.3 "There is a security requirement associated with this requirement. For additional information, see Part 6 - Security, Financial and Insurance Requirements, and Part 7A - Standing Offer. Offerors should consult the "Security Requirements for PWGSC Bid Solicitations - Instructions for Bidders" document "

(<http://www.tpsgc-pwgsc.gc.ca/app-acq/lc-pl/lc-pl-eng.html#a31>) on the Departmental Standard Procurement Documents Web site."

2.4 "The requirement is subject to the provisions of the the Agreement on Internal Trade (AIT)."

3. Health & Safety Requirements

There are Health & Safety requirements associated with this requirement. See Annex C

4. Debriefing

After issuance of a standing offer, offerors may request a debriefing on the results of the request for standing offers. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of notification that their offer was unsuccessful. The debriefing may be provided in writing, by telephone or in person. The debriefing will include an outline of the reasons the submission was not successful, making reference to the evaluation criteria. The confidentiality of information relating to other submissions will be protected.

5. Security Requirement

There is a security requirement associated with the requirement of the Standing Offer. For additional information, see Part 6 - Security, Financial and Insurance Requirements, and Part 7 - Standing Offer and Resulting Contract Clauses.

PART 2 - STANDING OFFER - INSTRUCTIONS TO OFFERORS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers RFSO by title, number and date are set out in the Standard Acquisition Clauses and Conditions Manual issued by Public Works and Government Services Canada (PWGSC). The Manual is available on the PWGSC Web site: <http://ccua-sacc.tpsgc-pwgsc.gc.ca/pub/acho-eng.jsp>

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the terms and conditions of the Standing Offer and Resulting Contract(s).

The 2006 (2013-06-01) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

Subsection 5.4 of 2006, Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, is amended as follows:

DELETE sixty (60) days and **INSERT** ninety (90) days

2. Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the Request for Standing Offers.

2.1 Revision of Offer:

An offer submitted in accordance with these instructions may be revised by letter or facsimile, provided that the revision is received at the office designated for the receipt of offers (Offering address) on or before the date and time set for the closing of the RFSO. The facsimile shall be on the offeror's letterhead or bear a signature that identifies the offeror.

A revision to the unit price schedule must clearly identify the change(s) in the unit price(s) and the specific item(s) to which each change applies.

A letter or facsimile submitted to confirm an earlier revision shall be clearly identified as a confirmation.

Failure to comply with any of the above provisions shall result in the rejection of the non-compliant revision(s) only. The offer shall be evaluated based on the original offer submitted and all other compliant revision(s).

Facsimile number for receipt of revisions: **(780) 497-3510**

2.2 Firm Price and/or Rates:

The Offeror is required to submit firm prices, rates or both that will apply for the entire period of the Standing Offer.

2.3 Form: Offers not submitted on the prescribed Offer Form will not be considered.

2.4 Alterations: Any alteration to the pre-printed or pre-typed sections of the Offer Form, or any condition or qualification placed upon the offer may be cause for disqualification of the offer. Alterations, corrections, changes or erasures made to statements or figures entered on the Offer Form by the offeror shall be initialed by the person or persons signing the offer. Initials shall be original(s). Alterations, corrections, changes or erasures that are not initialed shall be deemed void and without effect.

2.5 Incomplete Offers: Incomplete offers may be rejected.**2.6 Taxes**

The offeror is responsible for all applicable taxes.

Offerors are not to include any amounts for the Goods and Services Tax (GST) or Harmonized Sales Tax (HST), whichever is applicable. Any amount levied in respect of the GST/HST shall be billed as a separate item on invoices submitted by the contractor, and shall be paid in addition to the amount approved by Canada for work performed under any resulting Contract. The Contractor shall be required to remit the appropriate amount to the Canada Revenue Agency in accordance with the applicable legislation.

The Federal Government is exempt from the Quebec Sales Tax (QST). Offerors shall not include in their prices any amount that is intended to cover the QST on goods and services performed in the execution of the Work except for such amounts for which an Input Tax Refund is not available. The successful Offeror should make arrangements directly with the Province of Quebec to recover any QST paid by it in performing the Work under the resulting Contract.

2.7 Performance Evaluation

Offerors shall take note that the performance of the Contractor during and upon completion of the work shall be evaluated by Canada. The evaluation shall be based on the quality of workmanship; timeliness of completion of the work; project management, contract management and management of health and safety. Should the Contractor's performance be considered unsatisfactory, the Contractor's bidding privileges on future work may be suspended indefinitely.

An electronic version of the form PWGSC-TPSGC 2913, SELECT - Contractor Performance Evaluation Report Form, used to record the performance is available on the Public Works and Government Services Canada (PWGSC) Web site.

3. Enquiries - Request for Standing Offers

All enquiries MUST be submitted in writing to the Standing Offer Authority no later than five (5) calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that offerors do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all offerors. Enquiries not submitted in a form that can be distributed to all offerors may not be answered by Canada.

4. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of work.

PART 3 - OFFER PREPARATION INSTRUCTIONS

1. General

- 1.1 Insert the hourly rate or unit price against each class of labour, plant, or item of specified material listed on the Unit Price Schedule of the Offer form. Insert the percentage mark-up for Unspecified Material, if any; mathematical extensions against all items including the Contractor's Mark-up on Unspecified Material if applicable, and Total Estimated Amount, GST/HST extra.
- 1.2 Submit the Offer, duly completed, to the office designated on page 1 of the RFSO in accordance with the Standard Instructions.
- 1.3 Sign and date the Offer in accordance with the RFSO.

2. Offer Preparation Instructions

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>).

To assist Canada in reaching its objectives, offerors are encouraged to:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Financial Offer

Offerors must submit their financial offer in accordance with the "Annex B, Basis of Payment". The total amount of Goods and Services Tax or Harmonized Sales Tax must be shown separately, if applicable

Payment by Credit Card

Canada requests that offerors complete one of the following:

- (a) () Government of Canada Acquisition Cards (credit cards) will be accepted for payment of call-ups against the standing offer.

The following credit card(s) are accepted:

VISA _____

Master Card _____

- (b) () Government of Canada Acquisition Cards (credit cards) will not be accepted for payment of call-ups against the standing offer.

The Offeror is not obligated to accept payment by credit card.

Acceptance of credit cards for payment of call-ups will not be considered as an evaluation criterion.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

Section II: Certifications

Offerors must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.
- (c) Offers shall be evaluated on the basis of the lowest price compliant offer, with the lowest offer being ranked first, the second lowest offer second, and so on .

1.1 Mandatory Requirements

a) MANDATORY REQUIREMENTS - Required as part of the Offer

- i) Pursuant to the General Instructions, submission of Request for Standing Offer (RFSO), offers must be submitted to the office designated for the receipt of offers, and must be received on or before the date and time set for solicitation closing shown on page 1 of the RFSO. A rate must be entered for each item listed in the unit price schedule of the offer.

b) MANDATORY REQUIREMENTS - Precedent to issuance of a Standing Offer

- i) Health & Safety Requirements
- ii) Code of Conduct Certifications (see Part 5 - Certifications)
- iii) Insurance
- iv) Security Requirements

1.2. Financial Evaluation

- 1.2.1 Price Schedule - A rate must be entered for each item.
- 1.2.2 Offers retained pursuant to Part 4, will be evaluated on the basis of the total estimated amount quoted, GST/HST extra. It is anticipated that three standing offers will be issued to the lowest compliant offeror(s).

2. Basis of Selection

2.1 Basis of Selection - Lowest Evaluated Price

An offer must comply with the requirements of the Request for Standing Offers and meet all mandatory technical evaluation criteria to be declared responsive. The responsive offerors with the lowest evaluated price will be recommended for issuance of a standing offer (s).

3. Ranking

- 3.1 Only 1 firm will be issued a standing offer.

PART 5 - CERTIFICATIONS

Offerors must provide the required certifications to be issued a standing offer. Canada will declare an offer non-responsive if the required certifications are not completed and submitted as requested.

Compliance with the certifications offerors provide to Canada is subject to verification by Canada during the offer evaluation period (before issuance of a standing offer) and after issuance of a standing offer. The Standing Offer Authority will have the right to ask for additional information to verify offerors' compliance with the certifications before issuance of a standing offer. The offer will be declared non-responsive if any certification made by the Offeror is untrue, whether made knowingly or unknowingly. Failure to comply with the certifications or to comply with the request of the Standing Offer Authority for additional information will also render the offer non-responsive.

1. Mandatory Certifications Required Precedent to Issuance of a Standing Offer

1.1 Code of Conduct and Certifications - Related documentation

By submitting an offer, the Offeror certifies, for itself and its affiliates, to be in compliance with the Code of Conduct and Certifications clause of the 2006 (2013-06-01) Standard Instructions. The related documentation therein required will help Canada in confirming that the certifications are true.

2 Additional Certifications Precedent to Issuance of a Standing Offer

The certifications listed below should be completed and submitted with the offer, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

2.1 Health & Safety Requirements - per attached Annex C .

2.2 Insurance, per article 3 of Part 6. (R2590D GC9 - Insurance)

2.3 Security Requirement - per article 1 of Part 6.

PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS

1. Security Requirement

1. Before issuance of a standing offer, the following conditions must be met:

(a) the Offeror must hold a valid organization security clearance as indicated in Part 7A - Standing Offer;

(b) the Offeror's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Part 7A - Standing Offer;

(c) the Offeror must provide the name of all individuals who will require access to classified or protected information, assets or sensitive work sites.

2. Offerors are reminded to obtain the required security clearance promptly. Any delay in the issuance of a standing offer to allow the successful offeror to obtain the required clearance will be at the entire discretion of the Standing Offer Authority.

3. For additional information on security requirements, bidders should consult the "Security Requirements for PWGSC Bid Solicitations - Instructions for Bidders"

<http://www.tpsgc-pwgsc.gc.ca/app-acq/lc-pl/lc-pl-eng.html#a31> document on the Departmental Standard Procurement Documents Web site.

2. Insurance Requirements

The Offeror must provide a letter from an insurance broker or an insurance company licensed to operate in Canada stating that the Offeror, if issued a standing offer as a result of the request for standing offer, can be insured in accordance with the Insurance Requirements specified in SACC Manual clause R2590D GC9 - Insurance (2011-05-16)

If the information is not provided in the offer, the Standing Offer Authority will so inform the Offeror and provide the Offeror with a time frame within which to meet the requirement. Failure to comply with the request of the Standing Offer Authority and meet the requirement within that time period will render the offer non-responsive.

Certificate of Insurance form - PWGSC-TPSGC 357 (06/2007) is available at web site: _

<http://www.tpsgc-pwgsc.gc.ca/app-acq/forms/documents/357.pdf>

PART 7 - CLAUSES & CONDITIONS

PART 7(A) - STANDING OFFER

1. Offer - attached at ANNEX E

- .1 General Provisions
- .2 Financial Terms
- .3 Prices

2. Security Requirement

1. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Canadian Industrial Security Directorate (CISD), Public Works and Government Services Canada (PWGSC).

2. The Contractor/Offeror personnel requiring access to sensitive work site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by CISD/PWGSC.

Until the security screening of the Contractor personnel required by this Contract has been completed satisfactorily by the CISD, PWGSC, the Contractor personnel MAY NOT HAVE ACCESS to (CLASSIFIED/PROTECTED) information or assets, and MAY NOT ENTER sites where such information or assets are kept, without an escort.

3. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of CISD/PWGSC.

4. The Contractor/Offeror must comply with the provisions of the:

- (a) Security Requirements Check List and security guide (if applicable), attached at Annex G;
- (b) Industrial Security Manual (Latest Edition).

For additional information on security requirements, proponents should consult the Industrial Security web site at: <http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>.

3. Standard Clauses and Conditions

1) .1 General Conditions - Standing Offer, 2005 (2012-11-19)

2) The documents identified by title, number and date in paragraph 1) are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Web site:

<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R>

3) Schedules of Wage Rates for Federal Construction Contracts is included by reference and may be accessed from the Web site: http://www.hrsdc.gc.ca/eng/labour/employment_standards/contracts/schedule/index.shtml

4. Term of Standing Offer

4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is for four years from date of Standing Offer issuance.

5. Authorities

5.1 Standing Offer Authority

The Standing Offer Authority is:

Name: *see front page of Standing Offer for details*
Public Works and Government Services Canada
Acquisitions Branch

Directorate: Real Property Contracting

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, they are responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

5.2 Project Authority

The Project Authority for the Standing Offer is identified in the call-up against the Standing Offer.

The Project Authority is the representative of the department or agency (Departmental Representative) for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

6. Identified users

The Identified User authorized to make call-ups against the Standing Offer is : The Department of National Defence, 4 Wing Cold Lake.

7. Call-up Procedures

Best Standing Offer: the offer that provides best value (lowest aggregate prices) will be retained.

The Project Authority will establish the scope of work to be performed by the successful firm and negotiate the level of effort required to perform the work based on the hourly rates contained in the Standing Offer

The Technical Authority will establish the scope of work to be performed by the successful firm and negotiate the level of effort required to perform the work based on the hourly rates contained in the SO.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

8. CALL-UP INSTRUMENTPublic Works and
Government Services
CanadaTravaux publics et
Services gouvernementaux
Canada**CALL-UP AGAINST A STANDING OFFER
COMMANDE SUBSÉQUENTE À UNE OFFRE
PERMANENTE**In accordance with
STANDING OFFER NO.: _____Conformément à
L'OFFRE PERMANENTE No. _____Call-up no.
- No de
commande
_____Dated _____
and the terms and conditions therein, you are
Requested to carry out the worked described below.En date du _____
Et les modalités qui y sont énumérées, vous êtes prié
d'exécuter les travaux décrits ci-après.

Contractor's name and address - Nom et adresse de l'entrepreneur		Send invoice to - Expédier la facture à
Fax No. ()		attention:
Project no. - No du projet	Note: Quote standing offer number, project number and call-up number on your invoice. Inscrive le numéro de l'offre permanente, le numéro du projet et le numéro de commande sur la facture.	
Location of work - Endroit des travaux	Call-up cost, GST/HST extra - Coût de la commande, TPS en plus	

Work description - Description des travaux	
Certified pursuant to subsection 32 (1) of the Financial Administration Act Certifié en vertu du paragraphe 32 (1) de la Loi sur la gestion des finances publiques _____ Signature	_____ Date
Departmental Representative - Représentant du ministère _____ Signature	_____ Date

PWGSC-TPSGC 2829 (03/2006)

9. Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed **\$ 25,000.00** (Goods and Services Tax or Harmonized Sales Tax included).

10. Financial Limitation

The total cost to Canada resulting from call ups against the Standing Offer must not exceed the sum of **\$200,000.00** (Goods and Services Tax or Harmonized Sales Tax excluded) unless otherwise authorized in writing by the Standing Offer Authority. The Offeror must not perform any work or services or supply any articles in response to call ups which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

The Offeror must notify the Standing Offer Authority as to the adequacy of this sum when 75 percent of this amount has been committed, or three months before the expiry date of the Standing Offer, whichever comes first. However, if at any time, the Offeror considers that the said sum may be exceeded, the Offeror must promptly notify the Standing Offer Authority.

11. Priority Documents

If there is a discrepancy between the wording of any documents which appear on the list, the wording of the document which first appears on the list has priority over the wording of any document which subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes and any amendments;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2012-11-19), General Conditions - Standing Offers - Goods or Services
- d) any amendment or variation in the Standing Offer that is made in accordance with the terms and conditions of the Standing Offer;
- e) the general conditions dated and listed in Part 7B, Resulting Contract Clauses;
- f) the Supplemental general conditions;
- g) Annexes:
 - Annex A, Statement of Work / Specifications, and any amendment to the solicitation document incorporated in the Standing Offer before the date of the Standing Offer;
 - Annex B, Basis of Payment;
 - Annex C, Health & Safety Requirements - Manitoba; (*insert applicable province of work*)
 - Annex D, Periodic Usage Report Form; and
 - Annex G; Security Requirement Check List (SRCL).
- h) the Offeror's offer Annex E, dated _____ (insert date of offer);

12. Certifications

12.1 Compliance

Compliance with the certifications provided by the Offeror is a condition of authorization of the Standing Offer and subject to verification by Canada during the term of the Standing Offer and of any resulting contract that would continue beyond the period of the Standing Offer. In the event that the Offeror does not comply with any certification or it is determined that any

certification made by the Offeror in its offer is untrue, whether made knowingly or unknowingly, Canada has the right to terminate any resulting contract for default and set aside the Standing Offer.

13. Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in the province of work.

14. Estimates

Where an estimate of the cost of performing specific work is required, the Identified User will provide the Offeror with a statement of the work required and the Offeror must provide the Identified User with an estimate of the cost of performing the specified work in accordance with the pricing provision of the Standing Offer. The Offeror must not undertake any of the specified work unless and until a call-up is issued by the Identified User. The estimated cost stated in the call-up must not be exceeded without the specific written authorization of the Identified User.

15. Offeror Contact Information

Name: _____

Title: _____

Address: _____

Telephone Number: _____

Fax Number: _____

Email: _____

PBN: _____

PART 7 (B) - RESULTING CONTRACT CLAUSES

- 1) The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer:
 - (a) Statement of Work - The Contractor must perform the Work described in the call-up against the Standing Offer;
 - (b) General Conditions:

(i)	GC1	General Provisions	R2810D	(2013-04-25);
(ii)	GC2	Administration of the Contract	R2820D	(2012-07-16);
(iii)	GC3	Execution and Control of the Work	R2830D	(2010-01-11);
(iv)	GC4	Protective Measures	R2840D	(2008-05-12);
(v)	GC5	Terms of Payment	R2550D	(2010-01-11);
(vi)	GC6	Delays and Changes in the Work	R2865D	(2008-05-12);
(vii)	GC7	Default, Suspension or Termination of Contract	R2870D	(2008-05-12);
(viii)	GC8	Dispute Resolution	R2884D	(2008-05-12);
(ix)	GC9	Insurance	R2590D	(2011-05-16);
 - (c) Supplementary Conditions, if any;
 - (d) Fair Wages and Hours of Labour - Labour Conditions R2940D (2012-07-16);
 - (e) Allowable Costs for Contract Changes Under GC6.4.1 R2950D (2007-05-25);
 - (f) Schedules of Wage Rates for Federal Construction Contracts;
 - (g) Any amendment issued or any allowable bid revision received before the date and time set for solicitation closing;
 - (h) Any amendment incorporated by mutual agreement between Canada and the Contractor before acceptance of the bid; and
 - (i) Any amendment or variation of the contract documents that is made in accordance with the General Conditions.
 - 2) The documents identified by title, number and date in paragraph 1) are incorporated by reference and are set out in the Standard Acquisition Clauses and Conditions (SACC) Manual, issued by Public Works and Government Services Canada (PWGSC). The SACC Manual is available on the PWGSC Website:
<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/R>
 - 3) Schedules of Wage Rates for Federal Construction Contracts is included by reference and may be accessed from the Website:
http://www.hrsdc.gc.ca/eng/labour/employment_standards/contracts/schedule/index.shtml
- NOTE: Contractors should note that a copy of the Labour Conditions and the Fair Wage Schedule applicable to the project location must be posted at the work site in a convenient, easily accessible location.*
- 4) The language of the contract documents shall be the language of the Bid and Acceptance Form submitted.
 - 5) A contract is formed between Canada and the Offeror only when a Call-up duly signed is issued by the Departmental Representative and accepted by the Offeror*. The Offeror shall then be referred to as "the Contractor" and the Contract includes the Offer, the Specifications referred to in the Unit Price Schedule, the General Conditions, and the Call-up .

6) Interpretation

"Accepted by the Offeror" * means that the Offeror has agreed to, and commenced performance of the work.

"Minister" includes a person acting for the Minister, the Minister's successor in office, their lawful deputy and their representatives appointed for the purpose of the Standing Offer.

"Departmental Representative" means the Project Authority who is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up against the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

"Superintendent" or *"Supervisor"* means the employee or representative of the Contractor designated by the Contractor to act as Superintendent;

"Unit Price Table" means the table of prices per unit set out in the Offer; and

"Work" means, subject only to any express stipulation in the Contract to the contrary, everything that is necessary to be done, furnished or delivered by the Contractor to perform the Contract in accordance with the work as described in each Call-up, and in the technical specifications or statement of work.

1. SUPPLEMENTAL CONDITIONS

INSERT the following supplementary conditions in the resulting General Conditions:

1.1. T1204 - Direct Request by Customer Department

- 1.1.1 Pursuant to paragraph 221 (1)(d) of the Income Tax Act, R.S. 1985, c.1 (5th Supp.), payments made by departments and agencies to contractors under applicable services contracts (including contracts involving a mix of goods and services) must be reported on a T1204 Government Service Contract Payments slip.
- 1.1.2 To enable departments and agencies to comply with this requirement, the Contractor must provide Canada, upon request, its business number or Social Insurance Number, as applicable. (These requests may take the form of a general call-letter to contractors, in writing or by telephone).

1.2. Periodic Reports

- 1.2.1 The Offeror shall provide to the Standing Offer Authority biannual reports on usage of the Standing Offer, showing the number and total value of call-ups by each consignee. Reports shall be submitted in the format shown on the attached Annex D "Periodic Usage Report Form" and forwarded to the Standing Offer Authority no later than fifteen (15) days after the designated reporting period.
- 1.2.2 The Offeror understands that failure to comply may result in the setting aside of the Standing Offer.

2. Term of Contract

2.1 Period of the Contract

The Work must be completed in accordance with the call-up against the Standing Offer.

3. Payment

3.1 CHANGES TO GC5 R2550D - TERMS OF PAYMENT

DELETE GC5.4, GC5.5, and GC5.6 and **INSERT** the following:

GC5.4 Payment

.1 Terms of Payment

1. Where the duration of the work identified in a call-up is greater than 30 days, the Contractor may submit monthly progress claims, and shall be entitled to receive progress payments at monthly or other agreed intervals. Subject to verification by the Departmental Representative, payment of the Contractor's invoice for work satisfactorily completed shall be made not later than 30 days after receipt thereof. The due date shall be the 30th day following receipt of a properly submitted invoice.
2. The Contractor shall submit a separate invoice for each Call-up to the Departmental Representative in accordance with any invoicing instructions set out herein. The properly submitted invoice shall be delivered to the Departmental Representative in the agreed format with sufficient detail, information, and backup to permit verification.

The Contractor's invoice shall show the following, as separate items:

- (a) the amount of the progress payment being claimed for Work satisfactorily performed excluding GST/HST;
 - (b) the amount for any tax calculated (GST/HST) in accordance with the applicable federal tax legislation; and
 - (c) the total amount which shall be the sum of the amounts referred to in (a) and (b) above.
3. The amount of the tax shown on the invoice shall be paid by Canada to the Contractor in addition to the amount of the progress payment for Work satisfactorily performed.
 4. If, within 15 days of receipt of the invoice, additional information is requested by the Departmental Representative for the purpose of verification, the 30 day payment period shall commence upon receipt of the requested information. Payment shall be made prior to or on the thirtieth (30) day after receipt of the corrected invoice or the required information.
 - .1 Any monthly progress payment made to the Contractor may be subject to a 10% holdback which shall be released to the Contractor with the final payment unless the amount held back is required by Canada to remedy any defect in the Contractor's work.
 - .2 Where the duration of the Work identified in a call-up is equal to or less than thirty (30) days, the Contractor may receive a single payment as full consideration for the Work performed.

-
5. Upon completion of the Work in the progress claim, the Contractor maybe requested to provide a completed and signed statutory declaration containing a declaration that, up to the date of the progress claim, the Contractor has complied with all lawful obligations with respect to the Labour Conditions and that, in respect of the Work, all lawful obligations of the Contractor to its Subcontractors and Suppliers, referred to collectively in the declaration as "subcontractors and suppliers", have been fully discharged before any further payment is made.
 6. Upon written notice by a Sub-Contractor, with whom the Contractor has a direct contract, of an alleged non payment to the Sub-Contractor, the Departmental Representative may provide the Sub-Contractor with a copy of the latest approved progress payment made to the Contractor for the Work.
 7. Upon the satisfactory completion of all Work, the amount due, less any payments already made, shall be paid to the Contractor not later than thirty (30) days after receipt of a properly submitted invoice, and upon request, with a Statutory Declaration in accordance with paragraph 5 above.

3.2 Basis of Payment - see Annex B

3.3 Limitation of Price

Canada will not pay the Contractor for any changes, modifications or interpretations of the Work unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

3.4 Supplemental Invoicing Instructions

.1 Invoices

.1 All invoices submitted for payment shall show:

- .1 Construction Engineering Work Order Number,
- .2 Construction Engineering File Number,
- .3 Requisition Number, DSS 942 (Requisition on Contract),
- .4 Public Works and Government Services Canada (PWGSC) Standing Offer Number,

and

- .5 same address as on PWGSC contract.

.2 Invoices are to include a breakdown as follows:

- .1 Hourly rate per the Offer and hours of work for each tradesperson.
- .2 An itemized list of materials used, by cost, shall be shown on all invoices submitted for payment.
- .3 Extended total.
- .4 Good and Services Tax (GST/HST) shall be shown as a separate item.
- .5 Where subcontracting is involved a copy of subcontractor's invoice shall accompany the invoice against the requisition.
- .6 Where discount or markup is applicable, indicate separately.

.3 Invoices submitted for payment against this contract that are not properly identified will be returned to the Contractor for proper annotation before certification for payment is made.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

File No. - N° du dossier

PWU-3-36098

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

DND

CCC No./N° CCC - FMS No/ N° VME

3.5 Payment of Invoices by Credit Card (see *PART 3*)

The credit cards _____ and _____ are accepted.

Section GC5.11 Delay in Making Payment, Interest on Overdue Accounts, of GC5 - Terms of Payment R2550D (2010-01-11) will not apply to payments made by credit cards.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

ANNEXES

Annex A	Statement of Work
Annex B	Basis of Payment
Annex C	Health & Safety Requirements
Annex D	Periodic Usage Report Form
Annex E	Offer
Annex F	Code of Conduct Certifications - List
Annex G	Security Requirements Checklist

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Client Ref. No. - N° de réf. du client

DND

Amd. No. - N° de la modif.

File No. - N° du dossier

PWU-3-36098

Buyer ID - Id de l'acheteur

pwu011

CCC No./N° CCC - FMS No/ N° VME

ANNEX A

**See Attached Document titled
Annex A - SOW ENG**

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

ANNEX B

.1 Basis of Payment

Payments in respect of the agreed price shall be made upon satisfactory performance of the Work, and upon approval of the Departmental Representative, but such payments shall not exceed the amount(s) as specified in the Call Up, for the Work without written authorization.

In consideration of the Contractor satisfactorily completing all of its obligations under the resulting Contract, the Contractor will be paid a firm price, Goods and Services Tax or Harmonized Sales Tax extra.

.1 Hourly Rates:

The Contractor will be paid firm hourly rates as follows, for work performed in accordance with the Contract.

See attached for details

Total Estimated Cost - Limitation of Expenditure: **\$200,000.00** (GST/HST extra)

ANNEX C

MANDATORY HEALTH AND SAFETY - *for Work in the Province of Alberta*

WCB AND SAFETY PROGRAM

- 1) The recommended Bidder shall provide to the Contracting Authority, prior to Standing Offer issue
 - 1.1 a Workers Compensation Board Premium Rate Statement - Alberta, or equivalent documentation from another jurisdiction;
 - 1.2 a Workers Compensation Board letter of good standing, also listing covered Directors, Principals, Proprietor(s) or Partners who will be or who are anticipated to be present on the work site(s), or equivalent documentation from another jurisdiction; and
 - 1.3 a Certificate of Recognition (COR) or Registered Safety Plan (RSP). A health and safety policy and program, as required by other provincial/territorial Occupational Health and Safety Acts, will be acceptable in lieu of a COR or RSP.
- 2) The recommended Bidder shall deliver all of the above documents to the Contracting Authority on or before the date stated (usually 3-5 days after notification) by the Contracting Authority. Failure to comply with the request may result in the bid being declared non-compliant.

Workplace Safety and Health

1. EMPLOYER/PRIME CONTRACTOR

- 1.1 The Contractor shall, for the purposes of the Occupational Health and Safety Act, Alberta, and for the duration of the Work:
 - 1.1.1 act as the Employer, where there is only one employer on the work site, in accordance with the Authority Having Jurisdiction;
 - 1.1.2 accept the role of Prime Contractor, where there are two or more employers involved in work at the same time and space at the work site, in accordance with the Authority Having Jurisdiction; and
 - 1.1.3 agree, in the event of two or more Contractors working at the same time and space at the work site, without limiting the General Conditions, to Canada's order * to:
 - 1.1.3.1 accept, as the Prime Contractor, the responsibility for Canada's other Contractor(s); or
 - 1.1.3.2 accept that Canada's other Contractor is Prime Contractor and conform to that Contractor's Site Specific Health and Safety Plan.

* "order" definition: *after contract award, Contractor is ordered by a Change Order*

2. SUBMITTALS

2.1 The Contractor shall provide to Canada:

- 2.1.1 prior to the pre-construction meeting, a transmittal and copy of a completed Notice of Project form PWGSC - TPSGC 458 (form will be provided to the proposed contractor prior to award), as sent to the Authority Having Jurisdiction (AHJ); and
- 2.1.2 prior to commencement of work and without limiting the terms of the General Conditions:
 - 2.1.2.1 copies of all other necessary permits, notifications and related documents as called for in the scope of work/specifications and/or by the AHJ; and
 - 2.1.2.2 a site specific Health and Safety Plan as requested.

NOTE: Please do not include any forms that include personal 3rd party information such as the names of the contractor's employees and their related claims information.

3. LABOUR AUTHORITY CONTACT:

The contact below represents the Labour Authority in the jurisdiction (AHJ). They are not representatives of the Workers Compensation.

Do not contact the people referenced below for issues pertaining to WCB or WCB Clearances. Those queries must be directed specifically to the WCB, and where the WCB has both a Labour and Compensation component, WCB issues must be directed to the Compensation/Employer Services sections.

ALBERTA South

Alberta Human Resources and Employment
Workplace Health and Safety
600 – 727, 7th Avenue S.W.
Calgary, Alberta, T2P 0Z5

Telephone: 1(866) 415-8690

Facsimile: (403) 297-7893

ALBERTA North

Alberta Human Resources and Employment
Workplace Health and Safety
10th Floor, 7th Street Plaza
10030-107 Street
Edmonton, Alberta, T5J 3E4

Telephone: 1(866) 415-8690

Facsimile: (780) 427-0999

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

ANNEX D**Periodic Usage Report Form**

As a requirement of this Request for Standing Offer, a report shall be submitted as follows:

Return to:

Tammey Hugo	(780) 497-3510	tammey.hugo@pwgsc-tpsgc.gc.ca
<i>Name</i>	<i>Fax</i>	<i>Email Address</i>

at:

Public Works and Government Services Canada
 Real Property Contracting, Acquisitions Branch
 TELUS Plaza North
 5th Floor 10025 Jasper Avenue
 Edmonton, AB T5J1S6

REPORT ON THE VOLUME OF BUSINESS

SUPPLIER: _____

REPORT FOR THE PERIOD ENDING: _____

Description of Work	Call-up #	TOTAL BILLING

NIL REPORT: We have not done any business with the federal government for this period

_____.

PREPARED BY:

NAME: _____

SIGNATURE: _____

TELEPHONE NO.: _____

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

File No. - N° du dossier

PWU-3-36098

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

DND

CCC No./N° CCC - FMS No/ N° VME

ANNEX E OFFER

Description of Work:	Suffield, Alberta Various Projects, DND Painting Services - Standing Offer Standing Offer - Solicitation No. W0142-13S018
-----------------------------	--

1. OFFER

- .1 This Standing Offer is made by the Offeror to Canada;
- .2 This Offer is to furnish all necessary tools, plant, equipment, services, materials and labour to execute and complete the Work described above in careful and workmanlike manner;
- .3 The Work shall be more particularly described in individual Call-ups to be issued by the Project Authority, hereinafter called the "Departmental Representative";
- .4 Individual Call-ups may be issued, from time to time, during the period identified in Part 7A, clause 4.1, hereinafter called the "Term".

2. GENERAL PROVISIONS

- .1 This Offer when signed by or on behalf of the Offeror, the Specifications referred to in the Unit Price Schedule below and the General Conditions shall constitute the complete Offer subject to the provisions contained therein;
- .2 The Hourly Rate and the Unit Price, as offered, govern in calculating each Estimated Total Price; any errors in the extension of the Unit Price and in the addition of the Estimated Total Prices will be corrected in order to obtain the actual Total Estimated Amount;
- .3 This Offer supersedes and cancels all communications, negotiations and agreements relating to the Work other than those contained in the Offer;
- .4 that this tender may not be withdrawn for a period of 90 days following the tender closing time,

The Offeror agrees

- .1 to carry out individual work projects as requisitioned from time to time by the Departmental Representative in **Call- ups Against a Standing Offer**, form PWGSC/TPSGC 2829 or 942, copies of which the Offeror acknowledges to have in its possession, in accordance with the requirements set out therein and in consideration of payment of amounts to be determined pursuant to section 3. Below;

-
- .2 to provide, on demand from the Departmental Representative, a detailed price estimate, calculated in accordance with section 4 below, and a proposed work schedule for each work project; and
 - .3 to commence Work promptly upon receipt of each Call-up issued pursuant to this Offer, duly signed by the Departmental Representative.
 - .5 This Offer does not constitute a binding contract between Canada and the Offeror. The Departmental Representative shall have the right to issue a Call-up with those other offerors which have also submitted offers to Canada.
 - .6 A contract is formed between Canada and the Offeror only when a Call-up duly signed is issued by the Departmental Representative and accepted by the Offeror. The Offeror shall then be referred to as "the Contractor" and the Contract includes the Offer, the Specifications referred to in the Unit Price Schedule below, the General Conditions and the Call-up .
 - .7 The estimated number of hours, the quantities of material and plant, and the amount of the Allowance for Unspecified material set out in the Unit Price Schedule are for the purpose of comparative evaluation of the offers and do not express an obligation on the part of Canada to order any or all of the work, material or plant listed therein.
 - .8 The Offeror declares that no bribe, gift or benefit has been or will be paid, given, promised or offered directly or indirectly to any official or employee of Canada or to a member of the family of such person, with a view to influence the entry into or the administration of any contract which may result from this Offer.

3. FINANCIAL TERMS

- .1 Each item specified in the Unit Price Schedule in subsection 4.1 includes wages, traveling time and costs, allowances, supervision, liabilities as employer, insurance, and the use of all tools, tackle, etc., overhead, profit and all other liabilities whatsoever.
- .2 Unspecified Material shall be reimbursed at net cost, as supported by invoices, plus Markup as established in section 4 of this Offer. "Net Cost" means all amounts reasonably and properly paid by the Offeror in respect of materials required for and used in the Work, and includes packing, handling and delivery charges, less any trade discounts received by the Offeror. The Offeror's Markup on Unspecified Material covers overheads, profit, and all other expenses whatsoever.
- .3 The prices inserted in section 4 of this Offer include all applicable federal, provincial, and municipal taxes.
 - .1 However, they do not include any amount for the Goods and Services Tax (GST) or Harmonized Sales Tax (HST). The appropriate GST/HST amounts will be paid by Canada to the Offeror in addition to the amounts paid against the amount of the contract. The Offeror shall make appropriate remittances to Revenue Canada in accordance with the legislation.
 - .2 The prices do not include the Québec Sales Tax. The Offeror shall arrange directly with the Province of Québec for the reimbursement of Provincial Sales Tax paid to this Province for the purpose of any contract resulting from this Offer.
- .4 Payment by Canada for the Offeror's own special equipment not covered by the Unit Price Schedule and required at the job site will be no greater than the local going rental rate for such

equipment or the rate published by the local construction association for such equipment, whichever is the lower.

- .5 The cost of subcontract work, including special equipment rentals approved by the Project Authority, shall be reimbursed at actual cost with the addition of ten (10) percent to cover overheads, profit, and all other expenses whatsoever. "Actual cost" means all amounts reasonably and properly paid by the Contractor for those parts of the Work carried out by subcontractors.

.6 Pricing

- .1 The prices requested in the Offer are:

.1 hourly rates for regular hours;

2 mark up on allowance for unspecified material, replacement parts, required permits and certificates. for purposes of evaluation.

- .2 The hourly rates requested in the offer and acceptance for specific types of service shall be the total cost to perform the work including but not limited to:

.1 labour including supervision, allowances and liability insurance;

.2 travel time;

.3 transportation/vehicle expenses;

.4 tools and tackle;

.5 overhead and profit;

.6 any other incidental expenses other than supply of materials and replacement parts relating to the delivery of labour.

- .3 It is considered that regular hours of work fall between 0800 and 1630 hours, Monday to Friday.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

4. PRICES

The Offeror agrees that the following are the prices referred to in sections 2 and 3 above:

4.1 Unit Price Schedules - Rates**SCHEDULE A) Initial Year**

Col 1	Col 2	Col 3	Col 4	Col 5
Item	Class of Labour, material or plant	Estimated useage	Unit Price	Total Estimated Price
	Painting Services			
1	Primer sealer or undercoater	1800 m2	\$_____/m2	\$_____
2	Flat latex or Alkyd	1400 m2	\$_____/m2	\$_____
3	Semi-Gloss Latex	2000 m2	\$_____/m2	\$_____
4	Semi-Gloss Alkyd	2000 m2	\$_____/m2	\$_____
5	Enamel Gloss Alkyd	2000 m2	\$_____/m2	\$_____
6	Varnish (Semi-Gloss or Gloss)	200 m2	\$_____/m2	\$_____
7	Floor Enamel	600 m2	\$_____/m2	\$_____
8	Epoxy Primer	600 m2	\$_____/m2	\$_____
9	Two Component Epoxy	400 m2	\$_____/m2	\$_____
10	Paint Stripper	100 m2	\$_____/m2	\$_____
11	Fire Retardant Base Coat	100 m2	\$_____/m2	\$_____
12	Fire Retardant Finish Coat	100 m2	\$_____/m2	\$_____
13	Paintable Silicone Caulking 300 ml tubes	150 tubes	\$_____/tube	\$_____
14	Sand Blasting - to include sand, compressor, other miscellaneous equipment, vehicle and two men and travel to and from site.	200 hours	\$_____/hour	\$_____
15		3400 ft2	\$_____/ft2	\$_____

	Stippling ceilings including first coat of alkyd flat ceiling paint.			
16	Painting previously stippled ceilings (first coat) using alkyd flat ceiling paint.	2400 ft2	\$_____/ft2	\$_____
17	Painting previously stippled ceilings (second and subsequent coats), per coat, using alkyd flat ceiling paint.	400 ft2	\$_____/ft2	\$_____
18	Additional preparation including all materials required:			
a.	Extra sanding, wall cleaning, furniture moving, stripping old paint surfaces, caulking joints, nail setting, hole filling, minor sub-surface repairs:			
	Painter	2000 hours	\$_____/hour	\$_____
	Labourer	2000 hours	\$_____/hour	\$_____
b.	Tape, fill, and sand new wallboard joints:	1200 Lm	\$_____/Lm	\$_____
c.	Clean, tape, fill and sand old wallboard joints and cracks:	1400 Lm	\$_____/Lm	\$_____
	EXTERIOR PAINTING			
19	Painting or spraying of new or old permanently installed or portable cupboards, shelves, tables, pipes and shelves radiators, doors or trim work not integrated in complete wall or ceiling areas to be painted, varnished or lacquered (hourly rate to include all necessary materials ie., paint, tape, sanding paper, brushes, polyethylene sheeting, wood filler, etc.):			
a	Painter	1200 hours	\$_____/hour	\$_____

W0142-13SO18/A

pwu011

DND

PWU-3-36098

b	Labourer	1200 hours	\$_____/hour	\$_____
c	Spray Paint	400 m2	\$_____/m2	\$_____
20	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates not previously specified in specification No. L-S381-9901/767 (% mark up x \$10,000.00 =) Verification of Contractor's costs to be provided upon request of the Site Authority.	\$10,000.00	_____%	\$_____
21	Estimates: Where a cost estimate has been submitted and accepted by the site authority, fully completed work and services will be performed or provided at a cost no greater than 110% of such estimate. Work or services cannot exceed the amount of the call-up without approval from the Site Authority			
22	Measurement and Payment - If more than one type of paint is specified in a room, the predominant type of paint will govern the cost, ie. Flat paint on walls and ceiling, semi-gloss on trim. Payment will be made at the unit price per square meter (m2) for flat paint. Areas for payment will be made at the unit price per ceiling including windows, doors, trim, exterior and interior of painted cupboards without deduction for areas not requiring paint, ie. glass of windows, metal or plastic.			
Sub Total A): Estimated Total Amount Year 1 (GST/HST Extra)				\$_____

continued

4.1 Unit Price Schedules - Rates (continued)**SCHEDULE B) Year 2**

Col 1	Col 2	Col 3	Col 4	Col 5
Item	Class of Labour, material or plant	Estimated useage	Unit Price	Total Estimated Price
	Painting Services			
1	Primer sealer or undercoater	1800 m2	\$_____/m2	\$_____
2	Flat latex or Alkyd	1400 m2	\$_____/m2	\$_____
3	Semi-Gloss Latex	2000 m2	\$_____/m2	\$_____
4	Semi-Gloss Alkyd	2000 m2	\$_____/m2	\$_____
5	Enamel Gloss Alkyd	2000 m2	\$_____/m2	\$_____
6	Varnish (Semi-Gloss or Gloss)	200 m2	\$_____/m2	\$_____
7	Floor Enamel	600 m2	\$_____/m2	\$_____
8	Epoxy Primer	600 m2	\$_____/m2	\$_____
9	Two Component Epoxy	400 m2	\$_____/m2	\$_____
10	Paint Stripper	100 m2	\$_____/m2	\$_____
11	Fire Retardant Base Coat	100 m2	\$_____/m2	\$_____
12	Fire Retardant Finish Coat	100 m2	\$_____/m2	\$_____
13	Paintable Silicone Caulking 300 ml tubes	150 tubes	\$_____/tube	\$_____
14	Sand Blasting - to include sand, compressor, other miscellaneous equipment, vehicle and two men and travel to and from site.	200 hours	\$_____/hour	\$_____
15	Stippling ceilings including first coat of alkyd flat ceiling paint.	3400 ft2	\$_____/ft2	\$_____
		2400 ft2	\$_____/ft2	\$_____

16	Painting previously stippled ceilings (first coat) using alkyd flat ceiling paint.			
17	Painting previously stippled ceilings (second and subsequent coats), per coat, using alkyd flat ceiling paint.	400 ft2	\$_____/ft2	\$_____
18	Additional preparation including all materials required:			
a.	Extra sanding, wall cleaning, furniture moving, stripping old paint surfaces, caulking joints, nail setting, hole filling, minor sub-surface repairs:			
	Painter	2000 hours	\$_____/hour	\$_____
	Labourer	2000 hours	\$_____/hour	\$_____
b.	Tape, fill, and sand new wallboard joints:	1200 Lm	\$_____/Lm	\$_____
c.	Clean, tape, fill and sand old wallboard joints and cracks:	1400 Lm	\$_____/Lm	\$_____
	EXTERIOR PAINTING			
19	Painting or spraying of new or old permanently installed or portable cupboards, shelves, tables, pipes and shelves radiators, doors or trim work not integrated in complete wall or ceiling areas to be painted, varnished or lacquered (hourly rate to include all necessary materials ie., paint, tape, sanding paper, brushes, polyethylene sheeting, wood filler, etc.):			
a	Painter	1200 hours	\$_____/hour	\$_____
b	Labourer	1200 hours	\$_____/hour	\$_____

W0142-13SO18/A

pwu011

DND

PWU-3-36098

c	Spray Paint	400 m2	\$_____/m2	\$_____
20	<p>Estimates: Where a cost estimate has been submitted and accepted by the site authority, fully completed work and services will be performed or provided at a cost no greater than 110% of such estimate. Work or services cannot exceed the amount of the call-up without approval from the Site Authority.</p> <p>Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates not previously specified in specification No. L-S381-9901/767 (% mark up x \$10,000.00 =)</p> <p>Verification of Contractor's costs to be provided upon request of the Site Authority.</p>	\$10,000.00	_____%	\$_____
21	Estimates: Where a cost estimate has been submitted and accepted by the site authority, fully completed work and services will be performed or provided at a cost no greater than 110% of such estimate. Work or services cannot exceed the amount of the call-up without approval from the Site Authority.			
22	Measurement and Payment - If more than one type of paint is specified in a room, the predominant type of paint will govern the cost, ie. Flat paint on walls and ceiling, semi-gloss on trim. Payment will be made at the unit price per square meter (m2) for flat paint. Areas for payment will be made at the unit price per ceiling including windows, doors, trim, exterior and interior of painted cupboards without deduction for areas not requiring paint, ie. glass of windows, metal or plastic.			
Sub Total B): Estimated Total Amount Year 2 (GST/HST Extra)				\$_____

Continued

4.1 Unit Price Schedules - Rates (continued)**SCHEDULE (C) Year 3**

Col 1	Col 2	Col 3	Col 4	Col 5
Item	Class of Labour, material or plant	Estimated useage	Unit Price	Total Estimated Price
	Painting Services			
1	Primer sealer or undercoater	1800 m2	\$_____/m2	\$_____
2	Flat latex or Alkyd	1400 m2	\$_____/m2	\$_____
3	Semi-Gloss Latex	2000 m2	\$_____/m2	\$_____
4	Semi-Gloss Alkyd	2000 m2	\$_____/m2	\$_____
5	Enamel Gloss Alkyd	2000 m2	\$_____/m2	\$_____
6	Varnish (Semi-Gloss or Gloss)	200 m2	\$_____/m2	\$_____
7	Floor Enamel	600 m2	\$_____/m2	\$_____
8	Epoxy Primer	600 m2	\$_____/m2	\$_____
9	Two Component Epoxy	400 m2	\$_____/m2	\$_____
10	Paint Stripper	100 m2	\$_____/m2	\$_____
11	Fire Retardant Base Coat	100 m2	\$_____/m2	\$_____
12	Fire Retardant Finish Coat	100 m2	\$_____/m2	\$_____
13	Paintable Silicone Caulking 300 ml tubes	150 tubes	\$_____/tube	\$_____
14	Sand Blasting - to include sand, compressor, other miscellaneous equipment, vehicle and two men and travel to and from site.	200 hours	\$_____/hour	\$_____
15	Stippling ceilings including first coat of alkyd flat ceiling paint.	3400 ft2	\$_____/ft2	\$_____

W0142-13SO18/A

pwu011

DND

PWU-3-36098

16	Painting previously stippled ceilings (first coat) using alkyd flat ceiling paint.	2400 ft2	\$_____/ft2	\$_____
17	Painting previously stippled ceilings (second and subsequent coats), per coat, using alkyd flat ceiling paint.	400 ft2	\$_____/ft2	\$_____
18	Additional preparation including all materials required:			
a.	Extra sanding, wall cleaning, furniture moving, stripping old paint surfaces, caulking joints, nail setting, hole filling, minor sub-surface repairs:			
	Painter	2000 hours	\$_____/hour	\$_____
	Labourer	2000 hours	\$_____/hour	\$_____
b.	Tape, fill, and sand new wallboard joints:	1200 Lm	\$_____/Lm	\$_____
c.	Clean, tape, fill and sand old wallboard joints and cracks:	1400 Lm	\$_____/Lm	\$_____
	EXTERIOR PAINTING			
19	Painting or spraying of new or old permanently installed or portable cupboards, shelves, tables, pipes and shelves radiators, doors or trim work not integrated in complete wall or ceiling areas to be painted, varnished or lacquered (hourly rate to include all necessary materials ie., paint, tape, sanding paper, brushes, polyethylene sheeting, wood filler, etc.):			
a	Painter	1200 hours	\$_____/hour	\$_____
b	Labourer	1200 hours	\$_____/hour	\$_____

c	Spray Paint	400 m2	\$_____/m2	\$_____
20	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates not previously specified in specification No. L-S381-9901/767 (% mark up x \$10,000.00 =) Verification of Contractor's costs to be provided upon request of the Site Authority.	\$10,000.00	_____%	\$_____
21	Estimates: Where a cost estimate has been submitted and accepted by the site authority, fully completed work and services will be performed or provided at a cost no greater than 110% of such estimate. Work or services cannot exceed the amount of the call-up without approval from the Site Authority.			
22	Measurement and Payment - If more than one type of paint is specified in a room, the predominant type of paint will govern the cost, ie. Flat paint on walls and ceiling, semi-gloss on trim. Payment will be made at the unit price per square meter (m2) for flat paint. Areas for payment will be made at the unit price per ceiling including windows, doors, trim, exterior and interior of painted cupboards without deduction for areas not requiring paint, ie. glass of windows, metal or plastic.			
Sub Total C): Estimated Total Amount Year 3 (GST/HST Extra)				\$_____

Continued

SCHEDULE (D) Year 4

Col 1	Col 2	Col 3	Col 4	Col 5
Item	Class of Labour, material or plant	Estimated useage	Unit Price	Total Estimated Price
	Painting Services			
1	Primer sealer or undercoater	1800 m2	\$_____/m2	\$_____
2	Flat latex or Alkyd	1400 m2	\$_____/m2	\$_____
3	Semi-Gloss Latex	2000 m2	\$_____/m2	\$_____
4	Semi-Gloss Alkyd	2000 m2	\$_____/m2	\$_____
5	Enamel Gloss Alkyd	2000 m2	\$_____/m2	\$_____

6	Varnish (Semi-Gloss or Gloss)	200 m2	\$ _____/m2	\$ _____
7	Floor Enamel	600 m2	\$ _____/m2	\$ _____
8	Epoxy Primer	600 m2	\$ _____/m2	\$ _____
9	Two Component Epoxy	400 m2	\$ _____/m2	\$ _____
10	Paint Stripper	100 m2	\$ _____/m2	\$ _____
11	Fire Retardant Base Coat	100 m2	\$ _____/m2	\$ _____
12	Fire Retardant Finish Coat	100 m2	\$ _____/m2	\$ _____
13	Paintable Silicone Caulking 300 ml tubes	150 tubes	\$ _____/tube	\$ _____
14	Sand Blasting - to include sand, compressor, other miscellaneous equipment, vehicle and two men and travel to and from site.	200 hours	\$ _____/hour	\$ _____
15	Stippling ceilings including first coat of alkyd flat ceiling paint.	3400 ft2	\$ _____/ft2	\$ _____
16	Painting previously stippled ceilings (first coat) using alkyd flat ceiling paint.	2400 ft2	\$ _____/ft2	\$ _____
17	Painting previously stippled ceilings (second and subsequent coats), per coat, using alkyd flat ceiling paint.	400 ft2	\$ _____/ft2	\$ _____
18	Additional preparation including all materials required:			
a.	Extra sanding, wall cleaning, furniture moving, stripping old paint surfaces, caulking joints, nail setting, hole filling, minor sub-surface repairs:			
	Painter	2000 hours	\$ _____/hour	\$ _____

	Labourer	2000 hours	\$_____/hour	\$_____
b.	Tape, fill, and sand new wallboard joints:	1200 Lm	\$_____/Lm	\$_____
c.	Clean, tape, fill and sand old wallboard joints and cracks:	1400 Lm	\$_____/Lm	\$_____
	EXTERIOR PAINTING			
19	Painting or spraying of new or old permanently installed or portable cupboards, shelves, tables, pipes and shelves radiators, doors or trim work not integrated in complete wall or ceiling areas to be painted, varnished or lacquered (hourly rate to include all necessary materials ie., paint, tape, sanding paper, brushes, polyethylene sheeting, wood filler, etc.):			
a	Painter	1200 hours	\$_____/hour	\$_____
b	Labourer	1200 hours	\$_____/hour	\$_____
c	Spray Paint	400 m2	\$_____/m2	\$_____
20	Contractor's Mark Up on Allowance for unspecified material, replacement parts, required permits and certificates not previously specified in specification No. L-S381-9901/767 (% mark up x \$10,000.00 =) Verification of Contractor's costs to be provided upon request of the Site Authority	\$10,000.00	_____%	\$_____
21	Estimates: Where a cost estimate has been submitted and accepted by the site authority, fully completed work and services will be performed or provided at a cost no greater than 110% of such estimate. Work or services cannot exceed the amount of the call-up without approval from the Site Authority.			
22	Measurement and Payment - If more than one type of paint is specified in a room, the predominant type of paint will govern the cost, ie. Flat paint on walls and ceiling, semi-gloss on trim. Payment will be made at the unit price per square meter (m2) for flat paint. Areas			

	for payment will be made at the unit price per ceiling including windows, doors, trim, exterior and interior of painted cupboards without deduction for areas not requiring paint, ie. glass of windows, metal or plastic.
Sub Total D): Estimated Total Amount Year 4 (GST/HST Extra)	\$ _____

4.2 TOTAL EVALUATED PRICE (Initial Year 1 + 2nd Year + 3rd Year + 4th Year)

Col. 1	Col. 2	Col. 3	Col. 4	Col. 5
Sub Total (A) Initial Year Term	Sub Total (B) 2nd Year	Sub Total (C) 3rd Year	Sub Total (D) 4th Year	Total Evaluated Price (col.1 + col.2 + col.3 + col.4 = col. 5)
\$ _____ (GST/HST Extra)	\$ _____ (GST/HST Extra)	\$ _____ (GST/HST Extra)	\$ _____ (GST/HST Extra)	\$ _____ (GST/HST Extra)

These items will be used for cost evaluation purposes only and do not constitute a guarantee or commitment on behalf of Canada of the quantity or amount to be used under the Standing Offer.

A rate must be entered for each item.

The Offeror agrees that the Price(s) per Unit as tendered govern in calculating the Total Evaluated Price. The Offeror understands that any errors in the extension of the Price per Unit, in the addition of the Estimated Total Price, and Estimated Total Amount will be corrected in order to obtain the Total Evaluated Price.

Cost will be evaluated on the Total Evaluated Price in Column 5. It is anticipated that up to three standing offers will be issued to the lowest compliant offerors.

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

File No. - N° du dossier

PWU-3-36098

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

DND

CCC No./N° CCC - FMS No/ N° VME

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

pwu011

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

DND

PWU-3-36098

ANNEX F

Code of Conduct and Certifications

COMPLETE LIST OF EACH INDIVIDUAL WHO IS CURRENTLY ON THE OFFEROR'S BOARD OF DIRECTORS

NOTE TO OFFERORS: LEGIBLY PRINT OR TYPE DIRECTOR' SURNAMES AND GIVEN NAMES

Solicitation No. - N° de l'invitation

W0142-13SO18/A

Client Ref. No. - N° de réf. du client

DND

Amd. No. - N° de la modif.

File No. - N° du dossier

PWU-3-36098

Buyer ID - Id de l'acheteur

pwu011

CCC No./N° CCC - FMS No/ N° VME

ANNEX G

**See Attached Document titled
Annex G - SRCL**



National Defence



**CANADIAN FORCES BASE SUFFIELD
BASE ENGINEERING**

**SPECIFICATION
FOR
INTERIOR/EXTERIOR PAINTING SERVICES
LIVING QUARTERS AND BUILDINGS**

CFB Suffield Job No: L-S381-9901/767

SO: 18

Dated: 11 October 2012

TABLE OF CONTENTS

Pages

Division 1 - GENERAL REQUIREMENTS

Section 01 11 00 - Summary of Work	3
Section 01 35 35 - DND Fire Safety Requirements.....	4
Section 01 35 43 - Environmental Protection	5
Section 01 35 45 - Safety Requirements	3
Section 01 51 00 - Temporary Utilities	1
Section 01 61 00 - Basic Product Requirement	1

Division 9 – Finishes

Section 09 91 10 – Interior/Exterior Painting.....	6
--	---

PART 1 General

1.1 DESCRIPTION OF WORK

- .1 Work under this Contract covers the interior/exterior painting/repainting of various living quarters and other buildings in accordance with this Specification. Work under this Contract may include line painting and road markings.

1.2 DOCUMENTS REQUIRED

- .1 Maintain at job site, one copy of each of the following:
 - .1 Specifications.
 - .2 Addenda.
 - .3 Change orders.
 - .4 Other modifications to Contract.
 - .5 Manufacturer's installation and application instructions.

1.3 WORK SCHEDULE

- .1 Hours of work must be between 0800 hours and 1630 hours, Monday through Friday, unless otherwise stated by the Project Authority.
- .2 Work on single or multiple living quarters will commence within 72 hours of notification by the Project Authority and must be completed in no later than five (5) working days.
- .3 The Contractor will be prepared to increase work crews during periods when there is a heavy work load. Crews to work in several areas simultaneously.

1.4 MEASUREMENT FOR PAYMENT

- .1 Payment will be made on work actually performed and will be based on unit prices (and hourly rate) for the various living quarters and buildings.
- .2 If more than one type of paint is specified in a room, the predominate type of paint will govern the cost, ie.) Flat paint on walls and ceiling, semi-gloss on trim, payment will be made at the unit price per m² for flat paint. Areas for payment will be total areas of the wall or ceiling including windows, doors, trim, exterior and interior of cupboards without deduction for areas not requiring paint, ie.) Glass in windows, metal or plastic.
- .3 In the case where there is only trim work (ie. Valance, baseboard, doors and frames) or highly labour intensive work (ie. Portable or permanently installed cupboards, tables, pipes, shelves, radiators) an hourly rate will be used which will include all materials, paint, lacquers etc. in that rate.
- .4 Time sheets will be submitted for all hourly work.

1.5 UNIT PRICES

- .1 Submit unit prices per coat for paint materials listed on tender documents.

1.6 QUANTITIES

- .1 The Contractor is responsible for measuring quantities of work completed and invoicing accordingly.

1.7 CONTRACTOR'S ON SITE SUPERVISOR

- .1 The Contractor must provide, at the job site, a full time experienced and competent supervisor, capable of and having the authority to speak on his behalf on day to day routine matters.

1.8 CONTRACTOR'S USE OF SITE

- .1 Do not unreasonably encumber site with materials or equipment.
- .2 Access to movement around the site must be subject to the site authority and, if required, must include the acquisition of temporary passes for all personnel engaged in the project.

1.9 CODES AND STANDARDS

- .1 Perform work in accordance with National Building Code of Canada (NBC), and any other code of Provincial or local application provided that in any case of conflict or discrepancy, the more stringent requirements must apply.
- .2 Work to meet or exceed requirements of Contract Documents, specified standards, codes and referenced documents.

1.10 PROJECT MEETINGS

- .1 Project Authority will arrange project meetings and assume responsibility for setting times and recording and distributing minutes.

1.11 CUTTING, FITTING AND PATCHING

- .1 Surface preparation in accordance with Section 09 91 10.
- .2 Report areas requiring cutting, fitting and patching to the Project Authority prior to surface preparation.

1.12 WORK IN OCCUPIED PREMISES

- .1 Execute work with least possible interference or disturbance to occupants, public or normal use of premises. Arrange with Project Authority to facilitate execution of work.

- .2 Where security has been reduced by work of Contract, provide temporary means to maintain security.
- .3 Provide temporary dust screens, barriers, and warning signs in locations where renovations and alteration work is adjacent to areas which will be operative during such work.

1.13 PARTIAL OCCUPANCY OR USE

- .1 Schedule early completion of designated areas for use before substantial completion of entire project, if required by Project Authority.

1.14 ADDITIONAL DRAWINGS

- .1 Project Authority may furnish additional drawings to Contractor to assist proper execution of work. These drawings will be issued for clarification purposes only. Such drawings will have the same meaning and intent as if they were included with plans referred to in article 1 of Articles of Agreement.

1.15 CLEANING DURING PAINTING AND ON COMPLETION OF SERVICES

- .1 Conduct cleaning and disposal operations to comply with local ordinances and anti-pollution laws.
- .2 Store volatile waste in covered metal containers and remove from premises daily.
- .3 Prevent accumulation of wastes which create hazardous conditions.
- .4 Provide adequate ventilation during use of volatile or noxious substances.
- .5 Use only cleaning materials recommended by manufacturer of surface to be cleaned and as recommended by cleaning material manufacturer.
- .6 Maintain servicing areas, public properties free from accumulations of waste materials and rubbish.
- .7 Dispose of waste materials and rubbish at designated dumping areas off DND property.
- .8 Remove all waste paint, lacquer, cleaning materials, cans, etc., from DND property and dispose of at approved dump site.
- .9 In preparation for completion of work, conduct final inspection of site exposed interior and exterior surfaces and of concealed spaces.
- .10 Remove grease, dust, dirt, stains, labels, fingerprints and other foreign materials, from sight exposed interior and exterior finished surfaces including glass and other polished surfaces soiled during operations.

END OF SECTION

PART 1 General

1.1 FIRE SAFETY PLAN

- .1 Contractors and their personnel must be familiar with this Section and its requirements.

1.2 FIRE DEPARTMENT BRIEFING

- .1 Project Authority will coordinate arrangements for contractor to be briefed on Fire Safety at their pre-work conference by the Fire Chief before any work is commenced.

1.3 REPORTING FIRES

- .1 Know location of nearest fire alarm box and telephone, including emergency phone number.

Base: 911

Ralston (Off Base): 911
- .2 Report immediately all fire incidents to Fire Department as follows:
 - .1 activate nearest fire alarm box; or
 - .2 telephone.
- .3 Person activating fire alarm box must remain at box to direct Fire Department to scene of fire.
- .4 When reporting fire by telephone, give location of fire, name or number of building and be prepared to verify the location.

1.4 INTERIOR AND EXTERIOR FIRE PROTECTION AND ALARM SYSTEMS

- .1 Fire protection and alarm system must not be:
 - .1 obstructed;
 - .2 shut-off; and
 - .3 left inactive at end of working day or shift without authorization from Fire Chief.
- .2 Fire hydrants, standpipes and hose systems must not be used for other than fire-fighting purposes unless authorized by Fire Chief.

1.5 FIRE EXTINGUISHERS

- .1 Supply fire extinguishers, as scaled by Fire Chief, necessary to protect work in progress and contractor's physical plant on site.

1.6 INSTALLATION AND/OR REPAIR OF ROOF TO INCLUDE CONTRACTORS PHYSICAL PLANT AT SITE

- .1 Notify Fire Chief of location of any asphalt kettles and dates that kettles must be in use. Ensure personnel use and take precautions as follows:
 - .1 Use kettles equipped with thermometers or gauges in good working order.
 - .2 Locate kettles in safe place outside of building or, if approved by Fire Chief, on non-combustible roof. Locate to avoid danger of igniting combustible material below.
 - .3 Maintain continuous supervision while kettles are in operation and provide metal covers for kettles to smother any flames in case of fire. Fire extinguishers must be provided as required in 1.5.
 - .4 Prior to start of work, demonstrate container capacities to Fire Chief.
 - .5 Use only glass fibre roofing mops.
 - .6 Used roofing mops must not be left unattended on roof and must be stored away from building and combustible materials.
 - .7 All roofing materials must be stored in location no closer than 3m to any structures.

1.7 BLOCKAGE OF ROADWAYS

- .1 Advise Fire Chief of any work that would impede fire apparatus response. This includes violation of minimum overhead clearance, as prescribed by Fire Chief, erecting of barricades and digging of trenches.

1.8 FIRE PRECAUTIONS

- .1 Private Contractors are responsible for providing a Fire Watcher service on a scale established in conjunction with the Base Fire Chief prior to job start up.
- .2 Base Fire Chief must be advised of all cases involving the use of flame or spark producing devices including heating equipment in or around buildings.
- .3 Appropriate permits must be obtained prior to job start up.

1.9 SMOKING PRECAUTIONS

- .1 Although smoking is not permitted in hazardous areas, care must still be exercised in the use of smoking materials in non-restricted areas.
- .2 Smoking is not permitted in DND buildings.

1.10 RUBBISH AND WASTE MATERIALS

- .1 Rubbish and waste materials must be kept to a minimum.
- .2 Burning of rubbish is prohibited.
- .3 Removal:
 - .1 Remove all rubbish from work site at end of workday or shift or as directed.

- .4 Storage:
 - .1 Store oily waste in approved receptacles to ensure maximum cleanliness and safety.
 - .2 Deposit greasy or oily rags and materials subject to spontaneous combustion in approved receptacles and remove as required in 1.10.3.1.

1.11 FLAMMABLE AND COMBUSTIBLE LIQUIDS

- .1 Handling, storage and use of flammable and combustible liquids are to be governed by the current National Fire Code of Canada.
- .2 Flammable and combustible liquids such as gasoline, kerosene and naphtha must be kept for ready use in quantities not exceeding 45 litres provided they are stored in approved safety cans bearing Underwriters' Laboratory of Canada or Factory Mutual seal of approval. Storage of quantities of flammable and combustible liquids exceeding 45 litres for work purposes requires permission of Fire Chief. Flammable and combustible liquids are prohibited from being stored within the building.
- .3 Transfer of flammable and combustible liquids is prohibited within buildings or jetties.
- .4 Transfer of flammable and combustible liquids must not be carried out in vicinity of open flames or any type of heat-producing devices.
- .5 Flammable liquids having a flash point below 38°C such as naphtha or gasoline must not be used as solvents or cleaning agents.
- .6 Flammable and combustible waste liquids, for disposal, must be stored in approved containers located in a safe ventilated area. Quantities must be kept to a minimum and Fire Department must be notified when disposal is required.

1.12 HAZARDOUS SUBSTANCES/HOT WORK/TEMPORARY HEAT PERMITS

- .1 Work entailing use of toxic or hazardous materials, chemicals and/or explosives, or otherwise creating hazard to life, safety or health, must be in accordance with National Fire Code of Canada.
- .2 Obtain from Fire Chief a "Hot Work" permit for work involving spark-producing equipment, welding, burning or use of blowtorches and salamanders, in buildings or facilities. Hot work permits may be issued between 0800 – 0900 hours daily.
- .3 Temporary Heating – Temporary heaters must be stamped as approved by a recognized testing agency (i.e. CDA, CSA, ULC). Only indirect flame type heaters are to be used. Only in exceptional circumstances are torpedo type heaters to be used and they must have 24 hour on site supervision. Heater permits require 24 hours notice and can be obtained from the Chief Fire Inspector daily between the hours of 0800 – 0900. After normal working hours, callouts for Fire Prevention staff to inspect and issue permits must be at the contractor's expense.
- .4 Heaters are to have an original and legible installation plate affixed stating clearances to be maintained from combustible materials. Stated clearances must be maintained at all times.

- .5 Heaters must be installed by a qualified gas fitter to meet the requirements of the Propane Installation Code or the National Gas installation Code, whichever is applicable.
- .6 All LPG cylinders must be supported against upset by non-combustible cable or chain. Cylinders must be protected against damage.
- .7 A permit becomes invalid if a heater is moved from the original location for which the permit was issued. A new permit must be obtained.
- .8 When Work is carried out in dangerous or hazardous areas involving use of heat, provide fire watchers equipped with sufficient fire extinguishers. Determination of dangerous or hazardous areas along with level of protection necessary for Fire Watch is at discretion of the Fire Chief. Contractors are responsible for providing fire watch service for work on a scale established and in conjunction with Fire Chief at pre-work conference.
- .9 Where flammable liquids, such as lacquers or urethanes are to be used, proper ventilation must be assured and all sources of ignition must be eliminated. Fire Chief must be informed prior to and at cessation of such work.

1.13 QUESTIONS AND/OR CLARIFICATION

- .1 Direct any questions or clarification on Fire Safety in addition to above requirements to Fire Chief.

1.14 FIRE INSPECTION

- .1 Site inspections by Fire Chief must be coordinated through Project Authority.
- .2 Allow Fire Chief unrestricted access to work site.
- .3 Co-operate with Fire Chief during routine fire safety inspection of work site.
- .4 Immediately remedy all unsafe fire situations observed by Fire Chief.

PART 2 Products

2.1 NOT USED

- .1 Not Used.

PART 3 Execution

3.1 NOT USED

- .1 Not Used.

END OF SECTION

PART 1 General

1.1 ENVIRONMENTAL RESPONSIBILITY

- .1 All work under this contract must be conducted in an environmentally responsible manner. Maintain awareness of particularly environmentally sensitive areas located throughout the Base.

1.2 WORK AREA

- .1 Under the direction of the Project Authority, define and mark the construction area work limits prior to work commencing.
- .2 All work must be restricted to designated work area, designated access roads and designated ancillary worksites.

1.3 FUEL MANAGEMENT

- .1 Ensure that any fuel storage and transfer areas on site are designed, operated and maintained in accordance with the requirements of current applicable federal, provincial and municipal legislation, guidelines and codes, including the 2003 *Environmental Code of Practice for Aboveground and Underground Storage Tank Systems Containing Petroleum and Allied Petroleum Products*, published by the Canadian Council for Ministers of the Environment (CCME), and the most current version of the *National Fire Code of Canada* (NFCC), from the National Research Council (NRC).
- .2 Ensure requirements of Storage Tank Systems for Petroleum Products and Allied Petroleum Products Regulations 2008 Version.
- .3 Fuel storage and handling areas must be completely contained to prevent spills or leaks from migrating outside the designated storage or handling area, per the requirements of the NFCC.
- .4 Appropriate clean-up materials must be readily available to deal with spills or leaks.

1.4 FIRES

- .1 Fires and burning of rubbish on site are not permitted.
- .2 Additional requirements in accordance with Section 01 35 35 – DND Fire Safety Requirements.

1.5 WASTE MANAGEMENT

- .1 Do not bury rubbish and waste materials on site.
- .2 Ensure that all waste materials, equipment and debris are adequately contained on site.
- .3 Remove from DND property for disposal all wastes or volatile materials, such as mineral spirits, oil or paint thinner.

- .4 Ensure that sufficient numbers of waste and recycling containers are located on site and properly maintained and emptied to prevent overloading.
- .5 Minimize amount of waste to landfills by segregating recyclable materials from the waste stream into appropriate recycling containers. Ensure separation of materials into appropriate recycling or waste bins.

1.6 DRAINAGE

- .1 Provide temporary drainage and pumping as necessary to keep excavations and site free from water.
- .2 Do not pump water containing suspended materials into waterways, sewer or drainage systems.
- .3 Control disposal or runoff of water containing suspended materials or other harmful substances in accordance with local authority requirements.

1.7 SOIL HANDLING

- .1 Remove topsoil before any construction procedures commence to avoid compaction of topsoil.
- .2 Handle topsoil only when it is dry and warm
- .3 Pile topsoil in berms in locations as directed by Project Authority. Stockpile height not to exceed 2.5 - 3m.
- .4 Topsoil is to be replaced as the finish layer over all areas to be reseeded.
- .5 Avoid soil handling activities under high wind or unfavorable weather conditions, as directed by the Project Authority.

1.8 SITE CLEARING AND PLANT PROTECTION

- .1 Minimal surface disturbance techniques must be employed on prairie landscapes.
- .2 When vegetation or brush removal is required, such activities must be completed using non-chemical means, unless otherwise authorized by the Project Authority.
- .3 Protect trees and plants on site and adjacent properties where indicated.
- .4 Wrap in burlap, trees and shrubs adjacent to construction work, storage areas and trucking lanes, and encase with protective wood framework from grade level to height of 2 m.
- .5 Protect roots of designated trees to drip line during excavation and site grading to prevent disturbance or damage. Avoid unnecessary traffic, dumping and storage of materials over root zones.
- .6 Minimize stripping of topsoil and vegetation.

- .7 Restrict tree removals to areas indicated or designated by Project Authority.
- .8 Salvage vegetation and store at approved sites for future replacement as required and directed by Project Authority.

1.9 WORK ADJACENT TO WATERWAYS

- .1 Do not operate construction equipment in waterways.
- .2 Do not use waterway beds for borrow material.
- .3 Do not dump excavated fill, waste material or debris in waterways.
- .4 Design and construct temporary crossings to minimize erosion to waterways.
- .5 Do not skid logs or construction materials across waterways.
- .6 Avoid indicated spawning beds when constructing temporary crossings of waterways.
- .7 Do not blast under water or within 100 m of indicated spawning beds.
- .8 Enclose entire work area that is adjacent to waterway with an approved silt barrier to prevent addition of suspended sediments into the waterway.
- .9 In cases where silt barriers are not sufficient install additional erosion control devices as required to prevent any sediment from entering waterways.

1.10 POLLUTION CONTROL

- .1 Maintain temporary erosion and pollution control features installed under this contract.
- .2 Control emissions from equipment and plant to local authorities emission requirements.
- .3 Prevent sandblasting and other extraneous materials from contaminating air beyond application area, by providing temporary enclosures.
- .4 Cover or wet down dry materials and rubbish to prevent blowing dust and debris. Provide dust control for temporary roads.

1.11 EQUIPMENT

- .1 Equipment that is to be used in the execution of the work must be maintained in a manner that will not be detrimental to the environment and in compliance with the Canadian Environmental Protection Act (CEPA). Equipment that is in violation must be removed from the site until such time as it does comply with the above requirements.
- .2 Equipment and vehicles used on the prairie must be cleaned to remove weeds and spores prior to arriving on site.
- .3 Construction equipment must be well maintained, free from leaks and mechanical defects.

- .4 When equipment and vehicles are not in use, they must be stored in designated areas approved by the Project Authority.

1.12 STORAGE AND HANDLING

- .1 All hazardous substances (any substance that is poisonous or exhibits flammability, corrosivity, reactivity or toxicity) must be stored and handled in a manner that is not harmful to human life and will not pollute the environment.
- .2 All hazardous substances stored outdoors must be situated in or on a secondary containment device capable of fully containing 1.5 times the quantity of the largest container stored in or on it. Storage sites must be consolidated to the greatest extent possible to reduce the number of hazardous sites.
- .3 Where hazardous substances are stored indoors in quantities that cannot be contained safely by the building structure in the event of a leak, the Project Authority may direct that such substances be stored in or on proper secondary containment devices.

1.13 RESTORATION

- .1 Disturbed vegetated areas must be reclaimed to reestablish vegetative cover.
- .2 All destabilized areas must be restabilized and restored to pre-work conditions.
- .3 Reseed using only native seeds and plants approved by the Project Authority for site restoration, unless otherwise approved by the Project Authority. No exceptions to native seeds will be considered for reclamation of prairie areas.
- .4 Areas to be restored must be maintained and monitored to ensure successful restoration as determined in consultation with the Project Authority prior to work commencing. Areas where revegetation efforts were not successful must be reseeded, or replanted at no extra cost to the crown.

1.14 CLEAN UP

- .1 Leaks or spills of hazardous substances, regardless of the quantity, whether indoors or outdoors, must be stopped and cleaned up immediately and be prevented from entering storm or sanitary sewer systems or contaminating soil or water.
- .2 All spilled substances and materials contaminated by the spill must be collected in leak proof containers or double bagged for disposal off DND property. Disposal must be in a manner, which is acceptable to the local authority having jurisdiction over disposal of such substances.

1.15 REPORTING

- .1 All releases of hazardous substances into the environment (e.g., ground, water, drains, sewer systems, ditches, roads, parking areas, etc.) must be reported to the Project Authority as soon as possible.

1.16 INSPECTIONS

- .1 The project site from time to time may be inspected to ensure compliance with federal, provincial and local environmental requirements.
- .2 All spills reported under paragraph 1.15.1 of this Section are subject to inspection by the Base Environmental Officer and the Project Authority to confirm cleanup and disposal have been carried out satisfactorily.

PART 2 Products

2.1 NOT USED

- .1 Not Used.

PART 3 Execution

3.1 NOT USED

- .1 Not Used.

END OF SECTION

PART 1 General

1.1 CONSTRUCTION SAFETY MEASURES

- .1 All Contractors and their personnel must be familiar and comply with this section and its requirements.
- .2 Observe construction safety measures of National Building Code latest edition, National Fire Code of Canada latest edition, Workers'/Workmen's Compensation Board, Canada Labour Code, Part II and Canada Occupational Health & Safety Regulations and in any situation of conflict or discrepancy, the more stringent requirements must apply.

1.2 BASE SAFETY OFFICER BRIEFING

- .1 Project Authority must coordinate/arrange for Contractors Senior Staff to be briefed on Base Safety requirements. This must occur at the pre-commencement meeting by the Base Safety Officer and must be completed before any work is started.
- .2 The balance of on site employees and sub-contractors for the project must be briefed as the project progresses. For employees not covered in 1.2.1, briefings must be held as follows:
 - .1 A bi-weekly safety briefing has been established in Building 94, Base Training Center, at 0815, the selected Mondays (excluding holidays). All employees must be briefed, no exceptions.
- .3 The Base Safety Briefing is valid for one year from date of orientation and is transferable from job site to job site.

1.3 FMA SAFETY REQUIREMENTS

- .1 Contractor's doing work in the Force Maintenance Area (FMA), are to have one initial briefing per contract by the Chief Clerk in Building 229, before any work may commence. FMA includes all buildings east of the Jenner Highway.

1.4 EPG AND BASE RANGE AREA

- .1 When work is to be performed in the EPG (Experimental Proving Ground) and/or in the Base Range area, Contractor's and their personnel must attend a DRDC Field Safety Briefing and/or Range Safety Briefing from Range Control in order to obtain approval for access to site prior to any work commencing. All vehicles must be registered with the governing authority before entering the EPG and Range Control areas. The Contractor's Project superintendent will be provided with a radio that is able to communicate with the governing authority. All other Contractor vehicles must have a communication device, which must be the responsibility of the Contractor.

1.5 TOOLS AND EQUIPMENT

- .1 DND owned equipment, tools, devices, and machinery, including Personal Protective Equipment must not be provided to the Contractor.

1.6 CONFINED SPACE ENTRY POLICY

- .1 No employee will enter or be permitted to enter any confined space unless such entry is made in compliance with the applicable Federal Occupational Health and Safety Regulations and the Canada Labour Code, Part II Standards. Contractor must make himself and employees aware of and abide by the Base Policy on confined space entry and the locations affected by said policy.

1.7 FIRE SAFETY REQUIREMENTS

- .1 Comply with requirements of Sections 01 35 35 – DND Fire Safety Requirements.

1.8 SCAFFOLDING

- .1 Design and construct scaffolding in accordance with CSA S269.

1.9 OVERLOADING

- .1 Ensure no part of work is subjected to loading that will endanger its safety or will cause permanent deformation.

1.10 WHMIS

- .1 Comply with all requirements of the Workplace Hazardous Materials Information System (WHMIS) regarding use, handling, storage, and disposal of hazardous materials and regarding labelling and provision of material safety data sheets acceptable to Human Resources Skills Development Canada and Health and Welfare Canada.
- .2 All employees who handle or are exposed to hazardous materials as defined under the Controlled Products Act (WHMIS Legislation) must be WHMIS trained in accordance with the Act.
- .3 Material Safety Data Sheets (MSDS) for all materials falling under the WHMIS program must be supplied to the work site by the Contractor or user(s), and readily accessible to all on-site personnel.
- .4 Deliver copies of WHMIS Material Safety Data Sheets to Project Authority on delivery of materials.

1.11 FALL PROTECTION

- .1 Approved fall protection equipment and methods must be used in accordance with Canada Labour Code Part II and the associated CSA Standards.
- .2 Safety belts and lanyards must be worn where falling hazards exist, as described under the Canada Labour Code, Part II. Contractor and their personnel must ensure they adhere to and strictly enforce the applicable federal regulations where it is impractical to provide adequate work platforms or staging.
- .3 All elevated work sites must have the area underneath cordoned off to prevent injuries from falling objects and anyone working in the proximity of said elevated work sites must utilize proper Personal Protective Equipment to avoid injury from possible falling objects.

1.12 PERSONAL PROTECTIVE EQUIPMENT (PPE)

- .1 Contractors and their personnel must comply with all Federal Safety Standards in relation to Personal Protective Equipment.
- .2 Hardhats and safety boots must be worn at all times at construction sites and when operating mobile equipment and any location in which an overhead hazard exists and the individuals work within close proximity could possibly be exposed to that hazard.
- .3 Eye and/or face protection must be worn when handling materials liable to injure or irritate eyes when engaging in any work, producing hazard from flying objects or when operating power lawn equipment or tools.
- .4 Hearing protection must be worn when entering or working in elevated noise hazard area. This includes, but not limited to, constructions sites, shop operations, lawn care and operators of equipment or vehicles, which produce noise levels above 85 decibels.
- .5 Respirators must be worn when a workers is or may be exposed to an oxygen deficient area or to harmful concentration of gas, vapours, smoke, fumes, mists, dusts or as recommended by the Material Safety Data Sheets (MSDS).
- .6 Protective clothing must be worn at all times in all stores and industrial environments, construction sites and while performing any type of landscaping/lawn care activity. No shorts, muscle shirts, capri pants or non-safety footwear allowed at all times.

PART 2 Products

2.1 NOT USED

- .1 Not Used.

PART 3 Execution

3.1 NOT USED

- .1 Not Used.

END OF SECTION

PART 1 General

1.1 POWER AND WATER SUPPLY

- .1 DND can provide, free of charge, water for construction purposes.
- .2 Electrical power may be supplied free of charge at each living quarter subject to the approval of the occupant.
- .3 Project Authority will determine delivery points and quantitative limits. Project Authority's written permission is required before any connection is made. Connect to existing power supply in accordance with Canadian Electrical Code.
- .4 Provide at no cost to DND, all equipment and temporary lines to bring these services to project site.
- .5 Supply of temporary services by DND is subject to DND requirements and may be discontinued by DND site representative at any time without notice, without acceptance of any liability for damage or delay caused by such withdrawal of temporary services.

1.2 TEMPORARY STORAGE

- .1 Storage space is not available in the living quarter area. It will be the responsibility of the Contractor to provide his own storage space for bulk materials.

1.3 REMOVAL OF TEMPORARY FACILITIES

- .1 Remove temporary facilities from site when directed by Project Authority.

PART 2 Products

2.1 NOT USED

- .1 Not used.

PART 3 Execution

3.1 NOT USED

- .1 Not used.

END OF SECTION

PART 1 General

1.1 MATERIAL AND EQUIPMENT

- .1 Use new material and equipment unless otherwise specified.

1.2 MANUFACTURER'S INSTRUCTIONS

- .1 Unless otherwise specified, comply with manufacturer's latest printed instructions for material and installation methods.
- .2 Notify Project Authority in writing of any conflict between these specifications and manufacturer's instructions. Project Authority will designate which document is to be followed.

1.3 DELIVERY AND STORAGE

- .1 Deliver, store and maintain packaged material and equipment with manufacturer's seals and labels intact.
- .2 Prevent damage, adulteration and soiling of material and equipment during delivery, handling, and storage. Immediately remove rejected material and equipment from site.
- .3 Store material and equipment in accordance with suppliers instructions.
- .4 Move stored products or equipment which interfere with operation of Project Authority or others.

1.4 CONFORMANCE

- .1 When material or equipment is specified by standards or performance specifications, upon request of the Project Authority, obtain from manufacturer an independent testing laboratory report, stating that material or equipment meets or exceeds specified requirements.

PART 2 Products

2.1 NOT USED

- .1 Not used.

PART 3 Execution

3.1 NOT USED

- .1 Not used.

END OF SECTION

PART 1 General

1.1 SCOPE OF WORK

- .1 The work of this Section comprises the furnishing of all labour, materials, tools, and equipment required to paint/repaint the interior/exterior surfaces for buildings at CFB Suffield or Ralston as detailed in the requisitions.
 - .1 Work included:
 - .1 Moving of furniture (beds, small chest of drawers, desks, filing cabinets, etc) as required to accommodate work.
 - .2 Wipe down or wash walls where necessary and damp mopping or vacuuming of floors to remove dust, etc after filling and sanding.
 - .3 Taping and filling of wallboard joints and cracks (new and old).
 - .4 Repair work to surfaces other than .1 - .3 above and filling of minor holes, cracks and indentations, as directed by Project Authority.
 - .5 Removal and reinstallation of curtain rods, curtains and blinds.
 - .2 Work excluded:
 - .1 Disconnecting/reconnecting permanently installed plumbing, electrical and gas appliances and equipment as found in the buildings.

1.2 REFERENCE STANDARDS

- .1 Do painting and finishing to CGSB 85-GP series standards and to material manufacturer's instruction, except where specified otherwise.

1.3 MAINTENANCE MATERIALS

- .1 Deliver 1 litre of each color and finish used on interior gypsum board and plywood wall surfaces.

1.4 ENVIRONMENTAL REQUIREMENTS

- .1 Do not apply paint finishes in areas where dust is being generated.

PART 2 Products

2.1 MATERIALS

- .1 Paint materials for each formula to be products of a single manufacturer.

.2 Paint materials:

1-GP-4M	Thinners, petroleum spirits.
1-GP-36M	(Type 1) Varnish – General Purpose.
1-GP-38M _A	Undercoat, enamel.
1-GP-36M	(Type 2) Varnish – General Purpose.
1-GP-40M	Primer, structural steel.
1-GP-57M	Enamel, semi-gloss.
1-GP-60M	Enamel, gloss.
1-GP-68M _A	Primer-sealer, solvent type.
1-GP-73M	Floor enamel.
1-GP-100M	Paint, latex type.
1-GP-102M	Sealer, clear alkyd.
1-GP-103M	Filler, wood paste.
1-GP-110M	Lacquer thinner.
1-GP-118M	Finish, flat alkyd.
1-GP-119M	Primer-sealer, latex type.
1-GP-126M	Sealer, vinyl.
1-GP-132M	Primer, zinc chromate.
1-GP-146M	Epoxy, 2 component (gloss)
1-GP-151M	Fire Retardant Base Coat.
1-GP-152M	Fire Retardant Finish Coat.
19-GP-2M	Compound, glazing, elastic.
2-GP-107M	Detergent, liquid (for main. Cleaning).

Gypsum Board Joint Compound to CSA A82.31M1980, Asbestos Free Gypsum board joint tape, perforated.

- .3 The material must be delivered to the site in the original unopened containers.
- .4 Paint must be obtained from the manufacturer in the color required. Color tinting or mixing on the job will not be permitted.
- .5 The first coat of two coat work and the middle of three coat work must be supplied at a slightly lighter shade than the finish coat.
- .6 All paint applied by brush or roller must be of viscosity supplied by the manufacturer.
- .7 All material being sprayed to be thinned to manufacturer's instructions.
- .8 Color must be:
- .1 In accordance with the color or finish schedule as provided by the Project Authority.
 - .2 Prepare such samples of colors and finishes as the Project Authority may require.
 - .3 Original colors to be retained, unless requisitioned whereby one additional undercoating may be claimed for that surface.
 - .4 All colors are referenced to CGSB 1-GP12C "Standard Paint Colors".
 - .5 Color schedule is as follows for living quarters:
 - .1 All living rooms, bedrooms, dining rooms, hallway and entranceways in living quarters must be painted off white 405-305.
 - .2 Kitchen and bathrooms will be painted off white 405-305 unless requisitioned otherwise.

PART 3 Execution

3.1 METHOD OF APPLICATION

- .1 Paints may be applied by roller or brush. Spraying must not be permitted unless written permission is given by the Project Authority.
- .2 Paint tools and equipment must be clean and in good working order.
- .3 Furnishings and moveable objects must be removed, protected and replaced by the Contractor on completion of the work. The Contractor must provide an ample supply of protective cloths for this purpose.
- .4 Switch plates, receptacles plates, door and cupboard handles and a like must be removed or loosened and replaced on the completion of work.
- .5 Sand and dust between each coat to remove visible defects.
- .6 Finish bottoms, edges, tops and cut-outs of doors after fittings as specified for door surfaces.
- .7 Finish tops of cabinets and projecting ledges both above and below sight lines as specified for surrounding surfaces.
- .8 Finish closets and alcoves as specified for adjoining rooms.
- .9 The first coat of two coat work must be applied in a slightly lighter shade than the finish coat.
- .10 The Project Authority must be given notice and ample opportunity to inspect each completed coat of paint. Work will not proceed until the last proceeding coat is approved.

3.2 PREPARATION OF SURFACES

- .1 All surfaces must be dry, properly cured and cleaned free of dirt, dust, loose paint, grease, rust, or other foreign matter. Moisture content of plaster surfaces must not exceed 12%. The degree of surfaces preparation must be such as to guarantee adhesion of the paint and good appearance of the finished work. All sound painted surfaces in the kitchens and bathrooms must be washed with warm water and detergent 2-GP-107M then thoroughly rinsed with clean water.
- .2 Resinous surfaces including knots, sap streaks, etc., must be coated with vinyl sealer 1-GP-126M and allowed to dry for 12 hours.
- .3 Repairs to sub-paint surfaces (other than detailed herein) must be approved by the Project Authority prior to commencement of such repairs.
- .4 Cracks, joints, nail holes, etc., in wood surfaces must be primed, filled with putty, allowed to dry and sanded smooth.

- .5 Popped nails must be reset and all wallboard, moulding trim and other building components re-nailed as required.
- .6 Deteriorated paint film must be removed to sound substrate.
- .7 Gloss and semi-gloss surfaces must be sanded to provide a better grip for subsequent paint coats.
- .8 Where two coats are specified, the first coat must be lightly sanded.
- .9 Sound varnish film must be sanded and washed with mineral spirits 1-GP-M4.
- .10 Deteriorated varnish film must be removed to sound substrate.
- .11 Prepare galvanized steel and zinc coated surfaces to CGSB 85-GP-16M.
- .12 Prepare masonry, stucco and concrete surfaces to CGSB 85-GP-31M.
- .13 Prepare concrete floors to CGSB 85-GP-32M.
- .14 Prepare plaster and gypsum board surfaces to CGSB 85-GP-33M. Fill minor cracks with plaster patching compound.
- .15 New gypsum board surfaces:
 - .1 Provide taping and filling for joints, angles and screw heads depressions. Compound to be featherhead out onto panel faces and brought flush with adjacent surface or gypsum board so as to be invisible after surface finish is completed.
 - .2 Sand lightly to remove burred edges and other imperfections. Avoid sanding adjacent surface of board.
 - .3 Completed installation to be smooth, level or plumb, free from waves and other defects and ready for surface finish.
- .16 Prepare asbestos-cement surfaces to CGSB 85-GP-31M.
- .17 Vacuum fibre acoustic tile and insulation covering surfaces.
- .18 Touch up worn spots of shop paint primer on steel with 1-GP-40M as per 85-GP-14.
- .19 Prepare copper piping and accessories to 85-GP-20.
- .20 Sand blasting: to be executed as per manufacturer's instructions for type of surface and type of finish being applied, to the satisfaction of the Project Authority.

3.2 PRIMING

- .1 All new or painted surfaces must be fully primed.

- .2 Previously painted surfaces must be spot primed where portions of the existing paint have been removed to the substrate, followed, after drying, by a touch up coat of the finish paint specified.
- .3 In all instances, coverage rates and drying times must be adequate and commensurate with the type of material used, as well as with the specified job requirements.
- .4 Asbestos: for asbestos, latex primer sealer 1-GP-119M or solvent type primer sealer 1-GP-68M, must be used.
- .5 Masonry: for masonry surfaces (except floors), latex primer sealer 1-GP-119M, must be used.
- .6 Ferrous metal: for ferrous metal, primer 1-GP-40M must be used.
- .7 Non-ferrous metal: for non-ferrous metal, zinc chromate primer 1-GP-132M, must be used.
- .8 Plaster: for plaster or plasterboard, latex primer sealer 1-GP-119M or solvent type primer sealer 1-GP-68M must be used. For plasterboard 1-GP-119M is preferred.
- .9 Wood: for wood, enamel under coat 1-GP-38M must be used.
- .10 Basement stairs: for wooden basement stairs and handrails, floor enamel 1-GP-73M reduced 10% with thinners 1-GP-4M must be used.
- .11 Open grain hardwood: for open grain hardwood to be varnished, apply filler paste 1-GP-103M, allow to stand for 10 – 15 minutes and wipe using circular and cross-grain motion. Wipe off surplus filler using a clean piece of wiping material, again working across the grain. A final wiping must be done very tightly with the grain, to remove the streaks. Allow to dry 18 hours, then sand lightly, with the grain, remove dust and apply clear sealer 1-GP-102M.
- .12 Close grain hardwood: for close grain hardwood to be varnished, clear alkyd sealer 1-GP-102M must be used.

3.4 PAINTING OVER PREPARED AND PRIMED SURFACES

- .1 The finish paint film must be smooth and continuous without skips, brush marks, runs or discernable laps must hide completely.
- .2 In general, two full finish coats are required for new work and one for previously painted surfaces.
- .3 Film thickness of any one application will not be less than that recommended by the manufacturer.
- .4 For walls and ceilings of bathrooms, shower rooms, kitchens, utility rooms and other wet areas including trim, semi-gloss enamel 1-GP-57M must be used.

- .5 Stairwells and hallways: semi-gloss enamel 1-GP-57M must be used. Where there has been ascertained that one coat of 1-GP-57M over previously painted semi-gloss or gloss surfaces will not produce the desired results, one coat of 1-GP-38M, under coater and one coat of 1-GP-57M may be specified, rather than two finish coats of 1-GP-57.
- .6 Other surfaces: for surfaces other than those covered in 4 and 5 above, latex paint 10-GP-100M or alkyd paint 1-GP-118M must be used.
- .7 Millwork: for millwork and trim except varnished surfaces and wet areas, semi-gloss enamel 1-GP-57M must be used.
- .8 Varnished surfaces: for vanished surfaces, general purpose varnish 1-GP-36M must be used.
- .9 Basement stairs: for wooden basement stairs and handrails, floor enamel 1-GP-37M must be used.
- .10 Metal: for metal surfaces, paint to match adjacent surfaces.

3.5 CLEAN UP

- .1 The Contractor must clean and tidy up daily. All paint rags, empty paint cans and the like must be removed from the site at the completion of each days work.
- .2 Final cleaning must be to the satisfaction of the Project Authority.

END OF SECTION



Government
of Canada

Gouvernement
du Canada

Contract Number / Numéro du contrat

WO142-13SO18

Security Classification / Classification de sécurité
Unclassified

SECURITY REQUIREMENTS CHECK LIST (SRCL)
LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine		DND, CFB SUFFIELD		2. Branch or Directorate / Direction générale ou Direction Base Engineering Branch, CFB Suffield, AB	
3. a) Subcontract Number / Numéro du contrat de sous-traitance		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant			
4. Brief Description of Work / Brève description du travail Interior and exterior painting of buildings at CFB Suffield and Ralston areas.					
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. Indicate the type of access required / Indiquer le type d'accès requis					
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.				<input type="checkbox"/> No Non	<input checked="" type="checkbox"/> Yes Oui
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?				<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès					
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>		Foreign / Étranger <input type="checkbox"/>	
7. b) Release restrictions / Restrictions relatives à la diffusion					
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>		All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>		No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	
Not releasable À ne pas diffuser <input type="checkbox"/>					
Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>		Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>		Restricted to: / Limité à: Specify country(ies): / Préciser le(s) pays: <input type="checkbox"/>	
7. c) Level of information / Niveau d'information					
PROTECTED A PROTÉGÉ A <input type="checkbox"/>		NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>		PROTECTED A PROTÉGÉ A <input type="checkbox"/>	
PROTECTED B PROTÉGÉ B <input type="checkbox"/>		NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>		PROTECTED B PROTÉGÉ B <input type="checkbox"/>	
PROTECTED C PROTÉGÉ C <input type="checkbox"/>		NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>		PROTECTED C PROTÉGÉ C <input type="checkbox"/>	
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>		NATO SECRET NATO SECRET <input type="checkbox"/>		CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	
SECRET SECRET <input type="checkbox"/>		COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>		SECRET SECRET <input type="checkbox"/>	
TOP SECRET TRÈS SECRET <input type="checkbox"/>				TOP SECRET TRÈS SECRET <input type="checkbox"/>	
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>				TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>	

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité
Unclassified

Canada



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

WO142-13SO18

Security Classification / Classification de sécurité

Unclassified

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets? Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
If Yes, indicate the level of sensitivity: Dans l'affirmative, indiquer le niveau de sensibilité :			
9. Will the supplier require access to extremely sensitive INFOSEC information or assets? Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
Short Title(s) of material / Titre(s) abrégé(s) du matériel :			
Document Number / Numéro du document :			
10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis			
<input checked="" type="checkbox"/> RELIABILITY STATUS COTE DE FIABILITE	<input type="checkbox"/> CONFIDENTIAL CONFIDENTIEL	<input type="checkbox"/> SECRET SECRET	<input type="checkbox"/> TOP SECRET TRÈS SECRET
<input type="checkbox"/> TOP SECRET - SIGINT TRÈS SECRET - SIGINT	<input type="checkbox"/> NATO CONFIDENTIAL NATO CONFIDENTIEL	<input type="checkbox"/> NATO SECRET NATO SECRET	<input type="checkbox"/> COSMIC TOP SECRET COSMIC TRÈS SECRET
<input type="checkbox"/> SITE ACCESS ACCÈS AUX EMPLACEMENTS			
Special comments: Commentaires spéciaux: This SRCL is being submitted as the contractor requires unescorted access to a Controlled Access Zone/Area			
NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided. REMARQUE: Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.			
10. b) May unscreened personnel be used for portions of the work? Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
If Yes, will unscreened personnel be escorted? Dans l'affirmative, le personnel en question sera-t-il escorté?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS			
11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises? Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
11. b) Will the supplier be required to safeguard COMSEC information or assets? Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
PRODUCTION			
11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises? Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)			
11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data? Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency? Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?		<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité
Unclassified

Canada



Government of Canada
Gouvernement du Canada

Contract Number / Numéro du contrat

W0142-138018

Security Classification / Classification de sécurité
UNCLASS

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.
Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.
Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC			
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COMSEC TOP SECRET COMSEC TRÈS SECRET	PROTECTED Protégés	CONFIDENTIAL	SECRET	TOP SECRET
							NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL						
Information / Appareils Renseignements / Sites Production														
IT Media / Support IT														
IT LRM / Lien électronique														

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?

La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).

Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).