

-
- | | | |
|-----------------------------------|----|--|
| <u>1 GENERAL</u> | .1 | <i>Provide Construction Office Trailer on site designated by the Departmental Representative</i> |
| <u>2 SUBMITTALS</u> | .1 | Provide submittals in accordance with Section 01 33 00. |
| <u>3 INSTALLATION AND REMOVAL</u> | .1 | Prepare site plan indicating proposed location and dimensions of area to used by Contractor number of trailers to be used |
| | .2 | Indicate use of supplemental or other staging area. |
| | .4 | Provide construction facilities in order to execute work expeditiously. |
| | .5 | Remove from site all such work after use. |
| <u>4 SCAFFOLDING</u> | .1 | Scaffolding in accordance with CAN/CSA-S269.2. |
| | .2 | Provide and maintain scaffolding, ramps, ladders, swing staging, platforms, temporary stairs. |
| <u>5 HOISTING</u> | .1 | Provide, operate and maintain hoists and cranes required for moving of workers, materials and equipment. Make financial arrangements with Subcontractors for their use of hoists. |
| | .2 | Hoists cranes to be operated by qualified operator. |
| <u>6 SITE STORAGE/LOADING</u> | .1 | Confine work and operations of employees by Contract Documents. Do not unreasonably encumber premises with products. |
| | .2 | Do not load or permit to load any part of Work with weight or force that will endanger Work. |
| <u>7 CONSTRUCTION PARKING</u> | .1 | Parking:
1. Parking is limited and restricted to designated Laydown Area and areas designed by the Departmental Representative.
2. Make good damage to roads used for project site access. |
| | .2 | Provide and maintain adequate access to |

		project site.
	.3	Clean site access areas/routes where used by Contractor's equipment.
<u>9 EQUIPMENT, TOOL AND MATERIALS STORAGE</u>	.1	Provide and maintain, in clean and orderly condition, lockable weatherproof sheds for storage of tools, equipment and materials.
	.2	Locate materials not required to be stored in weatherproof sheds on site in manner to cause least interference with work activities.
<u>10 SANITARY FACILITIES</u>	.1	Provide sanitary facilities for work force and Departmental Representative in accordance with governing regulations and ordinances.
	.2	Post notices and take precautions as required by local health authorities. Keep area and premises in sanitary condition.
<u>11 CONSTRUCTION SIGNAGE</u>	.1	No construction advertisement signs, other than health and safety, warning and instructional signs, are permitted on site.
	.2	Maintain approved signs and notices in good condition for duration of project, and dispose of off site on completion of project or earlier if directed by Departmental Representative.
<u>12 PROTECTION AND MAINTENANCE OF TRAFFIC</u>	.1	Maintain and protect traffic on affected roads during construction period except as otherwise specifically directed by Departmental Representative.
	.2	Provide measures for protection and diversion of traffic, including provision of watch-persons and flag-persons, erection of barricades, placing of lights around and in front of equipment and work, and erection and maintenance of adequate warning, danger, and direction signs
	.3	Protect traveling public from damage to person and property.
	.4	Contractor's traffic on roads selected for hauling material to and from site to interfere as little as possible with public traffic.

-
- .5 Verify adequacy of existing roads and allowable load limit on these roads.
Contractor: responsible for repair of damage to roads caused by construction operations.
 - .6 Provide necessary lighting, signs, barricades, and distinctive markings for safe movement of traffic.
 - .7 Dust control: adequate to ensure safe operation at all times.
 - .8 Provide snow removal during period of Work at project site.

14 CLEAN-UP

- .1 Remove construction debris, waste materials, packaging material from work site daily.
- .2 Clean dirt or mud tracked onto paved or surfaced roadways.
- .3 Store materials resulting from demolition activities that are salvageable.
- .4 Stack stored new or salvaged material not in construction facilities.

END OF SECTION