

**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**

**Public Works and Government Services / Travaux  
publics et services gouvernementaux**  
**Kingston Procurement**  
**Des Acquisitions Kingston**  
**86 Clarence Street, 2nd floor**  
**Kingston**  
**Ontario**  
**K7L 1X3**  
**Bid Fax: (613) 545-8067**

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

DDP Delivery Duty Paid, Kingston, Ontario

<b>Title - Sujet</b> CABLE SPECIAL PURPOSE, ELECTRICAL	
<b>Solicitation No. - N° de l'invitation</b> W1810-145021/A	<b>Date</b> 2013-09-30
<b>Client Reference No. - N° de référence du client</b> W1810-14-5021	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$KIN-535-6188	
<b>File No. - N° de dossier</b> KIN-3-40082 (535)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2013-11-13</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST	
<b>F.O.B. - F.A.B.</b> Specified Herein - Précisé dans les présentes <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input checked="" type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Carriere, Nancy	<b>Buyer Id - Id de l'acheteur</b> kin535
<b>Telephone No. - N° de téléphone</b> (613) 545-8764 ( )	<b>FAX No. - N° de FAX</b> (613) 545-8067
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> CF SCHOOL OF COMMUNICATIONS & ELECTRONICS 12 SATELLITE AVE KINGSTON, ON K7K 7B4	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

**Public Works and Government Services / Travaux publics  
et services gouvernementaux**  
**Kingston Procurement**  
**Des Acquisitions Kingston**  
**86 Clarence Street, 2nd floor**  
**Kingston**  
**Ontario**  
**K7L 1X3**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	CABLE, SPECIAL PURPOS, ELECTRICAL Requirement - BKMB 400 pr, 24 AWG, 455m, intended for aerial or duct installation. Specification: • 2265 LB, 58 Inch Reel Cable Design (B) - Air Core Conductor Insulation (K) - Solid Air Core (High Dielectric) Conductor Gauge Size (M) - 24 AWG Sheath Design (B) - Reinforced Self Support (Jacket/coated/Aluminum/Steel/Jack et) Conductors - Solid annealed copper Insulation - Color coded solid polyolefin Twisted Pairs - Insulated conductors are twisted to form pairs with varying lays to minimize crosstalk and meet capacitance unbalance limitations • Cable Assembly - Assembled from concentrically formed units with not more than 25 pair per unit, which may be stranded into 50 pair or 100 pair groups, which are cable to form the complete cylindrical core assembly Core Covering - A non-hygroscopic core wrap is applied over the assembled core which furnishes mechanical as well as high dielectric protection between	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	shielding and individual conductors Shield - Electrically continuous 8 mil flat aluminum shielding tape with polyolefin film fused and chemically bonded to both sides; applied longitudinally over the core and bonded to the outer jacket Jacket - Black, medium-density polyethylene which provides a tough, flexible protective covering that withstands exposure to sunlight, atmospheric temperatures, ground chemicals and stresses expected in standard installations Jacket Marking - Manufacturer's identification, date of jacketing, gauge, pair count, sequential length and cable type marked at 1 meter intervals Standards Compliance - RoHS -compliant • Suggested Manufacturer: Superior Essex, Part Number 85-112-01 or Equivalent • Part No Offered _____ • Manufacturer Offered _____ _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	CABLE, SPECIAL PURPOS, ELECTRICAL Requirement - BKMB 100 pr, 24 AWG, 1400m, Alpeth Cable intended for aerial or duct installation. Specification: <ul style="list-style-type: none"><li>1950 LB, 52 IN Reel</li><li>Cable Design (B) - Air Core</li><li>Conductor Insulation (K) - Solid</li><li>Air Core (High Dielectric)</li><li>Conductor Gauge Size (M) - 24 AWG</li><li>Sheath Design (B) - Reinforced</li><li>Self Support</li><li>(Jacket/coated/Aluminum/Steel/Jack et)</li><li>Conductors - Solid annealed copper</li><li>Insulation - Color coded solid polyolefin</li><li>Twisted Pairs - Insulated</li><li>conductors are twisted to form pairs with varying lays to minimize crosstalk and meet capacitance unbalance limitations</li><li>Cable Assembly - Assembled from concentrically formed units with not more than 25 pair per unit, which may be stranded into 50 pair or 100 pair groups, which are cable to form the complete cylindrical core assembly</li><li>Core Covering - A non-hygroscopic core wrap is applied over the assembled core which furnishes mechanical as well as high</li></ul>	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	dielectric protection between shielding and individual conductors Shield - Electrically continuous 8 mil flat aluminum shielding tape with polyolefin film fused and chemically bonded to both sides; applied longitudinally over the core and bonded to the outer jacket Jacket - Black, medium-density polyethylene which provides a tough, flexible protective covering that withstands exposure to sunlight, atmospheric temperatures, ground chemicals and stresses expected in standard installations Jacket Marking - Manufacture's identification, date of jacketing, gauge, pair count, sequential length and cable type marked at 1 meter intervals Standards Compliance - RoHS -compliant • Suggested Manufacturer: Superior Essex, Part Number 85-104-01 or Equivalent • Part No Offered _____ • Manufacturer Offered _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3	CABLE, SPECIAL PURPOS, ELEC Requirement - BKMB 50 pr, 24 AWG, 1400m, intended for aerial or duct installation. Specification: <ul style="list-style-type: none"><li>1155 LB, 46 Inch Reel Cable Design (B) - Air Core Conductor Insulation (K) - Solid Air Core (High Dielectric) Conductor Gauge Size (M) - 24 AWG</li><li>Sheath Design (B) - Reinforced Self Support (Jacket/coated/Aluminum/Steel/Jack et)</li><li>Conductors - Solid annealed copper</li><li>Insulation - Color coded solid polyolefin</li><li>Twisted Pairs - Insulated conductors are twisted to form pairs with varying lays to minimize crosstalk and meet capacitance unbalance limitations</li><li>Cable Assembly - Assembled from concentrically formed units with not more than 25 pair per unit, which may be stranded into 50 pair or 100 pair groups, which are cable to form the complete cylindrical core assembly</li><li>Core Covering - A non-hygroscopic core wrap is applied over the assembled core which furnishes mechanical as well as high</li></ul>	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3	dielectric protection between shielding and individual conductors Shield - Electrically continuous 8 mil flat aluminum shielding tape with polyolefin film fused and chemically bonded to both sides; applied longitudinally over the core and bonded to the outer jacket Jacket - Black, medium-density polyethylene which provides a tough, flexible protective covering that withstands exposure to sunlight, atmospheric temperatures, ground chemicals and stresses expected in standard installations Jacket Marking - Manufacture's identification, date of jacketing, gauge, pair count, sequential length and cable type marked at 1 meter intervals Standards Compliance - RoHS -compliant • Suggested Manufacturer: Superior Essex, Part Number 85-100-01 or Equivalent • Part No Offered _____ • Manufacturer Offered _____							





Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4	CABLE, SPECIAL PURPOSE, ELEC Requirement - BKMB 25 pr, 24 AWG, 1400m, intended for aerial or duct installation. Specification: <ul style="list-style-type: none"><li>680 LB, 44 Inch Reel Cable Design (B) - Air Core Conductor Insulation (K) - Solid Air Core (High Dielectric) Conductor Gauge Size (M) - 24 AWG</li><li>Sheath Design (B) - Reinforced Self Support (Jacket/coated/Aluminum/Steel/Jack et)</li><li>Conductors - Solid annealed copper</li><li>Insulation - Color coded solid polyolefin</li><li>Twisted Pairs - Insulated conductors are twisted to form pairs with varying lays to minimize crosstalk and meet capacitance unbalance limitations</li><li>Cable Assembly - Assembled from concentrically formed units with not more than 25 pair per unit, which may be stranded into 50 pair or 100 pair groups, which are cable to form the complete cylindrical core assembly</li><li>Core Covering - A non-hygroscopic core wrap is applied over the assembled core which furnishes mechanical as well as high</li></ul>	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4	dielectric protection between shielding and individual conductors Shield - Electrically continuous 8 mil flat aluminum shielding tape with polyolefin film fused and chemically bonded to both sides; applied longitudinally over the core and bonded to the outer jacket Jacket - Black, medium-density polyethylene which provides a tough, flexible protective covering that withstands exposure to sunlight, atmospheric temperatures, ground chemicals and stresses expected in standard installations Jacket Marking - Manufacture's identification, date of jacketing, gauge, pair count, sequential length and cable type marked at 1 meter intervals Standards Compliance - RoHS -compliant • Suggested Manufacturer: Superior Essex, Part Number 85-097-01 or Equivalent • Part No Offered _____ • Manufacturer Offered _____								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
5	CABLE, SPECIAL PURPOSE, ELECTRICAL Requirement - BKMB 200 pr, 24 AWG, 1400m, intended for aerial or duct installation. Specification: <ul style="list-style-type: none"><li>3605 LB, 65 Inch Reel</li></ul> Cable Design (B) - Air Core Conductor Insulation (K) - Solid Air Core (High Dielectric) Conductor Gauge Size (M) - 24 AWG Sheath Design (B) - Reinforced Self Support (Jacket/coated/Aluminum/Steel/Jack et) Conductors - Solid annealed copper Insulation - Color coded solid polyolefin Twisted Pairs - Insulated conductors are twisted to form pairs with varying lays to minimize crosstalk and meet capacitance unbalance limitations <li>Cable Assembly - Assembled from concentrically formed units with not more than 25 pair per unit, which may be stranded into 50 pair or 100 pair groups, which are cable to form the complete cylindrical core assembly Core Covering - A non-hygroscopic core wrap is applied over the assembled core which furnishes mechanical as well as high dielectric protection between</li>	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
5	shielding and individual conductors Shield - Electrically continuous 8 mil flat aluminum shielding tape with polyolefin film fused and chemically bonded to both sides; applied longitudinally over the core and bonded to the outer jacket Jacket - Black, medium-density polyethylene which provides a tough, flexible protective covering that withstands exposure to sunlight, atmospheric temperatures, ground chemicals and stresses expected in standard installations Jacket Marking - Manufacture's identification, date of jacketing, gauge, pair count, sequential length and cable type marked at 1 meter intervals Standards Compliance - RoHS-compliant • Suggested Manufacturer: Superior Essex, Part Number 85-108-01 or Equivalent • Part No Offered _____ • Manufacturer Offered _____ _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
6	CABLE, SPECIAL PURPOSE, ELECTRICAL Requirement - ABMM 100 pr, 24 AWG, 3048m, intended for use between switching and transmission equipment up to a maximum distance of 650ft Specification: • 5090 LB, 65 Inch Reel Conductor - Tinned copper minimize change in wire-wrap joint resistance Insulation - PE/PVC Conductor Gauge Size - 24 AWG Core Covering - Non-hygroscopic, dielectric tape Shield - Corrugated 8 mil aluminum shield for additional electromagnetic interference (EMI) reduction bonded to the outer jacket for great mechanical strength Jacket - Dark Gray smooth PVC Jacket Markings - printed at 2 foot intervals including product identification, pair count, UL information and sequential lengths in feet and meters Standard Compliance - RoHS - compliant, CAT 3 compliant, CMR listed Impedance - 100 Ohm nominal to minimize mismatch with OSP cable Suitability - Network application Installation - Horizontal or vertical	Total		2	Roll	\$	\$		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
6	<ul style="list-style-type: none"><li>Suggested Manufacturer: Superior Essex, Part Number 55-E99-24 or Equivalent</li><li>Part No Offered _____</li><li>Manufacturer Offered _____</li></ul>							



---

## TABLE OF CONTENTS

### PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Statement of Requirement
3. Debriefings

### PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

### PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

### PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

### PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award

### PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Statement of Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

**PART 1 - GENERAL INFORMATION****1. Security Requirement**

There is no security requirement associated with this bid solicitation.

**2. Requirement**

The Department of National Defence, Canadian Forces School of Communications, CFB Kingston, Kingston, Ontario has a requirement for the provisions of Special Purpose, Electrical Cable as outlined in accordance with the technical requirements stated herein at pages 2 to 19.

**3. Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

## PART 2 - BIDDER INSTRUCTIONS

### 1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual*

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days

Insert: ninety (90) days

#### 1.1 SACC Manual Clauses

B1000T	Condition of Material	2007-11-30
--------	-----------------------	------------

### 2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by facsimile to PWGSC will not be accepted.

### 3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

Solicitation No. - N° de l'invitation

W1810-145021/A

Amd. No. - N° de la modif.

File No. - N° du dossier

KIN-3-40082

Buyer ID - Id de l'acheteur

kin535

Client Ref. No. - N° de réf. du client

W1810-14-5021

CCC No./N° CCC - FMS No/ N° VME

---

#### **4. Applicable Laws**

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

## PART 3 - BID PREPARATION INSTRUCTIONS

### 1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (One (1) hard copy)

Section II: Financial Bid (One (1) hard copy)

Section III: Certifications (One (1) hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html)

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

#### Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

#### 1.1 Equivalent Products

- 1. Products that are equivalent in form, fit, function and quality to the item(s) specified in the bid solicitation will be considered where the Bidder:

- (a) designates the brand name, model and/or part number of the substitute product;
- (b) states that the substitute product is fully interchangeable with the item specified;
- (c) provides complete specifications and descriptive literature for each substitute product;
- (d) provides compliance statements that include technical specifics showing the substitute product meets all mandatory performance criteria that are specified in the bid

solicitation;

and

- 
- (e) clearly identifies those areas in the specifications and descriptive literature that support the substitute product's compliance with any mandatory performance criteria.
2. Products offered as equivalent in form, fit, function and quality will not be considered if:
- (a) the bid fails to provide all the information requested to allow the Contracting Authority to fully evaluate the equivalency of each substitute product; or
  - (b) the substitute product fails to meet or exceed the mandatory performance criteria specified in the bid solicitation for that item.
3. In conducting its evaluation of the bid, Canada may, but will have no obligation to, request the bidder offering a substitute product to demonstrate, at the sole cost of bidder, that the substitute product is equivalent to the item specified in the bid solicitation.

## **1.2 Substitute Products - Samples (Department of National Defence)**

If the Bidder offers a substitute product, Canada reserves the right to request a sample from the Bidder in order to determine its equivalency in form, fit, function, quality and performance to the item specified in the bid solicitation.

The Bidder must, upon request from the Contracting Authority, provide a sample to the Technical Authority, transportation charges prepaid, and without charge to Canada, within seven (7) calendar days from the date of request. The sample submitted by the Bidder will remain the property of Canada and will not be considered as part of the deliverables in any resulting contract.

If the sample does not meet the requirements of the bid solicitation or the Bidder fails to comply with the request of the Contracting Authority, the bid will be declared non-responsive.

### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

## **1.3 Exchange Rate Fluctuation**

C3011T (2010-01-11), Exchange Rate Fluctuation

### **Section III: Certifications**

Bidders must submit the certifications required under Part 5.

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **1. Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

### **1.1 Technical Evaluation**

#### **1.1.1 Mandatory Technical Criteria**

The following Mandatory requirements must be submitted with the bid for evaluation  
Technical compliance (description of items 1 to 6 from pages 2 to 19 herein)

### **1.2 Financial Evaluation**

The Bid price will be determined by processing items 1 to 6 at pages 2 to 19 herein as follows:

#### **1.2.1 Pricing Basis**

The bidder must quote firm unit prices in Canadian dollars, DDP Delivery Duty Paid, Kingston, Ontario, Applicable Taxes extra, as applicable. Freight charges to destination and all applicable Custom duties and Excise taxes must be included. The cost of the deposit for Reels and/or Lags, if applicable, will not be factored in the financial evaluation.

### **2. Basis of Selection**

A bid must comply with the requirements of the bid solicitation and meet all the mandatory technical evaluations criteria to be declared responsive. The responsive bid with the lowest evaluated price on all items will be recommended for award of a contract.

## **PART 5 - CERTIFICATIONS**

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

### **1. Mandatory Certifications Required Precedent to Contract Award**

#### **1.1 Code of Conduct and Certifications - Related documentation**

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Bid of Standard Instructions 2003. The related documentation therein required will assist Canada in confirming that the certifications are true.

#### **1.2 Federal Contractors Program for Employment Equity - Bid Certification**

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list ([http://www.labour.gc.ca/eng/standards\\_equity/eq/emp/fcp/list/inelig.shtml](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)) available from [Human Resources and Skills Development Canada \(HRSDC\)](#) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.



## PART 6 - RESULTING CONTRACT CLAUSES

### 1. Security Requirement

There is no security requirement applicable to this Contract.

### 2. Requirement

The Contractor must provide the goods in accordance with the technical requirements and in the quantities stated at pages 2 to 13.

#### 2.1 SACC Manual Clauses

B1501C	Electrical Equipment	2006-06-16
B7500C	Excess Goods	2006-06-16

### 3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual*

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>)  
issued by Public Works and Government Services Canada.

#### 3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

### 4. Term of Contract

#### 4.1 Delivery Date

All the deliverables must be received on or before seven (7) weeks from award of contract.

### 5. Authorities

#### 5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Nancy Carrière  
Title: Supply Specialist  
Public Works and Government Services Canada  
Acquisitions Branch  
Address: 86 Clarence Street, Kingston, ON K7L 1X3  
Telephone : (613) 545-8764  
Facsimile: (613) 545-8067

---

E-mail address: Nancy.Carriere@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

## 5.2 Project Authority (To be completed by PWGSC at time of award)

The Project Authority for the Contract is:

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Organization: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone : \_\_\_\_\_

Facsimile: \_\_\_\_\_

E-mail address: \_\_\_\_\_

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

## 5.3 Contractor's Representative (To be completed by the bidder)

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone: \_\_\_\_\_

Facsimile: \_\_\_\_\_

E-mail Address: \_\_\_\_\_

## 6. Payment

### 6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit prices, as specified in the contract for a cost of \$\_\_\_\_\_ (to be inserted at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

## 6.2 Reels and Lags - Deposit

A deposit will be paid by the client department or agency on reels and lags as follows:

Reels \$\_\_\_\_\_ Types/Size \_\_\_\_\_

Lags \$\_\_\_\_\_ Types/Size \_\_\_\_\_

2. The deposit is refundable in full on reels and lags that are returned to the factory transportation costs prepaid and in good condition, within twelve (12) months from the date of shipment.
3. For each month over twelve (12) months, up to and including the 22nd month, a deduction of 5 percent by month will be made from the deposit, provided the reel or lag is returned to the factory transportation costs prepaid and in good condition.
4. After the 22nd month, 50 percent of the deposit is refundable for a reel or lag that is returned to the factory transportation costs prepaid and in good condition

## 6.3 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

## 6.4 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

## 6.5 SACC Manual Clauses

D0050C	End User Certificate	2007-05-25
G1005C	Insurance	2008-05-12

## 7. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

## 8. Certifications

### 8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

## 9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

## 10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2013-04-25) General Conditions - Goods (Medium Complexity);
- (c) the Contractor's bid dated \_\_\_\_\_ (*insert date of bid*)

## 11. SACC Manual Clauses

SACC Reference	Section	Date
D5545C	ISO 9001:2008 - Quality Management Systems - Requirements (Quality Assurance Code C)	2010-08-16
D2000C	Marking	2007-11-30
D2001C	Labelling	2007-11-30
D2025C	Wood Packaging Materials	2008-12-12
D9002C	Incomplete Assemblies	2007-11-30
D6010C	Palletization	2007-11-30

### 11.1 Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered.

- (a) Delivery Duty Paid (DDP) Kingston, Ontario, Incoterms 2000 for shipments from a commercial contractor.

### 11.2 Preparation for Delivery

The Contractor must prepare item number(s) 1 to 6 in accordance with the latest issue of the Canadian Forces Packaging Specification D-LM-008-036/SF-000, DND Minimum Requirements for Manufacturer's Standard Pack.

- (a) All deliveries must be arranged 48 hours in advance, by contacting (613) 541-5047, to ensure that proper equipment is available to unload the goods.
- (b) All deliveries must be delivered Monday to Friday between 8:00am (EST) and 3:00pm (EST)