



BEARING FRAME ENDWALL	
COLUMN TOP CONNECTION	SHEET #
TYPE I AT SLOPE W/PC64	18.04
TYPE I AT SLOPE W/PC65	18.05
TYPE I AT SLOPE W/PC71	18.06
TYPE I AT PEAK W/PC64	18.09
TYPE II AT SLOPE W/PC71	18.14
TYPE II AT SLOPE W/PC73	18.15
TYPE II AT PEAK W/PC71	18.14



CL280 AT COR. COLUMN  
ENDS OF X-BRACING

ELEVATION "EWD"



PBR WALL PANELS  
PANEL COVERAGE = 3'-0 (914)  
COLOR = LIGHT STONE  
PANEL PKG. REQ'D. = PBS-2

WALL SHEETING ELEVATION "EWD"  
BLDG A

SPLICE BOLT TABLE				
CONN.	QTY.	SIZE	TYPE	HARDENED BEVELED WASHERS
A	(4)	1/2" X 1 1/4"	A325 B&N	0
B	(4)	1/2" X 1 1/4"	A325 B&N	1
C	(8)	1/2" X 1 1/4"	A325 B&N	0

Z_SECTION LAP TABLE			
SYMBOL	LAP (LENGTH)	SYMBOL	LAP (LENGTH)
⊠	0'-2" (305)	⊠	2'-4" (2'-5 3/4")
⊠	1'-4" (1'-5 3/4")	⊠	3'-0" (3'-1 3/4")

Rev	Date	Description

<b>FERRO BUILDING SYSTEMS</b> 103-19292 60TH AVENUE SURREY, BRITISH COLUMBIA, V3S 3M2 PHONE # 604-530-3324 - FAX # 604-530-9851	Project Name & Location: RCMP STEEL BUILDING, INNISFAIL AB HIGHWAY 2, EXIT 365 EAST INNISFAIL, AB T4G, 1S8, CN
	Customer: FERRO BUILDING SYSTEMS LTD C/O ROYAL CANADIAN MOUNTED POLICE 5600 11TH AVE REGINA, SK S4P 3J7, CN

Drawing Status: 
  (Not For Construction) 
  For Construction Permit 
  For Erector Installation

Scale: NOT TO SCALE  
 Drawn by: RJA 3/7/13  
 Checked by: 2207 3/7/13  
 Project Engineer: WWL  
 Job Number: 12-B-93855  
 Sheet Number: E7 of 10

The engineer whose seal appears herein is an employee for the manufacturer for the materials described herein. Said seal or certification is limited to the products designed and manufactured by manufacturer only. The undersigned engineer is not the overall engineer of record for this project.

Dustin L. Cole, P.ENG  
 Alberta P.ENG M86692

