


GREENHOUSE AND PROCESSING CROPS RESEARCH FACILITY - WASHROOM UPGRADES

2585 COUNTY ROAD 20, HARROW, ONTARIO

AGRICULTURE AND AGRI-FOOD CANADA

PHASE A



GROUND FLOOR KEY PLAN
SCALE: 1/32" = 1'-0"



SHEET LEGEND:

- A101 - MEN'S WASHROOM 'A' AND WOMEN'S WASHROOM 'B' - PLANS
- A201 - MEN'S WASHROOM 'A' AND WOMEN'S WASHROOM 'B' - ELEVATIONS AND DETAILS
- A202 - SECTIONS AND DETAILS
- M101 - MEN'S WASHROOM 'A' AND WOMEN'S WASHROOM 'B'


GENERAL NOTES:

1. ALL CONSTRUCTION SHALL CONFORM TO THE LATEST EDITION OF THE ONTARIO BUILDING CODE.
2. ALL WRITTEN DIMENSIONS ARE TO BE FOLLOWED. DO NOT SCALE DRAWINGS. ALL DIMENSIONS TO BE VERIFIED BY CONTRACTOR BEFORE COMMENCING ANY WORK.
3. BEFORE BEGINNING WORK AT THE SITE, WHERE POSSIBLE, AND THROUGHOUT THE COURSE OF THE WORK, INSPECT AND VERIFY THE LOCATION AND CONDITION OF EVERY ITEM AFFECTED BY THE WORK UNDER THIS CONTRACT AND REPORT DISCREPANCIES TO THE CONSULTANT BEFORE DOING WORK RELATED TO THAT BEING INSPECTED.
4. BEFORE BEGINNING WORK AT THE SITE, INSPECT THE EXISTING BUILDING AND DETERMINE THE EXTENT OF THE EXISTING FINISHES, SPECIALTIES, CASEWORK, EQUIPMENT, AND OTHER ITEMS WHICH MUST BE REMOVED IN ORDER TO PERFORM THE WORK UNDER THIS CONTRACT.
5. THE ARCHITECTURAL DRAWINGS SHOW PRINCIPAL AREAS WHERE WORK MUST BE ACCOMPLISHED UNDER THIS CONTRACT. INCIDENTAL WORK MAY ALSO BE NECESSARY IN AREAS NOT SHOWN ON THE ARCHITECTURAL DRAWINGS DUE TO CHANGES AFFECTING THE MECHANICAL, ELECTRICAL OR OTHER SYSTEMS. SUCH WORK IS ALSO PART OF THIS CONTRACT. INSPECT THOSE AREAS AND ASCERTAIN THE EXTENT OF WORK NEEDED AND DO THAT WORK IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS AT NO ADDITIONAL COST.
6. DO NOT DRILL OR CUT EXISTING JOISTS, BEAMS, COLUMNS, OR OTHER STRUCTURAL ELEMENTS UNLESS SPECIFICALLY INDICATED. DRILL SLABS WHERE APPROVED. MAKE OPENINGS OF PROPER SIZE FOR CONDUITS, DUCTS, PIPES AND OTHER ITEMS PASSING THROUGH OPENINGS.
7. REPAIR, PATCH, AND FINISH OR REFINISH AS APPLICABLE, TO MATCH ADJACENT EXISTING FINISHES, THOSE EXISTING SURFACES DAMAGED OR NEWLY EXPOSED AS A RESULT OF PERFORMING THE WORK UNDER THIS CONTRACT.
8. WHERE CUTTING OF EXISTING SURFACES OR REMOVAL OF EXISTING FINISHES IS REQUIRED TO PERFORM THE WORK UNDER THIS CONTRACT, AND NEW FINISH IS NOT INDICATED, FILL RESULTING OPENINGS AND PATCH THE SURFACE AFTER DOING THE WORK, AND FINISH TO MATCH ADJACENT EXISTING SURFACES.


3535 North Service Road East
Windsor, Ontario
N8W5R7
Phone: (519) 966-6750
Fax: (519) 966-6753

 **Glos Associates Inc.**
ARCHITECTURAL + ENGINEERING CONSULTANTS


JOB NUMBER: 11016A




DEMOLITION PLAN
SCALE: 1/4" = 1'-0"




FLOOR PLAN
SCALE: 1/4" = 1'-0"




REFLECTED CEILING DEMOLITION PLAN
SCALE: 1/4" = 1'-0"



REFLECTED CEILING PLAN
SCALE: 1/4" = 1'-0"



DEMOLITION ELECTRICAL PLAN
SCALE: 1/4" = 1'-0"



NEW ELECTRICAL PLAN
SCALE: 1/4" = 1'-0"

- DEMOLITION NOTES:**
- THIS CONTRACTOR SHALL CARRY OUT INVESTIGATIONS TO ASCERTAIN THE EXISTENCE OF ANY UTILITIES BELOW THE EXISTING CONCRETE FLOOR. DEMOLISH PORTION OF CONCRETE FLOOR WITH CARE SO AS NOT TO DAMAGE ANY EXISTING SERVICES BELOW.
 - REMOVE COMPLETE ALL MIRRORS AND ALL ACCESSORIES FOR SOAP, TOILET PAPER, SANITARY PRODUCTS, TOILET SEAT COVERS, PAPER TOWELS, COAT HOOKS AND DOOR STOPS.
 - PREPARE ALL EXISTING SURFACES TO REMAIN FOR NEW SUBSTRATE AND/OR FINISHES.
 - REMOVE ALL EXISTING ACCESS PANELS COMPLETE.
 - ALL EXISTING FLOOR FINISHES TO BE REMOVED AND SURFACE TO BE PREPARED FOR NEW FINISHES.
 - ALL EXISTING CEILING FINISHES TO BE REMOVED.
 - D1 REMOVE EXISTING PAPER TOWEL DISPENSER AND STAINLESS STEEL COVER PLATE FROM WALL COMPLETE.
 - D2 REMOVE EXISTING RECESSED PAPER TOWEL DISPENSER / REFUSE BIN UNIT.
 - D3 REMOVE PLUMBING FIXTURE COMPLETE.
 - D4 REMOVE TOILET PARTITION COMPLETE.
 - D5 AREA OF EXISTING BLOCK WALL TO BE REMOVED COMPLETE.
 - D6 REMOVE EXISTING MILLWORK COMPLETE.
 - D7 REMOVE EXISTING RADIATOR COMPLETE.
 - D8 REMOVE EXISTING DOOR AND DOOR FRAME COMPLETE.
 - D9 REMOVE EXISTING DOUBLE TOILET PAPER DISPENSER.
 - D10 REMOVE EXISTING CERAMIC TILE BASE COMPLETE.
 - D11 REMOVE EXISTING VINYL BASE COMPLETE.
 - D12 EXISTING ACCESS PANEL TO BE REMOVED.
 - D13 REMOVE PORTION OF BLOCK WALL FOR INSTALLATION OF NEW DOOR AND FRAME. GENERAL CONTRACTOR TO INVESTIGATE WALL PRIOR TO DEMOLITION TO SEE IF WALL IS LOAD BEARING. REPORT BACK TO ARCHITECT IF WALL IS LOAD BEARING.

LEGEND

SYMBOL	DESCRIPTION
\$ \$ \$ \$	120V, SINGLE POLE, THREE WAY, FOUR WAY SWITCH
\$os	WALL MOUNT OCCUPANCY SENSOR AS SPECIFIED
⊖	120V, 15A DUPLEX RECEPTACLE
⊖	120V, 15A GROUND FAULT INTERRUPTING RECEPTACLE
⊖	THERMOSTAT
⊖	COMMUNICATION OUTLET - 3/4" CONDUIT
⊖	ELECTRICAL CONNECTION
⊖	SINGLE PHASE, THREE PHASE MOTOR CONNECTION
⊖	INCANDESCENT, H.I.D., OR COMPACT FLUORESCENT FIXTURE
⊖	WALL MOUNTED FIXTURE
⊖	FLUORESCENT FIXTURE
⊖	FLUORESCENT STRIP FIXTURE
⊖	BATTERY BACKUP EMERGENCY LIGHT
⊖	SINGLE/DOUBLE REMOTE EMERGENCY LIGHT
AFF	ABOVE FINISHED FLOOR
EF	EXHAUST FAN
O/C	OVER COUNTER
NL	NIGHT LIGHT
⊖	HEAT DETECTOR (RATE OF RISE)
⊖	SMOKE DETECTOR
⊖	FIRE ALARM HORN
HD	HAND DRYER
OS	OCCUPANCY SENSOR
J	JUNCTION BOX

FIXTURE SCHEDULE

A	1-4 RECESSED FLUORESCENT FIXTURE c/w PRISMATIC LENS, HINGED DOOR, 120V ELECTRONIC BALLAST AND TWO T8 LAMPS, METALUX: GR8-232A-UNV-EBB1, OR APPROVED EQUAL
⊖	EMERGENCY BATTERY UNIT c/w WHITE FINISH, 6V, MAINTENANCE FREE BATTERY, TWO 9W, LAMPS, REMOTE CAPABILITY AND 120/347V INPUT. BEGHELLI: NV-6-36-2SR-9W, OR APPROVED EQUAL.
⊖	REMOTE EMERGENCY LIGHTING UNIT c/w WHITE FINISH AND 6V 9W PAR18 LAMPS. BEGHELLI: SR1-6V-9W, SR2-6V-9W, OR APPROVED EQUAL.

EQUIPMENT SCHEDULE

\$os	WALL MOUNTED DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC) OCCUPANCY SENSOR c/w WHITE FINISH HUBBELL: AD1277WIN, OR APPROVED EQUAL
OS	CEILING MOUNT DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC) OCCUPANCY SENSOR. SET DELAYS AND SENSITIVITY SETTINGS TO MATCH ROOM. MOUNT AWAY FROM AIR DIFFUSERS. INCLUDE ALL REQUIRED ACCESSORIES INCLUDING CONTROL UNIT & MOUNTING BOX. HUBBELL: ATD200RCR SENSOR & CU300A CONTROL UNIT/RELAY, O.A.E.

ARCHITECTURAL NOTES:

- ALL DIMENSIONS AND REGULATIONS TO COMPLY WITH THE NATIONAL BUILDING CODE.
- PATCH CONCRETE FLOOR TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE FLOOR FINISH HAS BEEN REMOVED.
- PATCH ALL ADJACENT SURFACES TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE WALLS AND/OR DOORS HAVE BEEN REMOVED.
- PATCH EXISTING CEILING TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE GRILLES / PANELS ARE REMOVED AS NEW PLUMBING / ELECTRICAL FIXTURES ARE INSTALLED.
- NEW WALL FINISHES TO EXTEND 1'-0" PAST ACOUSTIC CEILING TILES.
- DIMENSIONS FOR LAV DECKS WILL TAKE PRIORITY OVER PARTITION SIZING. FIELD VERIFY.
- ALL WASHROOM ACCESSORIES TO BE SUPPLIED AND INSTALLED BY CONTRACTOR.

ELECTRICAL NOTES:

- E101 DISCONNECT AND REMOVE EXISTING LIGHT FIXTURE. DISPOSE OF AS DIRECTED BY OWNER.
- E102 DISCONNECT EXISTING FIRE DETECTOR. NEW DEVICE TO BE INSTALLED IN NEW CEILING AS INDICATED.
- E103 REMOVE EXISTING RECEPTACLE DURING CONSTRUCTION. NEW RECEPTACLE TO BE INSTALLED IN ITS PLACE.
- E104 SECURE EXISTING FLUSH JUNCTION BOX ABOVE NEW T-BAR CEILING.
- E105 EXISTING FLUSH DEVICE BOX. REMOVE ALL WIRING IF POSSIBLE. BOX TO BE COVERED WITH DRYWALL BY GENERAL.
- E106 EXISTING HORN TO REMAIN.
- E107 REMOVE EXISTING WALL SWITCH. REPLACE WITH NEW WALL MOUNTED OCCUPANCY SENSOR (SEE EQUIPMENT SCHEDULE).

- A1 NEW WALL: 6" MASONRY BLOCK WALL WITH 1/2" WATER RESISTANT GYPSUM BOARD AND CERAMIC TILE 4'-0" ABOVE FINISHED FLOOR LEVEL (REFER TO ELEVATION ON SHEET A201)
- A2 NEW WALL: 3-5/8" @ 12" O.C. METAL STUD PARTITION WITH 1/2" WATER RESISTANT GYPSUM BOARD ON BOTH SIDES.
- A3 CERAMIC WALL TILE ON 1/2" WATER RESISTANT GYPSUM-FACED BACKER BOARD ON EXISTING BLOCK WALL CONSTRUCTION (REFER TO ELEVATION ON A201). SHM EXISTING WALLS AS NEEDED WHERE DIFFERENT WALL FINISHES ARE NOT FLUSH.
- A4 NEW BARRIER FREE DOOR OPERATOR BUTTON
- A5 NEW HANDS FREE AUTOMATED HAND DRYER
- A6 NEW CHASE NO. 1 (REFER TO DETAIL A202N ON PAGE A202).
- A7 NEW CHASE NO. 2 (REFER TO DETAIL A202P ON PAGE A202).
- A8 NEW 36" HOLLOW METAL DOOR WITH HOLLOW METAL FRAME IN NEW 3-5/8" METAL STUD PARTITION.
- A9 NEW 20" x 30" FLUSH MOUNTED MIRROR (PROVIDE BLOCKING AS REQUIRED).
- A10 NEW 20" x 30" TILTED BARRIER FREE MIRROR (PROVIDE BLOCKING AS REQUIRED).
- A11 NEW GRAB BARS (REFER TO ELEVATIONS ON SHEET A201). PROVIDE WOOD BLOCKING AS REQUIRED FOR MOUNTING PURPOSES.
- A12 NEW HANDS FREE AUTOMATED SOAP DISPENSER, TYPICAL AT EACH SINK. SUPPLIED AND INSTALLED BY MECHANICAL TRADE. REFER TO MECHANICAL DRAWINGS.
- A13 NEW 36" HOLLOW METAL DOOR WITH HOLLOW METAL FRAME IN BLOCK WALL. TOOTH IN BLOCK SURROUNDING DOOR OPENING AS REQUIRED. INSTALL A 1/8"x10" STEEL LINTEL ABOVE DOOR AS REQUIRED.
- A14 PATCH WALL WITH CONCRETE BLOCK AS NEEDED, TOOTH NEW BLOCK INTO EXISTING BLOCK.

MECHANICAL NOTES:

- M101 WHEN EXISTING PIPING IS BEING ABANDONED, CAP DRAIN PIPES BEHIND WALL LINE. REMOVE ALL ACCESSIBLE C.W. AND/OR H.W. SUPPLY PIPING TO NEAREST ACTIVE BRANCH OR MAIN.
- M102 CONTRACTOR SHALL FIELD VERIFY SIZES SHOWN ON THE DRAWINGS FOR EXHAUST GRILLES AND RADIATORS BEFORE ORDERING NEW EQUIPMENT.
- M103 BEFORE COMMENCING ANY WORK, THE PLUMBING TRADES SHALL ESTABLISH LOCATIONS OF WATER SUPPLY & SANITARY DRAIN LINES FOR EACH WASHROOM BEING RENOVATED AND NOTIFY CONSULTANT OF HIS FINDINGS. GENERALLY, THE CONTRACTOR SHALL CONNECT TO EXISTING COLD AND HOT WATER LINES THAT CURRENTLY FEED THE EXISTING FIXTURES IN EACH WASHROOM. THE CONTRACTORS ARE TO FIELD VERIFY EXISTING MAIN SIZES AND DETERMINE IF THE SIZES ARE BIG ENOUGH TO SERVICE THE NEW WASHROOM FIXTURES.
- M104 INSTALL NEW WATER CLOSET. REWORK EXISTING DRAIN PIPES AS REQUIRED TO SUIT NEW WATER CLOSET. SEE MECHANICAL DRAWINGS FOR PLANS FOR REWORK OF SANITARY AND COLD WATER SUPPLY PIPING.
- M105 INSTALL NEW URINAL. RE-WORK EXISTING DRAIN PIPES AS REQUIRED TO SUITE NEW WATER-LESS URINAL. SEE MECHANICAL DRAWINGS FOR PLANS FOR REWORK OF SANITARY DRAINAGE PIPING.
- M106 NEW SOLID SURFACE (FIBREGLASS) LAV DECK w/ INTEGRAL BOWL. LAV DECK SUPPLIED BY MECH TRADE & INSTALLED BY GENERAL TRADES. REWORK EXISTING DRAIN PIPES AS REQUIRED TO SUIT NEW SINKS. SEE MECHANICAL DRAWINGS FOR LAV DECK SPECIFICATIONS AND FOR REWORK OF SANITARY, C.W. AND H.W. SUPPLY PIPING.
- M107 INSTALL NEW WALL HUNG SINK c/w INSULATED PIPE. SANITARY TO BE CONNECTED TO NEAREST SANITARY STACK. COLD AND HOT WATER PIPING TO BE FED FROM NEAREST SUPPLY PIPING.
- M108 GRILLE REPLACEMENT. REMOVE EXISTING GRILLE AND INSTALL NEW ACOUSTIC CEILING TILES WILL BE INSTALLED IN PLACE OF THE GYPSUM BOARD CEILING. THEREFORE, THE SHEET METAL CONTRACTOR WILL NEED TO REWORK THE EXISTING GRILLE BRANCH, AS NEEDED TO SUITE THE NEW ACOUSTIC CEILING SYSTEM. PAINT COLOR TO BE SELECTED BY CONSULTANT. FIELD VERIFY SIZES SHOWN ON THE DRAWINGS.

- E201 NEW 6" METAL STUD @ 16" O.C. PARTITION / PLUMBING WALL WITH 1/2" WATER RESISTANT GYPSUM BOARD ON ONE SIDE.
- E202 NEW JUMBO DOUBLE TOILET PAPER DISPENSER (MOUNTED 2'-6" A.F.F.)
- E203 EXISTING BARRIER FREE OPERATOR. GYPSUM BOARD AND TILE TO WRAP AROUND OPERATOR AND CAULK AROUND TO FINISH.
- E204 NEW MULTI SINGLE ROLL TOILET PAPER DISPENSER (MOUNTED 2'-6" A.F.F.)
- E205 EXISTING DOOR TO BE REMOVED AND PAINTED ALONG WITH FRAME AND REINSTALLED PRIOR TO COMPLETION OF CONSTRUCTION. ADJUST UNDERCUT OF DOOR TO SUIT NEW FLOOR FINISH IF REQUIRED.
- M201 REMOVE EXISTING F.D./C.O.
- M202 F.D./C.O. REPLACEMENT: INSTALL NEW F.D./C.O. IN EXISTING LOCATION.
- M203 RADIATOR REMOVAL: REMOVE EXISTING RADIATOR COVER, FINNED ELEMENT AND PIPING COMPLETE.
- M204 INSTALL NEW MECHANICAL GRILLES. SIZE TO MATCH EXISTING.

This drawing, as an instrument of service, is provided by and is the property of Glos Associates Inc.

The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify Glos Associates Inc. of any variation from the supplied information.

This drawing is NOT to be scaled.

This discipline is not responsible for the accuracy of any survey, and the other disciplines information shown on this drawing. Refer to the appropriate consultant's drawings before proceeding with the work.

Construction must conform to all applicable codes and requirements of authorities having jurisdiction.

The contractor working from drawings not specifically marked 'For Construction' must assume full responsibility and bear costs for any corrections or damages resulting from his work.

VIEW NUMBER
REFERENCE SHEET
CALLOUT BUBBLE - GUIDE

PRELIMINARY - NOT FOR CONSTRUCTION

No.	Issued for:	Date:	By:
2	TENDER	2013 09 16	PD
1	REVIEW	2013 09 06	PD

Glos Associates Inc.
ARCHITECTURAL + ENGINEERING CONSULTANTS

3535 North Service Road East
Windsor, Ontario N8W 5R7
Telephone: (519) 966-6750
Fax: (519) 966-6753
www.glosassociates.com



POIRIER ELECTRIC LIMITED

G.P.C.R.F. WASHROOM UPGRADES

HARROW, ONTARIO

AGRICULTURE AND AGRI-FOOD CANADA

HARROW, ONTARIO

Design By: JG
Drawn By: KR
Checked By: PD
Project No: 11016A
Sheet No: A101

This drawing, as an instrument of service, is provided by and is the property of Glos Associates Inc.

The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify Glos Associates Inc. of any variation from the supplied information.

This drawing is NOT to be scaled.


This discipline is not responsible for the accuracy of survey, and the other disciplines information shown on this drawing. Refer to the appropriate consultant's drawings before proceeding with the work.

Construction must conform to all applicable codes and requirements of authorities having jurisdiction.

The contractor working from drawings not specifically marked "For Construction" must assume full responsibility and bear costs for any corrections or damages resulting from his work.

VIEW NUMBER
REFERENCE SHEET
CALLOUT BUBBLE - GUIDE

PRELIMINARY - NOT FOR CONSTRUCTION



- ARCHITECTURAL NOTES:**
- ALL DIMENSIONS AND REGULATIONS TO COMPLY WITH THE NATIONAL BUILDING CODE.
 - PATCH CONCRETE FLOOR TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE FLOOR FINISH HAS BEEN REMOVED.
 - PATCH ALL ADJACENT SURFACES TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE WALLS AND/OR DOORS HAVE BEEN REMOVED.
 - PATCH EXISTING CEILING TO MATCH SURROUNDING CONSTRUCTION AS NEEDED WHERE GRILLES / PANELS ARE REMOVED & NEW PLUMBING / ELECTRICAL FIXTURES ARE INSTALLED.
 - NEW WALL FINISHES TO EXTEND 1'-0" PAST ACOUSTIC CEILING TILES.
 - DIMENSIONS FOR LAV DECKS WILL TAKE PRIORITY OVER PARTITION SIZING, FIELD VERIFY.
 - ALL WASHROOM ACCESSORIES TO BE SUPPLIED AND INSTALLED BY CONTRACTOR.
 - A1** NEW WALL: 6" MASONRY BLOCK WALL WITH 1/2" WATER RESISTANT GYPSUM BOARD AND CERAMIC TILE 4'-0" ABOVE FINISHED FLOOR LEVEL (REFER TO ELEVATION ON SHEET A201)
 - A2** NEW WALL: 3-5/8" @ 12" O.C. METAL STUD PARTITION WITH 1/2" WATER RESISTANT GYPSUM BOARD ON BOTH SIDES.
 - A3** CERAMIC TILE WALL ON 1/2" WATER RESISTANT GYPSUM-FACED BACKER BOARD ON EXISTING BLOCK WALL CONSTRUCTION (REFER TO ELEVATION ON A201). SHIM EXISTING WALLS AS NEEDED WHERE DIFFERENT WALL FINISHES ARE NOT FLUSH.
 - A4** NEW BARRIER FREE DOOR OPERATOR BUTTON
 - A5** NEW HANDS FREE AUTOMATED HAND DRYER
 - A6** NEW CHASE NO. 1 (REFER TO DETAIL A202N ON PAGE A202)
 - A7** NEW CHASE NO. 2 (REFER TO DETAIL A202P ON PAGE A202)
 - A8** NEW 36" HOLLOW METAL DOOR WITH HOLLOW METAL FRAME IN NEW 3-5/8" METAL STUD PARTITION.
 - A9** NEW 20" x 30" FLUSH MOUNTED MIRROR (PROVIDE BLOCKING AS REQUIRED).
 - A10** NEW 20" x 30" TILTED BARRIER FREE MIRROR (PROVIDE BLOCKING AS REQUIRED).
 - A11** NEW GRAB BARS (REFER TO ELEVATIONS ON SHEET A201). PROVIDE WOOD BLOCKING AS REQUIRED FOR MOUNTING PURPOSES.
 - A12** NEW HANDS FREE AUTOMATED SOAP DISPENSER. TYPICAL AT EACH SINK. SUPPLIED AND INSTALLED BY MECHANICAL TRADE. REFER TO MECHANICAL DRAWINGS.
 - A13** NEW 36" HOLLOW METAL DOOR WITH HOLLOW METAL FRAME IN BLOCK WALL. TOOTH IN BLOCK SURROUNDING DOOR OPENING AS REQUIRED. INSTALL A W8.10 STEEL INTEL ABOVE DOOR AS REQUIRED.
 - A14** PATCH WALL WITH CONCRETE BLOCK AS NEEDED, TOOTH NEW BLOCK INTO EXISTING BLOCK.
 - A15** INSTALL NEW 2'-0" x 2'-0" ACOUSTIC CEILING TILE AND GRID AT 8'-0" ABOVE FINISHED FLOOR.
 - A16** NEW ELECTRICAL FIXTURES (REFER TO ELECTRICAL PLANS FOR COORDINATION).
 - A17** NEW MECHANICAL FIXTURES (REFER TO MECHANICAL PLANS FOR COORDINATION).
 - A18** NEW SANITARY NAPKIN DISPOSAL BIN.
 - A19** NEW WASHROOM PARTITIONS (REFER TO A202 FOR DIMENSIONS AND DETAILS)
 - A20** NEW 6" METAL STUD @ 16" O.C. PARTITION / PLUMBING WALL WITH 1/2" WATER RESISTANT GYPSUM BOARD ON ONE SIDE
 - A21** NEW JUMBO DOUBLE TOILET PAPER DISPENSER (MOUNTED 2'-6" A.F.F.)
 - A22** EXISTING BARRIER FREE OPERATOR. GYPSUM BOARD AND TILE TO WRAP AROUND OPERATOR AND CAULK AROUND TO FINISH.
 - A23** NEW MULTI SINGLE ROLL TOILET PAPER DISPENSER (MOUNTED 2'-6" A.F.F.)
 - A24** EXISTING DOOR TO BE REMOVED AND PAINTED ALONG WITH FRAME AND REINSTALLED PRIOR TO COMPLETION OF CONSTRUCTION. ADJUST UNDERCUT OF DOOR TO SUIT NEW FLOOR FINISH IF REQUIRED.

ROOM NUMBER	ROOM NAME	EXISTING FLOOR		NEW FLOOR		EXISTING WALLS				NEW WALLS		EXISTING CEILING		NEW CEILING		DOOR NO.	EXISTING ENTRANCE		NEW ENTRANCE		REMARKS								
		MATERIAL	FINISH	MATERIAL	FINISH	NORTH		EAST		SOUTH		WEST		MATERIAL	FINISH		HEIGHT	MATERIAL	FINISH	HEIGHT		MATERIAL	FINISH	MATERIAL	FINISH				
		BASE	FINISH	BASE	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH		MATERIAL	FINISH	MATERIAL	FINISH		MATERIAL	FINISH	MATERIAL	FINISH				
'A'	MEN'S WASHROOM	CONCRETE	CERAMIC / VCT	CERAMIC / RUBBER	CERAMIC	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CERAMIC TILE / GYPSUM	PRE-FINISHED / PAINT	GYPSUM BOARD	PAINT	8'-0"	ACOUSTIC CEILING TILE	PRE-FINISHED	8'-0"	A	SOLID WOOD	PLASTIC LAMINATE	HOLLOW METAL	PAINT	---	---	---	---	REFER TO NOTE #1, 3, 4, 7
'B'	WOMEN'S WASHROOM	CONCRETE	CERAMIC / VCT	CERAMIC / RUBBER	CERAMIC	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CERAMIC TILE / GYPSUM	PRE-FINISHED / PAINT	GYPSUM BOARD	PAINT	8'-0"	ACOUSTIC CEILING TILE	PRE-FINISHED	8'-0"	B	SOLID WOOD	PLASTIC LAMINATE	HOLLOW METAL	PAINT	---	---	---	---	REFER TO NOTE #1, 3, 4, 7
'B1'	WASHROOM VESTIBULE	CONCRETE	VCT	RUBBER	CERAMIC	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CERAMIC TILE / GYPSUM	PRE-FINISHED / PAINT	GYPSUM BOARD	PAINT	8'-0"	ACOUSTIC CEILING TILE	PRE-FINISHED	8'-0"	B1	SOLID WOOD	PLASTIC LAMINATE	HOLLOW METAL	PAINT	HOLLOW METAL	PAINT	HOLLOW METAL	PAINT	REFER TO NOTE #1, 3, 7
'B2'	STORAGE	CONCRETE	CERAMIC / VCT	CERAMIC / RUBBER	CERAMIC	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CONCRETE BLOCK	PAINT	CERAMIC TILE / GYPSUM	PRE-FINISHED / PAINT	GYPSUM BOARD	PAINT	8'-0"	ACOUSTIC CEILING TILE	PRE-FINISHED	8'-0"	B2	SOLID WOOD	PLASTIC LAMINATE	HOLLOW METAL	PAINT	HOLLOW METAL	PAINT	HOLLOW METAL	PAINT	REFER TO NOTE #1, 3

NOTES:

- CERAMIC TILE TO CARRY UP 4'-0" ABOVE FINISH FLOOR LEVEL (REFER TO DETAIL 202S ON SHEET A202)
- REFER TO NEW DOOR ELEVATION (DETAIL 202R ON SHEET A202) FOR SIZE AND LOUVER LOCATION.
- FLOORING TRANSITION STRIPS REQUIRED AT DOOR (REFER TO DETAIL ON SHEET A202)
- EXISTING DOOR AND FRAME TO BE PAINTED. NEW KICK PLATES REQUIRED ON ALL EXISTING DOOR (NEW KICK PLATES NOT REQUIRED ON STORAGE B2 DOORS)
- HARDWARE INCLUDES: BARRIER FREE DOOR OPERATOR, DOOR STOP, PUSH/PULL HARDWARE, HINGES, DOOR LOUVER AND KICK PLATES.
- HARDWARE INCLUDES: DOOR STOP, LOCKSET WITH DEADBOLT, HINGES, DOOR LOUVER AND KICK PLATES.
- SIGNAGE TO BE RE-INSTALLED AFTER PAINTING EXISTING DOORS.

No.	Issued for:	Date:	By:
2	TENDER	2013 09 16	PD
1	REVIEW	2013 09 06	PD

Glos Associates Inc.
ARCHITECTURAL + ENGINEERING CONSULTANTS

3535 North Service Road East
Windsor, Ontario N8W 5R7
Telephone: (519) 966-6750
Fax: (519) 966-6753
www.glossassociates.com

Ontario Association of Architects
Randall M. Glos
Licence 3731

Consultant:
POIRIER ELECTRIC LIMITED


Project Name:
G.P.C.R.F. WASHROOM UPGRADES
HARROW, ONTARIO

Client:
AGRICULTURE AND AGRI-FOOD CANADA
HARROW, ONTARIO


Sheet Title:
MEN'S WASHROOM 'A' AND WOMEN'S WASHROOM 'B' - ELEVATIONS & DETAILS -

Design By: JG
Drawn By: KR
Checked By: PD
Project No:
Sheet No:


11016A A201




202A BARRIER FREE WATER CLOSET
SCALE: 3/4"=1'-0"




202B BARRIER FREE WATER CLOSET
SCALE: 3/4"=1'-0"




202C BARRIER FREE LAVATORY
SCALE: 3/4"=1'-0"




202D TYP. URINAL ELEVATION
SCALE: 3/4"=1'-0"




TYPICAL BARRIER FREE STALL
SCALE: 3/4"=1'-0"




TYPICAL WATER CLOSET STALL
SCALE: 3/4"=1'-0"




202H CARRIER ARM CONNECTION DETAIL
SCALE: 3"=1'-0"




202E PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202F PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202G PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202M PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202I PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202K PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202L PARTITION ELEVATION
SCALE: 1/2"=1'-0"




202N TYP. CHASE NO. 1
SCALE: 1/2"=1'-0"




202P TYP. CHASE NO. 2
SCALE: 1/2"=1'-0"



202Q TYP. FINISH TO EXISTING WALLS
SCALE: 1/2"=1'-0"



202R TYP. FINISH TO EXISTING WALLS
SCALE: 1"=1'-0"



202S TYPICAL TILE ELEVATION
SCALE: 1"=1'-0"

This drawing, as an instrument of service, is provided by and is the property of Glos Associates Inc.


The contractor must verify and accept responsibility for all dimensions and conditions on site and must notify Glos Associates Inc. of any variation from the supplied information.

This drawing is NOT to be scaled.

This discipline is not responsible for the accuracy of survey, and the other discipline information shown on this drawing. Refer to the appropriate consultant's drawings before proceeding with the work.

Construction must conform to all applicable codes and requirements of authorities having jurisdiction.

The contractor working from drawings not specifically marked 'For Construction' must assume full responsibility and bear costs for any connections or damages resulting from his work.



PRELIMINARY - NOT FOR CONSTRUCTION

No.	Issued for:	Date:	By:
2	TENDER	2013 09 16	PD
1	REVIEW	2013 09 06	PD

Glos Associates Inc.
ARCHITECTURAL + ENGINEERING CONSULTANTS
3535 North Service Road East
Windsor, Ontario N8W 5R7
Telephone: (519) 966-6750
Fax: (519) 966-6753
www.glosassociates.com

ONTARIO ASSOCIATION OF ARCHITECTS
RANDALL M. GLOS
LICENSEE 3731

Consultant:
POIRIER ELECTRIC LIMITED

Project Name:
G.P.C.R.F. WASHROOM UPGRADES
HARROW, ONTARIO

Client:
AGRICULTURE AND AGRI-FOOD CANADA
HARROW, ONTARIO

Sheet Title:
SECTIONS AND DETAILS

Design By: JG
Drawn By: KR
Checked By: PD
Project No: 11016A
Sheet No: A202

