

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11 rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Construction Services Division/Division des services de
construction
11 Laurier St./11 Rue Laurier
3C2, Place du Portage
Phase III
Gatineau, Québec K1A 0S5

Title - Sujet ELEVATOR MODERNIZATION	
Solicitation No. - N° de l'invitation EP067-140899/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client 20140899	Date 2013-10-17
GETS Reference No. - N° de référence de SEAG PW-\$\$FG-349-63570	
File No. - N° de dossier fg349.EP067-140899	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-10-22	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: D'aoust, Jacques	Buyer Id - Id de l'acheteur fg349
Telephone No. - N° de téléphone (819) 956-0616 ()	FAX No. - N° de FAX (819) 956-8335
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Ottawa Technology Centre 875 Heron Road Ottawa Ontario K1A 1A2	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

EP067-140899/A

Client Ref. No. - N° de réf. du client

20140899

Amd. No. - N° de la modif.

004

File No. - N° du dossier

fg349EP067-140899

Buyer ID - Id de l'acheteur

fg349

CCC No./N° CCC - FMS No/ N° VME

This amendment is being raised to make the following changes to the Invitation to Tender document: a) to incorporate the **Addendum number 01** to the solicitation document.

a) Addendum number 01

Incorporate the **Addendum number 01** to the solicitation document. This Addendum will form part of the resulting contract.

All other terms and conditions remain the same.

PROJECT NAME: 875 Heron Rd – Low Rise Elevator Modernization
PROJECT NUMBER: R.052232.002
DATE: October 15, 2013.

The following changes in the tender documents are effective immediately. This addendum will form part of the contract documents.

1. SPECIFICATIONS

1. Section 01 00 10 General Instructions
 - .1 **REMOVE** Items 1.3.2.1, 1.3.2.2, 1.3.2.3 Fire Safety Requirements in their entirety.
 - .2 **MODIFY** Item 1.3.3.1.2 Fire Safety Requirements to read: ***Completed welding permit.***
 - .3 **MODIFY** Item 1.3.3.2 Fire Safety Requirements to read: ***“Fire Watchers” shall be assigned when welding or cutting operations are carried out in areas where combustible materials within 15m may be ignited by conduction or radiation.***
 - .4 **MODIFY** Item 1.3.3.4.1 Fire Safety Requirements to read: ***Provide ‘Watchman Service’; In general, watchman service is defined as an individual conversant with “Fire Emergency Procedures”, performing fire picket duty within an unprotected and unoccupied (no workers) area once per hour.***
 - .5 **ADD** Item 1.5 Site Separation: ***The contractor shall agree to install proper site separation and identification in order to maintain “Time and Space” at all times throughout the life of the project. When Building Operations staff requires access to equipment in order to operate the building, proper coordination and communication must exist between all parties involved.***
2. Section 01 35 29 .06 Health and Safety Requirements
 1. **REMOVE** Items 1.2.1, 1.2.2, 1.2.4 References in their entirety.
 2. **MODIFY** Item 1.2.3 References to read: ***“Occupational Health and Safety Act and Regulations for Construction Projects, R.S.O. 1990, c. o.1, current edition and O. Reg. 213/91, current edition”.***
 3. **MODIFY** Item 1.3.3 Submittals to read: ***Submit 2 copies of Contractor’s authorized representative’s work site health and safety inspection reports to Departmental Representative Engineer and authority having jurisdiction.***

PROJECT NAME: 875 Heron Rd – Low Rise Elevator Modernization
PROJECT NUMBER: R.052232.002
DATE: October 15, 2013.

4. **MODIFY** Item 1.10 Responsibility to read: Be responsible ***and assume the role of “Constructor” as described in the Ontario Occupational Health & Safety Act and Regulations for Construction Projects*** for health and safety of persons on site, safety of property on site and for protection of persons adjacent to site and environment to extent that they may be affected by conduct of Work.
5. **REMOVE** Items 1.11.1, 1.11.2, 1.11.3, 1.11.4, 1.11.5 Compliance in their entirety.
6. **ADD** Item 1.11.1 Compliance to read: ***Comply with the Ontario Occupational Health and Safety Act and Regulations for Construction Projects.***
3. Section 01 61 00 Common Product Requirements
 1. **ADD: Items 1.8**
 1. ***Carry out Work using qualified licensed workers or apprentices in accordance with Provincial Act representing manpower vocational training and qualification***
 2. ***Permit employees registered in Provincial apprenticeship program to perform specific tasks only if under direct supervision of qualified licensed workers.***
4. Section 14 20 06 Gearless Passenger Elevators
 1. **ADD** Item 2.2.9.6 Controller and Cabinet: ***Provide fully non-proprietary control equipment to include the following as a minimum.***
 1. ***All required diagnostics are ‘on board’***
 2. ***All programming and wiring diagrams required for long term maintenance are provided with the controller.***
 3. ***The controller will not shut down or alter its functionality in anyway after a pre-determined increment of time or use.***
 4. ***Any Elevator Contractor should be allowed to purchase parts, supplies, wiring diagrams, support, or training directly from the factory at the same cost level as the original manufacturer. A published price list shall be supplied with the controller.***
 5. ***Parts including circuit boards should be available for direct purchase from the original manufacturer in numbers and not on a one-for-one “exchange only” basis.***

PROJECT NAME: 875 Heron Rd – Low Rise Elevator Modernization
PROJECT NUMBER: R.052232.002
DATE: October 15, 2013.

5. Section 14 20 03 Geared Freight Elevator

1. **ADD** Item 2.25.6 Controller and Cabinet: *Provide fully non-proprietary control equipment to include the following as a minimum.*
 1. *All required diagnostics are 'on board'*
 2. *All programming and wiring diagrams required for long term maintenance are provided with the controller.*
 3. *The controller will not shut down or alter its functionality in anyway after a pre-determined increment of time or use.*
 4. *Any Elevator Contractor should be allowed to purchase parts, supplies, wiring diagrams, support, or training directly from the factory at the same cost level as the original manufacturer. A published price list shall be supplied with the controller.*
 5. *Parts including circuit boards should be available for direct purchase from the original manufacturer in numbers and not on a one-for-one "exchange only" basis.*

END OF ADDENDUM no. 01