


**POWER
BAUD &
MITCHELL**
architecture

Power Baud & Mitchell Ltd
PO Box 114, Suite 102
1400 Bloor Street, Toronto, Ontario M6H 2B7
Tel: 416-467-4140 Fax: 416-467-2903
email: info@powerbaud.com www.powerbaud.com

CBCL
Consulting Engineers
ISO 9001 CERTIFIED




1	ISSUED FOR TENDER	09/24
revisions		date

CANADIAN COAST
GUARD COLLEGE
MCTS RENOVATIONS
SYDNEY, NS


drawing
designed
designed

STAIR AND ELEVATOR
PLANS


designed	DD	approved	approved
date	MARCH 2013	date	MARCH 2013
drawn	TL	checked	checked
title	MARCH 2013	approved	approved
author	NS	checked	checked
NS	Project Manager	Administrative de projet	Administrative de projet
project number	R.049698.003	no. de projet	no. de projet
drawing no.	A6	no. du dessin	no. du dessin



1
A6
ELEVATOR & VESTIBULE PLAN - LEVEL 100
SCALE: 1:50
0m 1m 2m 3m 4m 5m



2
A6
ELEVATOR PLAN - LEVEL 200
SCALE: 1:50
0m 1m 2m 3m 4m 5m



3
A6
ELEVATOR & STAIR PLAN - LEVEL 300
SCALE: 1:50
0m 1m 2m 3m 4m 5m

LEGEND:
◆◆◆◆ 1 HOUR FIRE
RESISTANCE RATING

- EXTERIOR WALL ASSEMBLIES
- EW1 SIDING WALL ASSEMBLY
WOOD SIDING (TYPE, SIZE AND EXPOSURE TO MATCH EXISTING)
CEGAR BREATHER
AIR BARRIER BUILDING WRAP
13 mm EXTERIOR GRADE PLYWOOD SHEATHING
38 x 140 mm WOOD STUDS AT 400 mm O.C.
FIBREGLASS BATT INSULATION IN STUD SPACE
16 mm GYPSUM BOARD
 - EW2 SIDING WALL ASSEMBLY (AT ELEVATOR)
WOOD SIDING (TYPE, SIZE AND EXPOSURE TO MATCH EXISTING)
CEGAR BREATHER
AIR BARRIER BUILDING WRAP
13 mm EXTERIOR GRADE PLYWOOD SHEATHING
38 x 140 mm WOOD STUDS AT 400 mm O.C.
FIBREGLASS BATT INSULATION IN STUD SPACE
16 mm GYPSUM BOARD