


## ROOF LEVEL FRAMING PLAN

SCALE: 1:50

0m 1m 2m 3m 4m 5m

**LEGEND:**

B# DENOTES TIMBER BEAM. SEE TYPICAL TIMBER BEAM SCHEDULE & DETAIL 2 ON DRAWING S2 FOR DETAILS.

P# DENOTES TIMBER POST. SEE TYPICAL TIMBER POST SCHEDULE & DETAILS 1,2 ON DRAWING S2 FOR DETAILS.

**ROOF DESIGN LOADS:**

DEFLECTION CRITERIA ..... L/360 TYPICAL

DEAD LOAD (EXCLUDING SELF WEIGHT):
TOP CHORD ..... 0.25 kPa
BOTTOM CHORD ..... 0.62 kPa

LIVE LOAD:
BOTTOM CHORD ..... 0.50 kPa

SNOW LOAD:
TOP CHORD ..... 2.44 kPa

GROSS WIND UPLIFT: ..... 1.58 kPa




## DETAIL - TRUSS CONNECTION 1/S4

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm




## DETAIL - STAIRWELL WALL CORNER 2/S4

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm




## DETAIL - STAIRWELL WALL CORNER 3/S4

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm


Public Works and Government Services Canada
Travaux Publics et Services gouvernementaux Canada

FOWLER BAULD & MITCHELL
architecture

Fowler Bauld & Mitchell Ltd.
PO Box 514, Suite 102
1660 Hollis Street, Halifax, Nova Scotia B3J 2R7
Tel: 902 429 4100 Fax: 902 423 3063
email: architects@fbm.ns.ca www.fbm.ns.ca

CBCL LIMITED
Consulting Engineers
ISO 9001 CERTIFIED


REGISTERED PROFESSIONAL ENGINEER PROVINCE OF NOVA SCOTIA S. L. Myatt 8171

| revisions | | date |
|---|---|---|
| 1 | ISSUED FOR TENDER | SEP.24 2013 |

project / projet
CANADIAN COAST GUARD COLLEGE MCTS RENOVATIONS

SYDNEY, NS

drawing / dessin
STRUCTURAL ROOF LEVEL FRAMING PLAN

| | | |
|---|---|---|
| designed / conçu | S. MYATT | |
| date | JUNE 2013 | |
| drawn / dessiné | S. FRASER | |
| date | JUNE 2013 | |
| approved / approuvé | M. WOODMAN | |
| date | JUNE 2013 | |
| Tender / Soumission | | |
| PWGSC Project Manager / Administrateur de projets TPSGC | | |

project number / no. du projet: R.049698.003

drawing no. / no. du dessin: S4

PWGSC B1 (2004)

c 0 10 20mm 40 60 80 100 120 140 160 180 200mm

E-DRM/GDD-E: 458404