



KEYNOTES

NUMBER	DESCRIPTION
A57	EXISTING SECURITY CAMERA(S) TO REMAIN OPERATIONAL DURING REMEDIATION WORK. SHOULD CAMERA(S) REQUIRE RELOCATION TO INSTALL SCAFFOLDING & HOARDING OR COMPLETE REMEDIATION WORK - REMOVAL & RELOCATION OF CAMERA(S) MUST BE DONE BY A DEPARTMENTAL REPRESENTATIVE APPROVED CONTRACTOR
A59	APPROXIMATE LOCATION OF EXISTING HOSE BIBB FOR CONTRACTOR USE DURING REMEDIATION WORK. MAKE GOOD ANY DAMAGED CAUSED DURING REMEDIATION WORK
A61	EXISTING PUBLIC TELEPHONE TO BE TEMPORARILY REMOVED & THEN REINSTALLED AFTER WALL CLADDING IS COMPLETE. NOTIFY APPROPRIATE TELECOMMUNICATIONS COMPANY FOR DISCONNECTION AND RECONNECTION.
A62	EXISTING EMERGENCY GENERATOR TO REMAIN OPERATIONAL DURING REMEDIATION WORK
A63	EXISTING PROPANE TANK TO REMAIN
A64	EXISTING STEEL PIPE BOLLARD TO REMAIN
A307	EXISTING MASONRY BRICK VENEER WALL TO REMAIN
A318	EXISTING ROOF MEMBRANE TO REMAIN, PROTECT MEMBRANE DURING REMEDIATION WORK MAKE GOOD ANY DAMAGE TO ORIGINAL CONDITION
A619	REMOVE & DISPOSE OFF-SITE EXISTING METAL ROOF PANELS & BUILDING PAPER.
A708	NEW EXTERIOR ROOF STEEL CLADDING, PROFILE: TRADITION 100-4 (BY VICWEST), 24GA, PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A718	NEW ALUMINUM REVEAL FOR LAP SIDING: E23 LAP INSIDE CORNER, FINISH: ANODIZED BLACK, BY EASYTRIM REVEALS
A719	NEW ALUMINUM REVEAL FOR LAP SIDING: E27 LAP PLANK TO PLANK TOP CAP, FINISH: ANODIZED BLACK, BY EASYTRIM REVEALS
A724	NEW WESTERN RED CEDAR TONGUE & GROOVE SIDING: V-GROOVED ON ONE SIDE (EV1S) WRCL1, SIZE: 1 IN THICK X 8 IN WIDE, PATTERN: HORIZONTAL - REFER TO SPECIFICATIONS
A727	NEW ALUMINUM REVEAL FOR LAP SIDING: E28 LAP GENERAL TRIM, FINISH: ANODIZED BLACK, BY EASYTRIM REVEALS
A728	NEW SINGLE UNIT FIXED FIBERGLASS WINDOW, INSTALLATION: INTEGRAL NAILING FIN, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A729	NEW SINGLE UNIT TWO PANEL VENT-FIXED (XO) EQUAL SASH SLIDING FIBERGLASS WINDOW, INSTALLATION: INTEGRAL NAILING FIN, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A730	NEW SINGLE UNIT FIXED FIBERGLASS WINDOW, INSTALLATION: STANDARD BLOCK FRAME, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL

NUMBER	DESCRIPTION
A731	ALL EXPOSED GLULAM BEAMS TO BE WRAPPED WITH 0.6mm, PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A732	ALL EXISTING EXTERIOR DOORS AND FRAMES TO BE REPAINTED TO MATCH GLULAM FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A733	EXISTING EXTERIOR WASHROOM VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A734	EXISTING EXTERIOR VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A735	EXPOSED CCTV, ELECTRICAL, TELE COMMUNICATIONS WIRING TO BE INSTALLED UNDER NEW CLADDING IN PROTECTIVE METAL CONDUIT. ALL PENETRATIONS TO BE SEALED AS PER SPECIFICATIONS.
A736	REPAINT EXISTING METAL WALL CAP TO MATCH PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A737	NEW CAP FLASHING 0.6mm, PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
E1	REMOVE & STORE EXISTING WALL-MOUNTED LIGHT FIXTURE DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. PROVIDE TEMPORARY LIGHTING DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. REINSTALL EXISTING LIGHT FIXTURE AT SAME LOCATION AS PREVIOUSLY INSTALLED
E2	REMOVE & TEMPORARILY RELOCATE ELECTRICAL CONTROLS DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. AFTER COMPLETION OF INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY REINSTALL ELECTRICAL CONTROLS AT SAME LOCATIONS AS PREVIOUSLY INSTALLED

4		
3	ISSUED FOR TENDER	13-09-11
2	ISSUED FOR CLIENT USE	13-06-17
1	ISSUED FOR FINAL CLIENT REVIEW	13-03-28
0	ISSUED FOR CLIENT REVIEW	13-03-06

Client / client
CANADA BORDER SERVICES AGENCY
800 Burrard Street
Vancouver B.C. V6Z 2V8

Project title / Titre du projet
10290 - HWY 22A- SALMO, B.C.
Waneta Port of Entry - Building Envelope Remediation PWGSC - PROJECT NO. R.066395.003

Consultant Approval Box Only


Designed by / Concept par
SB

Drawn by / Dessiné par
BCA


PWGSC, Project Manager / Administrateur de Projets TPSGC
JULIAN HO
PWGSC, Regional Manager, Architecture and Engineering Services / Gestionnaire régionale, Services d'architecture et de génie, TPSGC
PHILIP FUDG

Drawing title / Titre du dessin
ELEVATIONS - NEW


Project no. / no. du projet R.066395.003	Sheet / Feuille A400-N	Revision no. / La Révision no.
---	---------------------------	-----------------------------------



2 WEST ELEVATION
A300 1:100




3 NORTH ELEVATION
1:100




1 EAST ELEVATION
A300 1:100



4 SOUTH-EAST ELEVATION
A300 1:100



NORTH-WEST AERIAL VIEW



SOUTH-EAST AERIAL VIEW

SHOP DRAWINGS: Prepare and submit to *Bolding Continuum Architects Inc.* one electronic copy of all required shop drawings with supporting documents and two samples of materials where specified WITHOUT EXCEPTION. Shop drawings not reviewed and stamped by Contractor, verifying field measurements and compliance with contract documents will be REJECTED. Shop drawings to show construction details of all architectural elements, general arrangements, thicknesses, finishes, location of all services, typical and special installation conditions, material being supplied, and all connections, attachments, anchorages and locations of exposed fastenings as applicable. Shop drawings to incorporate applicable key plan, plans, elevations, sections, and details for all work submitted. No materials to be ordered and no work to be fabricated shall be undertaken until shop drawings and other related submittals been reviewed.

