



KEYNOTES	
NUMBER	DESCRIPTION
M1	EXISTING HEAT PUMP TO REMAIN OPERATIONAL DURING REMEDIATION WORK. PROTECT & KEEP INTACT LOUVRE FREE OF DUST & DBRIS. WALL PENETRATION TO BE SEALED AT AIR BARRIER WITH 300mm X 300mm EPDM MEMBRANE - REFER TO SPECIFICATIONS

KEYNOTES	
NUMBER	DESCRIPTION
A61	EXISTING PUBLIC TELEPHONE TO BE TEMPORARILY REMOVED & THEN REINSTALLED AFTER WALL CLADDING IS COMPLETE. NOTIFY APPROPRIATE TELECOMMUNICATIONS COMPANY FOR DISCONNECTION AND RECONNECTION.
A301	EXISTING PRESSED STEEL DOOR FRAME & HOLLOW METAL DOOR TO REMAIN
A307	EXISTING MASONRY BRICK VENEER WALL TO REMAIN
A317	EXISTING METAL CLAD WALL / ROOF ENCLOSURE & CHAIN LINK GATE TO BE TEMPORARILY REMOVED FOR INSTALLATION OF WALL CLADDING & THEN REINSTALLED. WALL PENETRATION TO BE SEALED AT AIR BARRIER WITH 300mm X 300mm EPDM MEMBRANE - REFER TO SPECIFICATIONS
A332	EXISTING STEEL COLUMN TO REMAIN
A728	NEW SINGLE UNIT FIXED FIBERGLASS WINDOW. INSTALLATION: INTEGRAL NAILING FIN, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A729	NEW SINGLE UNIT TWO PANEL VENT-FIXED (XO) EQUAL SASH SLIDING FIBERGLASS WINDOW. INSTALLATION: INTEGRAL NAILING FIN, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A730	NEW SINGLE UNIT FIXED FIBERGLASS WINDOW. INSTALLATION: STANDARD BLOCK FRAME, COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A733	EXISTING EXTERIOR WASHROOM VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION. REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A734	EXISTING EXTERIOR VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
E1	REMOVE & STORE EXISTING WALL-MOUNTED LIGHT FIXTURE DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. PROVIDE TEMPORARY LIGHTING DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. REINSTALL EXISTING LIGHT FIXTURE AT SAME LOCATION AS PREVIOUSLY INSTALLED

4		
3		
2	ISSUED FOR TENDER	13-09-11
1	ISSUED FOR CLIENT USE	13-06-17
0	ISSUED FOR FINAL CLIENT REVIEW	13-03-28
Revision / Revision	Description / Description	Date / Date

Client / client

CANADA BORDER SERVICES AGENCY

800 Burrard Street
Vancouver B.C. V6Z 2V8

Project title / Titre du projet
10290 - HWY 22A- SALMO, B.C.
Waneta Port of Entry - Building Envelope Remediation PWGSC - PROJECT NO. R.066395.003

Consultant Approval Box Only

Designed by / Concept par
Designer


Drawn by / Dessine par
Author

PWGSC, Project Manager / Administrateur de Projets TPSGC
JULIAN HO

PWGSC, Regional Manager, Architectural and Engineering Services / Gestionnaire régionale, Services d'architecture et de génie,TPSGC
PHILIP FULTON

Drawing title / Titre du dessin
FLOOR PLAN NEW

Project no. / no. du Projet	Sheet / Feuille	Revision no. / Révision
R.066395.003	A301	



FIRST FLOOR PLAN
1 : 50

SHOP DRAWINGS: Prepare and submit to **Boldwing Continuum Architects Inc.** one electronic copy of all required shop drawings with supporting documents and two samples of materials where specified WITHOUT EXCEPTION. Shop drawings not reviewed and stamped by Contractor, verifying field measurements and compliance with contract documents will be REJECTED. Shop drawings to show construction details of all architectural elements; general arrangements, thicknesses, finishes, location of all services, typical and special installation conditions, material being supplied, and all connections, attachments, anchorages and locations of exposed fastenings as applicable. Shop drawings to incorporate applicable key plan, plans, elevations, sections, and details for all work submitted. No materials to be ordered and no work to be fabricated shall be undertaken until shop drawings and other related submittals been reviewed.

