

NUMBER	DESCRIPTION
--------	-------------

KEYNOTES	
NUMBER	DESCRIPTION
A633	EXISTING EXPOSED BOLTS & NUTS. CUT OFF EXCESS PORTION OF BOLT FLUSH TO OUTSIDE OF NUT
A733	EXISTING EXTERIOR WASHROOM VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION. REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A734	EXISTING EXTERIOR VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A735	EXPOSED CCTV, ELECTRICAL, TELE COMMUNICATIONS WIRING TO BE INSTALLED UNDER NEW CLADDING IN PROTECTIVE MORTAR CONDUIT. ALL PENETRATIONS TO BE SEALED AS PER SPECIFICATIONS.
E1	REMOVE & STORE EXISTING WALL-MOUNTED LIGHT FIXTURE DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. PRE-EXISTING TEMPORARY LIGHTING DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. REINSTALL EXISTING LIGHT FIXTURE TO PREVIOUS LOCATION AS PREVIOUSLY INSTALLED
E2	REMOVE & TEMPORARY RELOCATE ELECTRICAL CONTROLS DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. AFTER COMPLETION OF INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY REINSTALL ELECTRICAL CONTROLS AT SAME LOCATIONS AS PREVIOUSLY INSTALLED

R.066395.003	A400-D	Revision no.
--------------	--------	-----------------



COLOUR LEGEND

	EXISTING TO REMAIN
	DEMOLITION SCOPE OF WORK

SHOP DRAWINGS: Prepare and submit to **Bolding Continuum Architects Inc.** one electronic copy of all required shop drawings with supporting documents and two samples of materials where specified WITHOUT EXCEPTION. Shop drawings not reviewed and stamped by Contractor, verifying field measurements and compliance with contract documents will be REJECTED. Shop drawings to show construction details of all architectural elements, general arrangements, thickness, finishes, location of all services, typical and special installation conditions, material being supplied, and all connections, attachments, anchorages and locations of exposed fastenings as applicable. Shop drawings to incorporate applicable key plan, plans, elevations, sections, and details for all work submitted. No materials to be ordered and no work to be fabricated shall be undertaken until shop drawings and other related submittals been reviewed.

