





KEYNOTES

NUMBER	DESCRIPTION
A57	EXISTING SECURITY CAMERA(S) TO REMAIN OPERATIONAL DURING REMEDIATION WORK. SHOULD CAMERA(S) REQUIRE RELOCATION TO INSTALL SCAFFOLDING & HOARDING OR COMPLETE REMEDIATION WORK - REMOVAL & RELOCATION OF CAMERA(S) MUST BE DONE BY A DEPARTMENTAL REPRESENTATIVE APPROVED CONTRACTOR
A59	APPROXIMATE LOCATION OF EXISTING HOSE BIBB FOR CONTRACTOR USE DURING REMEDIATION WORK. MAKE GOOD ANY DAMAGED CAUSED DURING REMEDIATION WORK
A61	EXISTING PUBLIC TELEPHONE TO BE TEMPORARILY REMOVED & THEN REINSTALLED AFTER WALL CLADDING IS COMPLETE. NOTIFY APPROPRIATE TELECOMMUNICATIONS COMPANY FOR DISCONNECTION AND RECONNECTION.
A62	EXISTING EMERGENCY GENERATOR TO REMAIN OPERATIONAL DURING REMEDIATION WORK
A301	EXISTING PRESSED STEEL DOOR FRAME & HOLLOW METAL DOOR TO REMAIN
A307	EXISTING MASONRY BRICK VENEER WALL TO REMAIN
A609	REMOVE & DISPOSE OF EXISTING WOOD FRAMED WINDOW OFF-SITE
A610	REMOVE & DISPOSE OF OFF-SITE EXISTING SEALANT & BACKER ROD TO PERIMETER DOOR & LOUVRE FRAMES. CLEAN EXISTING ALUMINUM & STEEL FRAMES AS WELL AS WALL SUBSTRATE TO RECEIVE NEW SEALANT & BACKER ROD IN ACCORDANCE WITH SEALANT MANUFACTURER'S WRITTEN INSTRUCTIONS - REFER TO SPECIFICATIONS
A611	REMOVE EXISTING TRIM BOARD & BACKING & DISPOSE OF OFF-SITE
A618	REMOVE & DISPOSE OF EXISTING METAL SIDING OFF-SITE
A633	EXISTING EXPOSED BOLTS & NUTS. CUT OFF EXCESS PORTION OF BOLT FLUSH TO OUTSIDE OF NUT
A728	NEW SINGLE UNIT FIXED FIBERGLASS WINDOW. INSTALLATION: INTEGRAL NAILING FIN. COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A729	NEW SINGLE UNIT TWO PANEL VENT-FIXED (XO) EQUAL SASH SLIDING FIBERGLASS WINDOW. INSTALLATION: INTEGRAL NAILING FIN. COLOR: TAN - EXTERIOR, WHITE - INTERIOR, BY PELLA IMPERVIA COMMERCIAL
A733	EXISTING EXTERIOR WASHROOM VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)


NUMBER	DESCRIPTION
A734	EXISTING EXTERIOR VENTS TO BE REMOVED AND REINSTALLED AND SEALED AS PER SPECIFICATIONS AFTER NEW CLADDING INSTALLATION - REPAINTED TO MATCH FLASHING PREMIUM COLOR: WEATHERED ZINC CM12-2006, 12000 SERIES PVDF (BY CASCADIA METALS)
A735	EXPOSED CCTV, ELECTRICAL, TELE COMMUNICATIONS WIRING TO BE INSTALLED UNDER NEW CLADDING IN PROTECTIVE METAL CONDUIT. ALL PENETRATIONS TO BE SEALED AS PER SPECIFICATIONS.
E1	REMOVE & STORE EXISTING WALL-MOUNTED LIGHT FIXTURE DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. PROVIDE TEMPORARY LIGHTING DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. REINSTALL EXISTING LIGHT FIXTURE AT SAME LOCATION AS PREVIOUSLY INSTALLED
E2	REMOVE & TEMPORARILY RELOCATE ELECTRICAL CONTROLS DURING INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY. AFTER COMPLETION OF INSTALLATION OF NEW EXTERIOR RAIN SCREEN ASSEMBLY REINSTALL ELECTRICAL CONTROLS AT SAME LOCATIONS AS PREVIOUSLY INSTALLED




1 EAST ELEVATION - Partial
A402 1:50




2 SOUTH-EAST - Partial
A402 1:50




3 SOUTH - Partial
A402 1:50




4 WEST ELEVATION - Partial
A402 1:50




5 NORTH-WEST - Partial
A402 1:50



6 WEST - Partial
A402 1:50



7 SOUTHWEST - Partial
A402 1:50



ELEVATION KEY
1:100



Revision / Revision	Description / Description	Date / Date
4		
3		
2	ISSUED FOR TENDER	13-09-11
1	ISSUED FOR CLIENT USE	13-06-17
0	ISSUED FOR FINAL CLIENT REVIEW	13-03-28

Client / client
CANADA BORDER SERVICES AGENCY
800 Burrard Street
Vancouver B.C. V6Z 2V8

Project title / Titre du projet
10290 - HWY 22A- SALMO, B.C.
Waneta Port of Entry - Building Envelope Remediation PWGSC - PROJECT NO. R.066395.003

Consultant Approval Box Only

Designed by / Concept par
AB

Drawn by / Dessiné par
BCA

PWGSC, Project Manager / Administrateur de Projets TPSGC
JULIAN HO

PWGSC, Regional Manager, Architectural and Engineering Services / Gestionnaire régionale, Services d'architecture et de génie, TPSGC
D. L. P. E. V. A. G.

Drawing title / Titre du dessin
ELEVATIONS - EXISTING

Project no. / no. du Projet	Sheet / Feuille	Revision no. / Revision no.
R.066395.003	A402	

SHOP DRAWINGS - Prepare and submit to *Boldwing Continuum Architects Inc.* one electronic copy of all required shop drawings with supporting documents and two samples of materials where specified WITHOUT EXCEPTION. Shop drawings not reviewed and stamped by Contractor, verifying field measurements and compliance with contract documents will be REJECTED. Shop drawings to show construction details of all architectural elements; general arrangements, thicknesses, finishes, location of all services, typical and special installation conditions, material being supplied, and all connections, attachments, anchorages and locations of exposed fastenings as applicable. Shop drawings to incorporate applicable key plan, plans, elevations, sections, and details for all work submitted. No materials to be ordered and no work to be fabricated shall be undertaken until shop drawings and other related submittals been reviewed.

