


stamp



04		
03		
02		
01	ISSUED FOR BID	2013/10/04
revision		date

Do not scale drawings
Verify all dimensions and conditions on site and
immediately notify the Departmental Representative of all
discrepancies

A	detail no.
B	no. du detail
C	drawing no. - where detail required
	dessin no. - ou detail exige
	drawing no. - where detailed
	dessin no. - ou detaillé

project title
titre du projet

GRAND VALLEY INSTITUTION FOR WOMEN
1575 HOMER WATSON BLVD.
KITCHENER, ONTARIO, N2P2C5

PRINCIPAL ENTRANCE BUILDING

drawing title
titre du dessin

WASHROOM DETAILS

drawn by
dessiné par GG

designed by
conçu par GG


approved by
approuvé par RN

bid
offre RP project manager
administrateur de projets

project date
date du projet 2013-04-19


project no.
no. du projet DIALOG NO. 09487T.02
R.047995.001

drawing no.
dessiné no. A8.11




1 P222, P222A, & P223 DETAIL PLAN

A8.11 1:20




6 P134 DETAIL PLAN

A8.11 1:20




2 P222 ELEVATION

A8.11 1:20




4 P110 DETAIL PLAN

A8.11 1:20




7 P134 ELEVATION

A8.11 1:20



3 P223 ELEVATION

A8.11 1:20



5 P110 W/C ELEVATION

A8.11 1:20

- NOTES:**
1. ALL WASHROOMS & WET AREAS TO HAVE MOISTURE RESISTANT BOARD
 2. PROVIDE BLOCKING IN WALLS FOR ALL CASEWORK, GRAB BARS, ETC., TYP.
 3. ALL WALLS TO BE FULL HEIGHT TO UNDER-SIDE OF STRUCT. ABOVE UNLESS NOTED OTHERWISE

- LEGEND:**
- (M) REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR LOCATIONS & DETAILS OF ELECTRONIC FLUSH VALVES
 - FD FLOOR DRAIN
 - TP TOILET PAPER DISPENSER
 - GB GRAB BAR
 - MI TILTED MIRROR
 - CG CORNER GUARD