

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
PO Box 1408, Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3C 2Z1
Bid Fax: (204) 983-0338

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
PO Box 1408, Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3C 2Z1

Title - Sujet Walk-In Freezer	
Solicitation No. - N° de l'invitation 21520-139102/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client CSC	Date 2013-11-03
GETS Reference No. - N° de référence de SEAG PW-\$WPG-013-8652	
File No. - N° de dossier WPG-3-36061 (013)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-11-21	Time Zone Fuseau horaire Central Standard Time CST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Lamoureux-Bellec, Monique	Buyer Id - Id de l'acheteur wpg013
Telephone No. - N° de téléphone (204) 983-6107 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This Amendment No. 002 to Solicitation No. 21520-139102/A is raised to respond to questions(s) received by the industry, as well as to amend the solicitation as follows:

1. Questions and Answers

Q1. Our suppliers says to provide concrete heated floor for 5000 lbs per sq. ft. weight rather than what is identified in the solicitation. Could you please identify what manufacture(s) have the specifications you described in their product?

A1. Concrete floor is not required. Please refer to revision identified below under 2.1

2. Amendment

2.1. Refer to Append A1-Compliance Matrix, Spec. Section 1.17

DELETE: Floor shall be constructed so as to withstand a minimum weight of 5000 lbs/ft2 of evenly distributed load.

Floor shall be construed with 1/8 to the building floor.

The construction of this weight transfer methods wood that will deteriorate over time

INSERT

- Insulated Panel Floor Construction

- Will withstand a minimum weight of 5,000 pounds per square foot of evenly distributed load.

- Made of materials that are resistant to mould and water to ensure a strong structure that will not rot or rust.

- Finished with a metal plate, foamed in place, to disperse weight load evenly over the floor with an aggressive surface to reduce slips such as, 1/8 inch diamond tread aluminum.

Reference made to the following manufacturers - WA BROWN "or equal", NORLAKE "or equal", and COLDSTREAM "or equal"

ALL OTHER TERMS AND CONDITIONS WILL REMAIN THE SAME.